REGIS

Kept at Colmer Re

in the County of Hant

by Rev a.c. Her

NOTE.—Rain should be measured dai
of rain and particulars as to the British R
to Dr. H. R. MILL, 62, Camden Square, L

TISTED
COLMER RECTORY
HANTS
1911 - 1920

FORM A.
BRITISH RAINFALL.

2 JAN 1912

/ ft. / in.

800 ft.

for the measurement
ost-free on application

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·20				·03			·02	·08	1
2	·03			·10	·50						·23	·30	2
3					·21			·07		·02	·30	·12	3
4	·02		·06	·10							·33	·60	4
5								·03		·42	·07		5
6	·37		·12							·02	·08	1·08	6
7	·04									·48	·38		7
8	·14		·82								·25	1·02	8
9	·21										·03	·45	9
10		·12	·24								·02	1·00	10
11	·62										1·05		11
12			·60		·19				·03		·20	·08	12
13			·01		·40				·25			·60	13
14		·07	·05		·12							·43	14
15		·01				·02					·16	·09	15
16						·34					·54	·27	16
17						·35					·77	·63	17
18		·23	·05	·04					·25	·06	·41	·78	18
19						·43				·20	·03	·36	19
20	·03	·01						·03	·07	·64		·84	20
21		·06						·25	·23	·62		·48	21
22	·05	·22	·48			·38				·45	·02	·54	22
23	·07	·21							·15	·15	·02	·25	23
24		·18				·50				1·35		·56	24
25	·01			·10	·85		·12		·10	·01		·15	25
26		·02	·38	·40	·15	·38		·01		·22		·39	26
27		·53					·12			·20	(·08)	·15	27
28		·38		·65				·26		·45			28
29				·46		·21	·02	·01	·21				29
30						·02		·29	·01	·53		·02	30
31							·01			·01			31
Total	1·63	2·04	2·31	2·05	2·42	2·63	·27	·98	1·30	5·23	4·99	11·37 11·29	TOTAL for year 37·12
No. of Rain Days	12	12	10	8	7	9	4	9	9	17	(21)	25	37·22 143

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGIS[redacted]

FORM A.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Colmer Rectory

in the County of Hants

by Rev A.C. Hervey

Lat. ..... Long. .....

Nearest Railway Station Liphook

Time of Observation 9 am

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " Sea Level 600 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04			.20				.03			.02	.08	1
2	.03			.10	.50						.23	.30	2
3					.21			.07		.02	.30	.12	3
4	.02		.06	.10							.33	.60	4
5								.03		.42	.07		5
6	.37		.12							.02	.08	1.08	6
7	.04									.48	.38		7
8	.14		.82								.25	1.02	8
9	.21										.03	.45	9
10		.12	.24								.02	1.00	10
11	.02										1.05		11
12			.60		.19				.03		.20	.08	12
13			.01		.40				.25			.60	13
14		.07	.05		.12							.43	14
15		.01				.02					.16	.09	15
16						.34					.54	.27	16
17						.35					.77	.63	17
18		.23	.05	.04					.25	.06	.41	.78	18
19						.43				.20	.03	.36	19
20	.03	.01						.03	.07	.04		.84	20
21		.06						.25	.23	.62		.48	21
22	.05	.22	.48			.38				.45	.02	.54	22
23	.07	.21							.15	.15	.02	.25	23
24		.18				.50				1.35		.56	24
25	.01			.10	.85		.12		.10	.01		.15	25
26		.02	.38	.40	.15	.38		.01		.22		.39	26
27		.53					.12			.20	} (.08)	.15	27
28		.38		.65				.26		.45			28
29				.46		.21	.02	.01	.21				29
30						.02		.29	.01	.53		.02	30
31							.01			.01			31
Total	1.63	2.04	2.31	2.05	2.42	2.63	.27	.98	1.30	5.23	4.99	11.37	TOTAL for year 37.12
No. of Rain Days	12	12	10	8	7	9	4	9	9	17	(21)	25	37.12 143

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

W 22 corr for arith 6.11.13

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

2 JAN 1913

Kept at Colmer Rectory

in the County of Hants 5

by Rev A. C. Hervey

RAIN GAUGE: Pattern Howard; Diameter of top 8 in.; Height of top above Ground 1 ft. 1 in.; " " " Sea Level 560 ft.

Time of Observation 9.0 am.

Nearest Railway Station: Name Liphook; Distance 1m Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.24		.05	.28	.19		.02	.63	.01	.41	1
2			.20	.02		.11	.30	.18	.06				2
3	.03		.14			.45	.01	.55	.05		.17		3
4	.25	.02	.66			.25		.07					4
5	.34		.20					.68					5
6	.46	.18						.25				.20	6
7					.27	.85	.01	.18				.17	7
8	.31	.45	.46			.12		.05					8
9		.27	.13	.11		.20	.02	.17				.43	9
10		.09				.01		.17			.10	.32	10
11	.08	.25	.36								.05	.38	11
12		.28	.18		.30	.25	.10	.15					12
13	.03	.08	.03				.20	.06	~~.01~~	.01	.10	.12	13
14						.02		.07	~~.02~~	.02		.05	14
15			.25		.13	.72		.02				.56	15
16		.04	.39		.16			.47	~~.15~~	.15	.05		16
17	.26		.30			.08		.35				.15	17
18	.32		.35					.15	~~.18~~	.08		.08	18
19	.30	.15					.09	.50					19
20	.02		.60			.05		.15	~~.50~~	.50	.08		20
21			.15		.59			.14	.20	.20			21
22	.10	.90	.11		.18			.25		~~.07~~		.10	22
23	.54		.30					.60	.07	.07	.28	.25	23
24	.34	.54			~~.40~~	.40		.21				.20	24
25	.13					.72		.74	~~.10~~	.10	.32	.92	25
26						.07	.01	.31		.52	.10	.40	26
27		.10				.15	.21	.56		.53		.55	27
28		.13				.15	.41	.06	.21	.82	.16	.38	28
29		.11			.18	.41	.38	.03	2.08	.28			29
30						.04	.11	.02	1.15	.29			30
31			.20				.30	.20		.02		.01	31
Total	3.55	3.56	5.25	.13	1.86	~~5.33~~ 5.33	2.34	7.31	3.57	4.22	2.62	~~5.68~~ 5.68	~~45.42~~ 45.42
No. of Rain Days.	15	15	19	2	8	20	14	29	6	16	11	19	173

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 1 JAN 1914

Kept at Colmer Rectory

in the County of Hants

by Rev A.C. Hervey

Lat. ..... Long. .....

Time of Observation 9 am

Nearest Railway Station Liphook

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~~.35~~	.35	.18	.15	.14				.93		.32	.20	1
2	.10	.14	.03				.09		.11	.13	.11	.02	2
3	.15				.64				.01			.15	3
4	.52		.02		.42				1.35	.13	.10		4
5	.26	.06	.20		.01				.33		.05		5
6	.12	.20	.15	.14		.34	.38			.58	.03	.37	6
7		.40		.04	.25	.08	.21	.01		.52	.20		7
8		.05			.16					.10		.06	8
9		.09			.02	.05	.05		.18		.04		9
10	.04				.01			.04		.57	.57		10
11	.78			.48	.01		.50				.82		11
12											.30	.02	12
13								.07	.20				13
14	.65		.40	.02			.12	.03	.02		.18		14
15	.26	.06	.25	.50			.15		.20		.05		15
16	.25		.52	.20			.03		.15				16
17	.10			.05			.16						17
18	.01		.30	.17			.03		.24		.14		18
19	.65						.13						19
20	.22		.64	.09					.20		.10		20
21			.27	.17					.01	.55	.85		21
22	.22		.35					.28		.16			22
23	.04					.10		.03				.85	23
24				.15							.04		24
25		.03	.16	.30									25
26				.32				.18		.52			26
27			.28	.10						.06			27
28	.10		.26	.11						.24			28
29	.06		.18	.50	.55			.15		.25	.02		29
30	.70							.07		.28		.30	30
31	.02		.05					.61		.05			31
Total	5.25	1.38	4.23	3.49	2.21	.57	1.85	1.47	4.33	4.05	3.86	1.97	YEAR'S TOTAL 34.26
Rain Days.	20	9	17	17	10	4	11	10	13	14	17	8	150

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

end of month 20.11.15

FORM A. BRITISH RAINFALL. 2 - JAN 1915

Kept at COLMER RECTORY, ALTON, HANTS.

in the County of

by Rev a.c. Hervey

Lat. Long.

Time of Observation 9. am

Nearest Railway Station Tisted

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 560 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb. Mar	March Feb	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·04											1
2				·03				·34			·22	·28	2
3		·15			·58			·12			·12	·24	3
4		·04		·30	·10			·05			·56	·03	4
5		·05		·63	·35		·21	·90				·01	5
6		·03		·15	·02	·13	·15	·08				·48	6
7	·16	·24	1.10	·11			·25	·02				·21	7
8	·08	·55	·38	·10	·10	·01		·40				·10	8
9	·14	·75		·46	·05	·08			·18			1·92	9
10			·30						·50				10
11		·65	·48		·25				·41			·53	11
12		·13	·17				1·01		·23		·07	·90	12
13		·30	·60							·10	·13	·75	13
14		·28	·62			1·03	·19			·81	·20		14
15		·20					·10	·31				·52	15
16									·17				16
17		·10	·85				·07		·10			·78	17
18		·25										·35	18
19		·95	·15				1·64					·25	19
20			·40									·45	20
21			·60					·27		·28			21
22			·08		·12	·03	·10	·05		·21			22
23		·22	·12				·02						23
24		·05				·03		·18					24
25		·12					·03			·39	1·01	·25	25
26								·27				·65	26
27											·10	·30	27
28			·06		·13		·07			·24		·72	28
29	·43	·20			·08					·30	·28		29
30		·16									·95	·95	30
31	·10						·12			·20		·05	31
Total	·91	5.46	5·91 5.91	1·98	1·78	1·31	2·96	2·99	1·59	2·53	4·04	10·48	41·98 41·98
Rain Days.	5	21	14	7	10	6	13	12	6	8	10	22	134

W. 8,000. X. 14.

Please note that Feb + Mar are transposed. Error in Copying. A.C.H.

811

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Colmer Rectory

in the County of Hants

by Rev A. C. Hervey

Lat. ____ Long. ____

Time of Observation 9 a.m.

Nearest Railway Station TISTED

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 560 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·76	·16											1
2	·35	·36	·30					·40		·52		·75	2
3	·76	·01	·13	·28	·34							·54	3
4								·02	·40			·54	4
5		·68						·06				·44	5
6	·72	·10		·64			·65					·23	6
7	·40	·50			·15		·34	·03				·27	7
8	·04	·90					·12	·08					8
9	·05	·03				·13					·89	·59	9
10	·28							·12				·25	10
11	·03			·17							·44	·01	11
12	·07	·41		·21							·55		12
13	·08	·50			1·80			·01					13
14	·03	·01			·10		·10	·20	·16			1·05	14
15	·10						·21	·35				·51	15
16		1·22			·45		1·36					·28	16
17		·23			1·14			·06					17
18		·35											18
19					·04		·10						19
20	·41				·05							·16	20
21	·05	·17								·24			21
22	s ·70	s ·42					1·35					·12	22
23	·02	·06	·02			·05	·10		·20			·75	23
24			·28				·07		1·02	·65		·52	24
25				·04		·12	·12					·22	25
26		·13				·03						1·04	26
27		·06				·25	·26			·54			27
28		·10				·20							28
29									·51		·50	·08	29
30	·17	X				·04				·65	·68	·11	30
31	·01	X		X		X	·10	·08	X	2·14	X	·62	31
Total	5·03	6·40	·73	1·34	4·07	·82	4·88	1·41	2·29	4·74	3·06	9·08	YEAR'S TOTAL 43·85
Rain Days.	19	20	4	5	8	7	13	11	5	6	5	21	124

5·03

43·85

W. 8,000. X. 15.

43·85

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Colmer Rectory

in the County of Hampshire

by Rev A. C. Hervey

Lat. ..... Long. .....

Time of Observation 9.0 am

Nearest Railway Station LISTED

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 570 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.13					.02			.68		.40		1
2	.55				.55	~~.02~~			.10	1.35	.10		2
3	.04	1.24					.02		.07	.71	.48		3
4	.25	.16	.15			.53			.24	.03	.45		4
5	.05	.32			.24	.23				.18	.84		5
6					.05		.57 .5			.55	.85		6
7			.05		.08		.03			.02	1.02	.08	7
8			.04		.07	.18						.54	8
9					.50					.02		.12	9
10		.45	.26	.12		.23						.08	10
11	.13	.05		.28		.13							11
12	.05	.09		.13	.15	.02							12
13			.08		.01	.04	.31	.07		.15			13
14		.60					.02	.05		.15	.09		14
15		.15	.36	.10				.60					15
16			.26	.15				.75		.02	.07		16
17	.56			.09			.13	.18	.36	.74		.02	17
18		.42	.08	.10			.01	.02	.32	.05		.01	18
19			.10			.08			.04		.16		19
20	.48		.54								.50	1.07	20
21	.02		.16	.20								.78	21
22				.07		.01					.05		22
23	.03			.03		.48		.27			.20	.32	23
24					.28					.60	.16		24
25			.20					.05			.02		25
26		.35				.05		.01	.62	.27			26
27		.20	1.17					.80	.17	.48			27
28		1.24	.3							.47		.24	28
29		.02	.02			.37		1.06	.18	.60		.40	29
30		X				.01				.64			30
31		X		X		X		.10	X	.30	X		31
Total	2.29	5.29	3.54	1.27	1.93	2.38	1.03	3.96	~~2.96~~	2.78	7.13 5.39	3.66	YEAR'S TOTAL 40.65
Rain Days.	11	13	15	10	9	14	7	12	~~11~~	10	19 15	11	142

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 19[illegible]

FORM A. BRITISH RAINFALL.

Kept at Colmer Rectory

in the County of Hampshire

by Rev A. C. Hervey

Lat. ____ Long. ____

Time of Observation 9 am

Nearest Railway Station Liphook

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 560 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
						·02		1·32	·24		·03		
1			·22			·01		·03			·05		1
2								·29			·13		2
3							·60	·30					3
4		·30								·53			4
5	·52					·03			·10	·40	·20		5
6									·07	·09	·08		6
7	·30						·06			·43		·13	7
8	·31		·15				·50	·24	·02	·29	·24	·39	8
9			·15					·04		·02	·16	·04	9
10	·15		·06				·04	·16		·01		·01	10
11	·30		·51						·30	·44			11
12			[illegible]	·75				·21		·36			12
13	·10		·04	·09				·05	·04	·11			13
14								·14		·01		·01	14
15							·15	·04	·01	·23		·05	15
16			[illegible]	·24						·53			16
17		·10	[illegible]	·24		·02	·32	·14	·33	·49			17
18					·40		·46	·01	·59	·09			18
19		·25							·38				19
20					·70	·10		·07			·02		20
21						·10				·04	·03		21
22		·04				·24		·97		·11			22
23		·14			·08	·02		·29		·02			23
24						·12	·15			·39	·15	·45	24
25							·07			·08			25
26		·14						·45		·02	·17		26
27			·60		·62	·22		1·40					27
28					·01	2·40		·17					28
29			·17		·07	2·11	·68	·02		·50			29
30		X					·85	·19				·09	30
31		X		X		X	·07	·10	X	·03	X	·04	31
Total	1·68	·97	1·90	1·32	1·88	5·39	3·95	6·63	2·48	6·22	1·26	1·21	YEAR'S TOTAL 34·89
Rain Days.	6	6	8	4	6	12	12	22	10	23	11	9	129

W, 6,500, VII. 18. w w c

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 8.1.19

Kept at Colmer Rectory

in the County of Hants

by Rev A. C. Hervey

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Liphook

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 560 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.04							.54	.35	1
2				.08				.43		.01	.40		2
3					.30			.62		.04	.18		3
4								.07	.24		1.10	.05	4
5		.32	.16	.14	.15			.13		.25		.01	5
6	.16	.19			.15	.02		.13	.05	.04		.11	6
7		.26		.41	.18			.04	.27	.10	.40	.04	7
8		.31							.21	.05		.02	8
9	.02			.13		.20	.28		.65	.17		.46	9
10		.04		.14		.06	.90		.30	.05	.02	.33	10
11		.13					.22		.02	.27			11
12					.35		.44			.05			12
13	.25				.33		.31		.24				13
14	.19					.16	.05		.40	.18		.23	14
15	1.35			.10		.02	.42		.03			.21	15
16	.43			.40		.03	.20		.90				16
17	.13			.14		.03	.02	.03		.20		.30	17
18	.79					.60	.03		.92				18
19	.15		.23			.12	.30		.01	.03		.10	19
20	.05	.21		.35		.04	.05		.43	.04		.04	20
21		.20				.02	.32		.48	.04	.05	.03	21
22	.30				.09		.48	.05	.21			.18	22
23	.21				.10		.42		.02		.07	.04	23
24		.31				.08	.02		.21				24
25							.15	.22					25
26	.01						.45		.07	.02	.05	.15	26
27		.19					.03	.25	.07	.05		.01	27
28			.37								.33	.05	28
29			~~.41~~						1.14			.04	29
30		X	.41						.05	.05	.05	.05	30
31		X	.05	X		X			X	.13	X	2	31
Total	4.08	2.16	1.22	1.93	1.65	1.38	5.09	1.97	6.92	1.77	3.19	2.80	YEAR'S TOTAL ~~34.44~~ 34.16
Rain Days.	13	10	5	10	8	12	19	10	22	19	11	21	~~160~~

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

W. 1,000, X. 15.

Price 2d.

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Kept at Colmer Rectory

in the County of Hants

by Rev A. C. Hervey

Lat. ..... Long. .....

Time of Observation 9. am

Nearest Railway Station Tisted

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level ~~1~~ 560 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·95		·10				·35			·05	·02	1·35	1
2	·20				·15				·19			·10	2
3	·49		·53		·01		·14		·10		·07	·30	3
4	·30		·52				·02	·13	·26		·07	·08	4
5			1·04				·33		·15		·10	·28	5
6	·36		·10		·16							·11	6
7	·10		·68										7
8	·30		·23										8
9	·22		·02	·23	·02						·46		9
10	·55		·42									·34	10
11	·11		·13	·35	·15							·08	11
12			·04	·18			·20			·11			12
13	·10			·85							·05	·05	13
14	·55			·24			·18		·32			·09	14
15	·27	·35	·03									1·10	15
16		·64									·02		16
17		·19									·28		17
18			·30					·05			·17	·06	18
19		·32	1·31			·17	·35	·35	·02			·03	19
20	·30	·08	·05			·40	·12	·25			·05	·06	20
21	·41	·55											21
22	·01						·16		·57		·02	·40	22
23				·04			·02			·13	·07	·09	23
24						·05		·05		·28		·07	24
25		·11						·37			·05	·08	25
26	·14	·27	·15				·01	·1	·01			·62	26
27	·55			·05				1·25				·13	27
28	~~·10~~		·25	·70				·39			·52	·38	28
29								·28				·11	29
30				·30		·15		·61			·85	1·02	30
31												·17	31
Total	5·91	2·57	5·90	2·94	·49	·77	1·88	3·74	1·62	·57	2·80	7·10	YEAR'S TOTAL 36·23
Rain Days.	18	8	17	9	5	4	11	11	8	4	15	24	134

W. 8,000, IX. 17.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Colmer Rectory

in the County of Hants

by Rev A C Hervey M.A. LL.D

Lat. ..... Long. .....

Time of Observation 9 am

Nearest Railway Station Liphook

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10			.38	.21		.57	.04		.77			1
2	.07		.09	~~.38~~	.17		.27	.54	.07	.10		(.57) .92	2
3	.05	.10		.10						.53			3
4		.04		.10			.80	.19		.42			4
5			.20	.11			.15	.52		.20			5
6					.21		.52			.05			6
7				.32	.02		.27						7
8							.57						8
9	.48	.08		.03	.14	.04	.02						9
10	.80	.33	.37			.30	.25						10
11	.26			.58		.02	.79					.05	11
12	.07	.10	.12	.24		.44					.15		12
13	.18		.24							.12			13
14		.03	.41	.48						.15	.80		14
15	.05	.04		.47	.02				.70				15
16		.01		.05					.30				16
17	.01			.04	.42	.10	.03		.63			.12	17
18	.26			.02	.17			.68					18
19	.03	.04		.40									19
20	.10			.30		.63						1.25	20
21							.56		.21				21
22	.05			.21					.28				22
23					.01		.40	.11			.03	.75	23
24	.10		.22									.10	24
25			.10				.46						25
26	.05		.20			.08	.01				.01	.13	26
27	.75			.14		.12					.29		27
28	.78	.03	.05		.17	.04						.04	28
29	.65		.10	.05			.25				.19	.42	29
30	.08										(.35)	.50	30
31	.16		.27				.20			1.04		.19	31
TOTAL	5.08	.80	2.37	4.02	1.54	1.71	7.12	2.08	2.39	3.38	1.47 (1.82)	4.47 (4.12)	YEAR'S TOTAL 36.49
Days with .01 in. or more	21	10	12	18	10	9	17	6	6	9	6	11	135
Days with .04 in. or more	19	7	12	16	7	8	14	6	6	9	4	11	109

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

795

FORM A.
BRITISH RAINFALL.
16. JAN 1917

TISTED EAST
RECTORY
HANTS.
1916 - 1919

RE

Kept at East Ti

in the County of H

by Rev. A. E

9 a.m.
Tisted

Gauge 5 in.

e Ground 1 ft. in.

Sea Level 437 ft.

IMPORTANT the result entered to the previous day. If an Observer prefers ... versal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.06			.08				.60	.25	.40		1
2	.33	.07			.26				.11	1.13	.10		2
3	.01	1.21	.26		.01				.03	.59	.57		3
4	.10	.15				.29				.02	43		4
5	.02	.07			.20	.11			.22	.14	.95		5
6		.18			.01	.05	.41			.15	.84		6
7	.01	.04	.54		.05	.37	.03			.03	.60	.10	7
8					.22	.05						.45	8
9					.36	.05							9
10		.40		.04	.03	.16	.17				.02	.13	10
11	.12					.12						.05	11
12		.14			.06		.04	.09		.09			12
13		.28	.08	.15		.05	.04	.11		.03			13
14		.53	.02	.07	.05			.02	.02	.07			14
15		.07	.30					.14					15
16		.14	.23	.11			.09	.85					16
17	.44	.20		.05				.21	.20	.46			17
18		.15	.05	.04					.29	.03			18
19	.30		.09	.16		.12			.02				19
20	.17		.42	.06				.02			.80	.83	20
21			.18									.48	21
22										.19	.01	.40	22
23	.05					.37				.10	.09	.38	23
24					.24	.06		.06		.49	.11		24
25			.17					.11		.02	.09		25
26			.05			.04		.12	.62	.60			26
27	.03		.96					.65	.03	.37		.22	27
28			.08	.01				.02		.13		.33	28
29		2.45						1.02	.10	.60			29
30						.30			.14	.46			30
31								.04		(.10)		.07	31
Total	1.59	6.14	3.43	.69	1.56	2.14	.78	3.46	2.38	6.03	5.31	3.52	YEAR'S TOTAL 37.03
Rain Days.	12	16	14	9	12	14	6	14	12	22	13	11	

W. 8,000, VIII. 16

795

FORM A. BRITISH RAINFALL. 16. JAN. 1911

RE[illegible]

Kept at East Tisted Rectory

in the County of Hampshire

by Rev. A. Smith

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Tisted

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. ... in.

" " " " Sea Level 437 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.06			.08				.60	.25	.40		1
2	.33	.07			.26				.11	1.13	.10		2
3	.01	1.21	.26		.01				.03	.59	.57		3
4	.10	.15				.29				.02	43		4
5	.02	.07			.20	.11			.22	.14	.95		5
6		.18			.01	.05	.41			.15	.84		6
7	.01	.04	.54		.05	.37	.03			.03	.90	.10	7
8					.22	.05						.45	8
9					.36	.05							9
10		.40		.04	.03	.16	.17				.02	.13	10
11	.12					.12						.05	11
12		.14			.06		.04	.09		.09			12
13		.28	.08	.15		.05	.04	.11		.03			13
14		.53	.02	.07	.05			.02	.02	.07			14
15		.07	.30					.14					15
16		.14	.23	.11			.09	.85					16
17	.44	.20		.05				21	.20	.46			17
18		.15	.05	.04					.29	.03			18
19	.30		.09	.16		.12			.02				19
20	.17		.42	.06				.02			.80	.83	20
21			.18									.48	21
22										.19	.01	.40	22
23	.05					.37				.10	.09	.38	23
24					.24	.06		.06		.49	.11		24
25			.17					.11		.02	.09		25
26			.05			.04		.12	.62	.60			26
27	.03		.96					.65	.03	.37		.22	27
28			.08	.01				.02		.13		.33	28
29		2.45						1.02	.10	.60			29
30						.30			.14	.46			30
31								.04		(.10)		.07	31
Total	1.59	6.14	3.43	.69	1.56	2.14	.78	3.46	2.38	6.03	5.31	3.52	YEAR'S TOTAL 37.03
Rain Days.	12	16	14	9	12	14	6	14	12	22	13	11	~~155~~ 160

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

764

FORM A. BRITISH RAINFALL

Kept at East Tisted Rectory

in the County of Southampton

by Rev: R. Smith

Lat. ..... Long. .....

Time of Observation 8.30 a.m

Nearest Railway Station Tisted

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground Nil ft. ... in.

" " " " Sea Level 437 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.16	.34				1.04	.09				1
2				.50		.03		.02					2
3		.14					.60	.22		.07	.18		3
4							.02	.28		.26		.02	4
5	.42		.26			.02		.01	.10	.28	.06		5
6			.20	.50					.07		.10		6
7	.29						.06			.33		.08	7
8				.10			.53	.05	.01	.19	.12	.34	8
9							.01	.05		.01	.20	.03	9
10			.30	.35	.11			.15					10
11			.24	.16					.34	.22			11
12			.07			.03		.24		.25			12
13	.73		.17	.12				.03	.02	.10			13
14				.11				.02					14
15							.20	.05		.10		.09	15
16		.10			.03		.02	.03		.72			16
17				.09	.27		.32	.04	.47	.27			17
18				.22		.02	.26	.10	.32	.05			18
19	.04	.26	.12	.02		.07		.02	.26				19
20		.10	.10			.01		.05	.09				20
21					.66	.15				.03	.03		21
22						.16		.07		.06	.01		22
23		.15	.16					.14		.01			23
24		.09			.08	.12				.26		.86	24
25		.05	.06				.14		.10	.05			25
26			.03			.02	.04	.28		.03	.12		26
27					.55	.06		.71					27
28			.09			2.26		.20					28
29			.10		.08	.07	1.13	.01		.25		.18	29
30		X					.73	.14		.01			30
31		X	.54	X		X	.04	.03	X	.03	X		31
Total	1.48	.89	2.60	2.51	1.78	3.02	4.10	3.98	1.87	3.58	.82	1.65	YEAR'S TOTAL 28.28
Rain Days.	4	7	15	11	7	13	14	25	11	22	8	7	144

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 19[illegible]

FORM A. BRITISH RAINFALL.

Kept at East Tisted Rectory

in the County of Hampshire

by Rev. R. Errington

Lat. ____ Long. ____

Time of Observation 9 a.m.

Nearest Railway Station Tisted

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. ____ in.

" " " " Sea Level 437 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.03				.01			.65	.05	1
2		.06		.20				.45			.30	.36	2
3					.23			.26		.06	.22		3
4		.13						.05	.30		1.45		4
5		.03	.20		.15			.15	.02	.10		.25	5
6	.25	.06						.14	.02	.03			6
7		.13		.63	.45			.04	.23		.18	.05	7
8		.24							.19	.07			8
9						.21	.24			.17		.62	9
10	.02						.60			.05	.27	.43	10
11							.53		.30	.25	.11	.10	11
12		.10					.27		.25				12
13							.17		.80			.10	13
14	.51		.07		.39	.16	.08			.21		.24	14
15	1.11			.48		.09	.34					.14	15
16			.01	.19		.12			.92				16
17	.64			.10			.26	.02	.07	.10		.21	17
18	.61					.50	.01		.93			.15	18
19	.20		.12			.17	.30	.01	.01	.02		.04	19
20	.05	.13		.56		.03	.04		.37	.06			20
21		.07				.01	.18		.36	.04		.08	21
22					.08		.32		.20			.23	22
23					.09		.73	.03	.02				23
24		.37				.08	.03		.15				24
25				.01			.15	.25		.03	.11		25
26	.26						.50		.03	.02		.12	26
27		.14	.03				.02	.18	.05		.08		27
28			.33	.02				.01			.13	.05	28
29			.01						1.35	.01	.21	.03	29
30		X	.51					.01	.06	.03	.06		30
31		X	.02	X		X			X	.11	X	.05	31
Total	3.65	1.46	1.30	2.22	1.39	1.37	4.77	1.61	6.63	1.36	3.77	3.30	YEAR'S TOTAL 32.83
Rain Days.	9	11	9	9	6	9	18	14	21	17	12	19	154

W, 6,500, VII. 18. W W &

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at East Tisted Rectory

in the County of Hampshire

by Rev. R. Garrington

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Tisted

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. ... in.

" " " " Sea Level 437 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.45		.10							.08	.03	1.75	1
2	.34				.19				.20			.10	2
3	.45		.47		.02		.50		.10			.34	3
4	.24		.78					.12			.14		4
5			1.30				.26				.15	.64	5
6	.31		.10		.18							(.07)	6
7	.12		.64										7
8	.16		.18						.48				8
9	.20		.10	.12							.44		9
10	.47		.48	.10								.44	10
11	.07		.16	.40	.16		.19					.07	11
12	.03		.05	.14									12
13				.72									13
14		.45		.45			.16		.57			.20	14
15		.81	.03	.05								1.25	15
16										.14	.18		16
17													17
18			.27					.07			.28	.06	18
19			1.67				.33	.32			.07		19
20	.44		.05			.63		.24	.02			.07	20
21	.30	1.10					.08				.02		21
22	.28						.15					.38	22
23											.08	.10	23
24		.05				.05				.43	.09	.11	24
25		.10				.05		.37				.18	25
26		.22	.12	.26			.02	.17	.61			.55	26
27	.26		.02	.42									27
28			.45					1.36			.75	.61	28
29				.36				.31		.15		.12	29
30				.24				.60			.86	1.15	30
31			.05							.02		.18	31
TOTAL	4.12	2.73	7.04	3.26	.55	.73	1.69	3.56	1.98	.82	3.09	8.37	YEAR'S TOTAL 37.94
Days with .01 in. or more	15	6	19	11	4	3	8	9	6	5	12	19	117

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. 649

TOTTON, SHORNE HILL

1920 [redacted]

...INFALL ORGANIZATION.

...L IN 1920.....

...51 approx Long. 1.30 W approx

Kept o... ...f Observation 9 AM

in the... ...t Railway Station TOTTON

by ....er of Funnel of Rain Gauge 5 in.

... of top of Gauge above Ground 1 ft. 0 in.

... „ „ Sea Level 130 ft.

I ... and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.21	–	–	.22	.14	–	.37	–	.02	.65	.59	.04	1
2	.07	–	.05	.08	.01	–	.15	.25	.05	.15	–	.21	2
3	.12	.02	–	.15	.06	–	.54	–	.01	.50	–	.05	3
4	–	.07	.02	.02	–	–	.21	.37	–	.28	–	–	4
5	–	–	.13	.04	–	–	.65	.40	–	.57	–	.04	5
6	–	–	.19	–	.30	–	.41	–	–	.15	–	.01	6
7	.02	–	.02	.18	.02	–	.50	–	–	–	–	–	7
8	.01	.03	–	.09	.08	–	.33	.02	–	–	–	–	8
9	.29	.04	.03	.03	.03	.11	.04	–	–	–	–	–	9
10	.77	.25	.06	–	–	.30	.36	–	–	–	–	–	10
11	.27	–	.07	.32	.07	.09	.29	–	–	–	–	.04	11
12	.13	.14	.03	.27	–	.76	.02	–	–	–	.06	–	12
13	.20	–	.42	.03	–	–	–	–	–	–	.08	.01	13
14	.01	.04	.36	.53	–	.02	–	–	.07	.16	.72	–	14
15	.15	.05	.09	.20	.09	.04	–	–	.27	.19	.11	–	15
16	–	.02	.01	.06	–	–	–	–	.11	.03	–	–	16
17	–	–	–	.01	.28	–	.04	–	.55	–	–	–	17
18	.08	–	–	–	.16	.11	.01	.39	.25	–	–	.02	18
19	.07	–	–	.18	–	.01	–	–	.03	–	–	–	19
20	.02	.09	–	.24	–	.57	–	–	–	–	–	.02	20
21	–	–	–	–	–	–	.66	–	.03	–	–	.26	21
22	.02	–	–	.15	–	–	.01	.01	.05	–	–	.47	22
23	.01	–	–	–	–	–	.35	.03	–	–	–	.42	23
24	.03	–	.20	.02	–	–	–	–	–	–	.04	.17	24
25	–	.01	.13	–	.20	–	.36	–	–	–	–	–	25
26	.06	–	.25	–	.01	.02	.06	–	–	–	.05	.11	26
27	.54	.03	.02	.14	–	.13	.01	–	–	–	.26	.25	27
28	.50	.01	–	.07	.03	.01	.10	–	–	–	.01	.06	28
29	.53	.02	.09	.01	.02	.03	–	–	–	–	.20	.45	29
30	.08	X	–	–	–	.12	.02	–	.16	–	.26	.24	30
31	.06	X	.20	X	–	X	–	–	X	.57	X	.31	31
TOTAL	4.25	.82	2.37	3.04	1.50	2.32	5.49	1.47	1.60	3.25	2.38	3.18	YEAR'S TOTAL 31.67
Days with .01 in. or more	24	14	19	22	15	14	22	7	12	10	11	19	189
Days with .04 in. or more	17	7	13	16	9	9	17	4	8	9	10	15	134

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. I. [redacted] INFALL ORGANIZATION.

[redacted] L IN 1920.

Kept at Shorne Hill

in the County of Hampshire

by Capt J.W.O Rennie

Lat. 51 approx Long 1.30 W approx

Time of Observation 9 AM

Nearest Railway Station TOTTON

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.21	–	–	.22	.14	–	.37	–	.02	.65	.59	.04	1
2	.07	–	.05	.08	.01	–	.15	.25	.05	.15	–	.21	2
3	.12	.02	–	.15	.06	–	.54	–	.01	.50	–	.05	3
4	–	.07	.02	.02	–	–	.21	.37	–	.28	–	–	4
5	–	–	.13	.04	–	–	.65	.40	–	.57	–	.04	5
6	–	–	.19	–	.30	–	.41	–	–	.15	–	.01	6
7	.02	–	.02	.18	.02	–	.50	–	–	–	–	–	7
8	.01	.03	–	.09	.08	–	.33	.02	–	–	–	–	8
9	.29	.04	.03	.03	.03	.11	.04	–	–	–	–	–	9
10	.27	.25	.06	–	–	.30	.36	–	–	–	–	–	10
11	.27	–	.07	.32	.07	.09	.29	–	–	–	–	.04	11
12	.13	.14	.03	.27	–	.76	.02	–	–	–	.06	–	12
13	.20	–	.42	.03	–	–	–	–	–	–	.08	.01	13
14	.01	.04	.36	.53	–	.02	–	–	.07	.16	.72	–	14
15	.15	.05	.09	.20	.09	.04	–	–	.27	.19	.11	–	15
16	–	.02	.01	.06	–	–	–	–	.11	.03	–	–	16
17	–	–	–	.01	.28	–	.04	–	.55	–	–	–	17
18	.08	–	–	–	.16	.11	.01	.39	.25	–	–	.02	18
19	.07	–	–	.18	–	.01	–	–	.03	–	–	–	19
20	.02	.09	–	.24	–	.57	–	–	–	–	–	.02	20
21	–	–	–	–	–	–	.66	–	.03	–	–	.26	21
22	.02	–	–	.15	–	–	.01	.01	.05	–	–	.47	22
23	.01	–	–	–	–	–	.35	.03	–	–	–	.42	23
24	.03	–	.20	.02	–	–	–	–	–	–	.04	.17	24
25	–	.01	.13	–	.20	–	.36	–	–	–	–	–	25
26	.06	–	.25	–	.01	.02	.06	–	–	–	.05	.11	26
27	.54	.03	.02	.14	–	.13	.01	–	–	–	.26	.25	27
28	.50	.01	–	.07	.03	.01	.10	–	–	–	.01	.06	28
29	.53	.02	.09	.01	.02	.03	–	–	–	–	.20	.45	29
30	.08	X	–	–	–	.12	.02	–	.16	–	.26	.24	30
31	.06	X	.20	X	–	X	–	–	X	.57	X	.31	31
TOTAL	4.25	.82	2.37	3.04	1.50	2.32	5.49	1.47	1.60	3.25	2.38	3.18	YEAR'S TOTAL 31.67
Days with .01 in. or more	24	14	19	22	15	14	22	7	12	10	11	19	189
Days with .04 in. or more	17	7	13	16	9	9	17	4	8	9	10	15	134

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

22 JAN 1912

TWYFORD
PUMPING ST.
HANTS
1911 - 1920

REC

Kept at Twyford (Ti

in the County of Hamp

by Wm Matt

in.

Ground 1 ft. 9 in.

Sea Level 139 ft.

ame

istance Direction

IMPORTANT NOTE.
previous day. If an Obse
requested to add the readi
for it at the end of this
the selection and placing
Organization are given in "
Dr. H. R. MILL, 62, Camden Square, London, N.W.

the result entered to the
rsal rule, he is earnestly
in the space provided
nt of rain,
sh Rainfall
plication to

Jan. 1, following.
✓

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02			.29				.05				.05	1
2				.13	.37						.22	.24	2
3					.21			.03			.17	.24	3
4				.01						.14	.23	.42	4
5				.02				.01		.29	.03		5
6	.37		.11							.02		.93	6
7	.07									.08	.47	.01	7
8	.06		.35								.29	.72	8
9	.14			.02							.01	.33	9
10		.14	.40		.12							.82	10
11	.43		.01		.02						.99		11
12			.78		.13						.11	.15	12
13					.16				.17	.15		.76	13
14		.06			.02							.60	14
15		.02									.18	.04	15
16						.10					.38	.29	16
17						.18					.43	.52	17
18		.14	.05		.01	.15				.06	.40	.67	18
19		.05				.33			.30	.12		.29	19
20	.05	.01	.07					.02		.04		.75	20
21		.20	.08						.05	.94	.01	.06	21
22	.08		.30			.13				.26		.48	22
23		.12	.03			.16			.11	.14	.04	.32	23
24		.17				.35		.07		1.08		.28	24
25	.01			.09	1.01	.03			.03			.24	25
26				.27	.30	.01		.01		.30		.40	26
27		.43	.18	.13				.02	.08	.10	.19	.20	27
28		.19		.41				.12			.04		28
29				.30		.18	.15		.15	.52			29
30						.01		.07		.33		.01	30
31										.01			31
Total	1.23	1.53	2.36	1.67	2.35	1.63	0.15	0.40	0.89	4.58	4.19	9.82	TOTAL for year 30.80 ✓
No. of Rain Days	9	11	11	10	10	11	1	9	7	17	17	26	139 ✓

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

22 JAN 1912

RE[redacted]

Kept at Twyford (Pumping Station).

in the County of Hampshire 5

by Wm Matthews. CE.

RAIN GAUGE
- Pattern
- Diameter of top 8 in.
- Height of top above Ground 1 ft. 9 in.
- " " " Sea Level 139 ft.

Time of Observation 9 AM

Nearest Railway Station
- Name
- Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. ✓

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02			.29				.05				.05	1
2				.13	.37						.22	.24	2
3					.21			.03			.17	.24	3
4				.01						.14	.23	.42	4
5				.02				.01		.29	.03		5
6	.37		.11							.02		.93	6
7	.07									.08	.47	.01	7
8	.06		.35								.29	.72	8
9	.14			.02							.01	.33	9
10		.14	.40		.12							.82	10
11	.43		.01		.02						.99		11
12			.78		.13						.11	.15	12
13					.16				.17	.15		.76	13
14		.06			.02							.60	14
15		.02									.18	.04	15
16						.10					.38	.29	16
17						.18					.43	.52	17
18		.14	.05		.01	.15				.06	.40	.67	18
19		.05				.33			.30	.12		.29	19
20	.05	.01	.07					.02		.04		.75	20
21		.20	.08						.05	.94	.01	.06	21
22	.08		.30			.13				.26		.48	22
23		.12	.03			.16			.11	.14	.04	.32	23
24		.17				.35		.07		1.08		.28	24
25	.01			.09	1.01	.03			.03			.24	25
26				.27	.30	.01		.01		.30		.40	26
27		.43	.18	.13				.02	.08	.10	.19	.20	27
28		.19		.41				.12			.04		28
29				.30		.18	.15		.15	.52			29
30						.01		.07		.33		.01	30
31										.01			31
Total	1.23	1.53	2.36	1.67	2.35	1.63	0.15	0.40	0.89	4.58	4.19	9.82	TOTAL for year 30.80 ✓
No. of Rain Days	9	11	11	10	10	11	1	9	7	17	17	26	139 ✓

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL. 15 JAN 1913

Kept at Twyford Pumping Station

in the County of Hants 5

by

Lat. ..... Long. .....

Time of Observation 9 A.M.

Nearest Railway Station Shawford

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 138.7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·07	–	–	·40	·15	–	·02	·44	–	·36	1
2	–	–	·14	·01	–	·15	·49	·17	–	–	–	–	2
3	·02	–	·04	–	–	·26	–	·48	·01	–	·02	–	3
4	·18	–	·54	–	–	·21	–	·04	–	–	·19	–	4
5	·35	·15	·21	–	·01	–	–	·55	–	–	·01	·04	5
6	·49	·20	·02	–	·09	–	–	·23	·01	–	–	·04	6
7	–	·04	–	–	·15	·88	–	·23	–	–	–	·17	7
8	·44	·39	·48	–	–	·25	–	·02	–	–	–	·02	8
9	–	·25	·13	–	–	·18	–	·06	–	–	–	·36	9
10	–	·09	–	·01	–	–	–	·22	–	–	·18	·29	10
11	·10	·15	–	–	–	·01	–	–	–	–	·01	·37	11
12	·03	·25	·10	–	·37	·29	·08	·19	–	·01	–	–	12
13	–	·01	·01	–	–	–	–	·19	–	–	–	·04	13
14	·13	–	·11	–	·02	–	–	·05	–	·01	–	–	14
15	·01	·09	·12	–	·03	·61	–	–	–	–	–	·41	15
16	·14	·01	·21	–	–	–	–	·18	–	·09	·06	–	16
17	·71	–	·76	–	–	·06	·01	·48	–	–	–	·02	17
18	·02	–	·25	–	–	–	–	·28	–	·03	–	·07	18
19	·03	·12	·23	–	–	–	·12	·22	–	–	·02	–	19
20	–	–	·30	–	–	·01	·02	·06	–	·12	·04	–	20
21	·01	·12	·29	–	·30	–	–	·06	–	·28	–	–	21
22	·14	·50	–	–	–	–	–	·18	–	·09	–	·01	22
23	·31	·34	·32	–	–	–	–	·58	–	·02	·23	·20	23
24	·30	·03	–	–	–	·42	–	·23	–	·01	–	·24	24
25	·13	–	–	–	–	·48	–	·80	–	–	·21	·60	25
26	–	·03	–	–	–	–	·50	·29	–	·47	·69	·25	26
27	–	·01	–	–	–	·14	·30	–	–	·55	–	·41	27
28	–	·12	–	–	–	·15	·03	·52	·10	·80	·48	·35	28
29	–	·09	–	–	–	·36	·24	·06	1·57	·07	·01	–	29
30	–		–	–	·06	–	–	·05	·86	·36	–	–	30
31	–		·25		–		·28	·15		·08		·07	31
Total	3·54	2·99	4·08	·02	1·03	4·86	2·22	6·57	2·57	3·73	2·15	4·32	YEAR'S TOTAL 38·08
Rain Days.	18	20	20	2	8	17	11	27	6	16	13	20	178

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 8 JAN 1914

Kept at Twyford Pumping Station

in the County of Hants

by Wm Matthews C.E.

Lat. 51° 1' 15" N Long. 1° 17' 45" W

Time of Observation 9 a.m.

Nearest Railway Station Shawford

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 138.7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following yr. X

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.35	.17	.06	.04	.03			.67		.20	.09	1
2	.03	.13		.02			.03		.03	.38	.13		2
3	.04		.02	.07	.57					.02		.08	3
4	.59		.08		.30	.01	.03		.51	.34	.05	.08	4
5	.46	.06				.03	.17		.14		.08	.03	5
6	.05	.27	.08		.09	.18	.40			.75	.03	.53	6
7		.36	.03		.23	.07	.19	.03		.27	.15		7
8	.05	.05			.30	.02		.05		.14		.05	8
9		.16			.01		.03	.06	.08		.01	.01	9
10	.02			.03	.01		.10	.08		.01	.63		10
11	.92	.01		.36	.02					.23	.62		11
12		.01			.48				.01		.32		12
13	.16		.06					.02	.17	.01	.20	.01	13
14	.31		.09	.03				.02	.12		.10		14
15	.18	.04	.27	.48			.16		.55		.03		15
16	.17		.46	.10									16
17	.07	.01	.03	.15			.03						17
18	.02		.28	.13			.03				.05		18
19	.84		.09		.01		.03		.23				19
20	.22		.68							.70	.06		20
21			.27	.25					.26	.12	.75		21
22	.36		.42		.02	.06		.07		.01			22
23			.09								.02	.77	23
24	.02			.17				.02			.02		24
25		.01		.22									25
26				.25				.15		.46		.22	26
27			.31	.06						.03	.01		27
28	.20		.15	.18						.32			28
29	.07		.29	.56	.91			.03		.43		.04	29
30	.59			.03	.01			.01		.32			30
31	.05		.06					.61		.02			31
Total	5.47	1.46	3.93	3.15	3.00	.40	1.20	1.15	2.77	4.56	3.46	1.91	YEAR'S TOTAL 32.46
Rain Days.	23	12	20	18	14	7	11	12	11	18	19	11	176

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914.

FORM A. BRITISH RAINFALL. 11 JAN 1915

Kept at Twyford Pumping Station

in the County of Hants. 5

by D. Kirkhingman Esq. M.Inst.C.E.

Lat. 51° 1' 15" N. Long. 1° 14' 45" W.

Time of Observation 9 a.m.

Nearest Railway Station Shawford

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 135·4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ×

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·04					·47			·16	·04	1
2							·04				·22	·30	2
3			·21	·04	·40		·04	·02			·09	·03	3
4	·05		·03	·25			·01	·31			·22	·32	4
5	·04		·14	·42	·22	·01	·22	·49			·41		5
6		·21	·03	·08	·01	·02	·05	·05			·06	·43	6
7	·01	·85	·11	·12	·01	·01	·27	·03				·14	7
8	·05	·27	·52	·05	·01	·01		·25				·04	8
9	·08		·45	·18					·14			1·31	9
10	·04	·36	·01	·12	·25				·30				10
11		·47	·54				·40		·05		·09	·56	11
12		·13	·20				·03		·35	·14		1·05	12
13		·54	·18			·02			·22	·09	·11	·86	13
14		·41	·19			·06	·11	·06		·28	·26	·30	14
15			·14				·04	·46	·01	·02	·14	·01	15
16							·06		·15				16
17		·41	·12						·08			·43	17
18			·13				·10					·50	18
19		·06	·35				1·31				·13	·21	19
20		·40	·13			·05						·18	20
21		·41	·03			·16				·19		·05	21
22		·04	·03		·19	·01	·09	·04		·25			22
23		·13	·18		·01		·01			·04			23
24		·01	·06								·22		24
25	·06		·16					·36		·39	·03	·19	25
26			·02				·05	·10		·03	·14	·68	26
27	·08	·01									·08	·35	27
28		·06	·05		·19					·02	·34	·67	28
29	·20		·19							·24	·26		29
30		×	·11							·12	·55	·74	30
31	·10	×		×	·02	×	·09		×	·24	×	·04	31
Total	·71	5·40	4·41	1·26	1·31	·35	2·95	2·64	1·33	2·11	3·57	9·46	YEAR'S TOTAL 35·50
Rain Days.	10	14	24	8	10	9	14	12	8	13	18	24	173

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915.

782

FORM A.
BRITISH RAINFALL.
6. JAN 1916

Kept at Twyford Pumping Station

in the County of Hants

by D. Kitchingman C.E.

Lat. 51° 1' 15" N. Long. 1° 1' 45" W.
Time of Observation 9. a.m.
Nearest Railway Station Shawford
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 138.7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following:

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·74	·23			·02				·10	·15		·52	1
2	·17	·32	·32	·02		·04		·51	·05	·19		·38	2
3	1·05		·15	·15	·13							·31	3
4								·04				·39	4
5	·06	·66						·12				·54	5
6	·69	·18	·01	·58			·49	·04				·44	6
7	·40	·60		·01	·20		·30					·30	7
8	·02	·66					·08	·05			·03		8
9	·01	·06		·10							·41	·67	9
10	·19		·01							·03		·20	10
11			·09	·02			·02				·64		11
12	·08	·32		·19	·43			·03		·02	·30		12
13		·66			1·13		·25		·15				13
14	·04							·68	·10			·76	14
15	·14				·09		·05	·07			·07	·33	15
16	·04	·99			·36		1·37	·12					16
17		·29			·90								17
18		·26			·14								18
19		·01			·07		·15				·01		19
20	·23			·02								·65	20
21		·11					·12			·37		·15	21
22	·42	·45	·33				1·14					·24	22
23		·04	·17				·12		·21	·34		·26	23
24							·55		1·31	·36		·39	24
25			·05	·03			·26					·01	25
26	·01	·06				·22	·74					·87	26
27		·02				·26				·67			27
28		·11				·25			·66				28
29						·11	·17	·05			·41	·08	29
30	·13	X				·03				·65	·92	·20	30
31		X	X		X				X	1·01	X	·36	31
Total	4·42	6·03	1·13	1·12	3·47	·91	5·81	1·71	2·58	3·79	2·79	8·13 ✓	YEAR'S TOTAL 41·89 ✓
Rain Days.	17	19	8.	9	10	6.	15.	10	7	10	8	21	140 ✓

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 17 FEB 1917

Kept at Twyford Pumping Station

in the County of Hants.

by Duncan Kitchingman M Inst C E

Lat. 51° 1' 15" N Long. 1° 17' 45" W.

Time of Observation 9 am

Nearest Railway Station Shawford

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 138·7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	·09	·04		·25	·01			·68	·22	·40		1
2	·30	·18	·02		·13				·05	·82	·16		2
3	·01	1·30	·06						·01	·75	·52		3
4	·16	·23			·02				·32		·55		4
5	·01	·11			·17	·45	·07			·11	·82		5
6		·13	·01		·04	·01	·50			·24	·86		6
7	·01		·30			·18	·04			·02	·61	·10	7
8		·03			·24	·28					·01	·37	8
9					·29		·01					·19	9
10				·06	·02	·01					·01	·04	10
11	·04	·52	·07	·09		·03						·18	11
12	·04	·05	·02		·06		·08	·09		·07			12
13		·28						·05					13
14		·55			·02			·04		·08			14
15		·10	·20					·30				·03	15
16	·01	·01	·24	·13			·15	1·06					16
17	·23	·33		·05				·10	·27	·97			17
18	·03	·08	·02	·06				·01	·34	·03	·31	·17	18
19	·10		·05	·03							·44	·05	19
20	·15		·49								·03	1·32	20
21	·01		·25				·10					·25	21
22		·45				·04				·16	·01	·49	22
23	·02	·15				·14		·04		·16	·10		23
24					·13	·03		·06		·45	·10	·31	24
25		·24	·15					·26		·07	·08		25
26		·17	·01			·22			·13	·48			26
27			·99					·36	·12	·42	·01		27
28		·55	·04					·05	·25	·20		·25	28
29		·26	·01			·29		·87	·18	·37	·01	·27	29
30					·25			·04		·80		·04	30
31								·07		·28		·06	31
													YEAR'S TOTAL
Total	1·17	5·36	2·97	·42	1·62	1·69	·95	3·40	2·35	6·70	5·03	4·12	35·78
Rain Days.	15	20	18	6	12	12	7	15	10	20	18	16	169

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

737

Kept at Turnford Pumping Station

in the County of Herts.

by D Kitchingman C.E

Lat. 51° 1' 15" Long. 1° 17' 45" W.

Time of Observation 9 am

Nearest Railway Station Hoddesdon

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 138·7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following. X

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·16	·20				1·06	·12		·02		1
2			·01	·47		·05					·10		2
3				·07			1·04	·23		·12	·03		3
4			·14					·10		·32			4
5	·23		·05			·08		·03	·14	·42	·11		5
6			·39	·39						·11	·10		6
7	·27									·20		·03	7
8	·23			·06			·44	·04	·03	·20	·18	·44	8
9			·14	·01			·04	·04	·02		·11		9
10	·20		·30	·30	·06			·25		·10			10
11	·15		·36	·09					·22	·30			11
12	·09		·01					·19		·20			12
13	·02		·17	·07				·11	·03	·04			13
14				·16				·01					14
15							·50	·47		·19		·02	15
16		·20		·12			·10	·02		1·05		·65	16
17		·01		·15	·16	·19	·25	·09	·43	·27	·01		17
18		·04				·53	·34	·02	·36				18
19		·31	·11						·26	·04			19
20		·01	·29		1·05			·10					20
21			·02			·01				·02			21
22			·01					·07		·08			22
23		·31			·09			·27		·03		·05	23
24		·19					·15	·02		·23	·04	·03	24
25		·06	·02			·07			·02	·08			25
26					·03				·10		·09	·04	26
27			·08		·43	·02						·06	27
28						3·15		1·30				·01	28
29			·05		·09	·07	·45			·48		·03	29
30		X	·42				·89	·11					30
31		X	·05	X	·01	X	·06	·05	X	·02	X		31
Total	1·19	1·13	2·78	2·09	1·92	4·17	4·26	4·58	1·73	4·50	·79	1·36	YEAR'S TOTAL 30·50
Rain Days.	7	8	19	12	8	9	11	21	11	21	10	10	147

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

105

FORM A. BRITISH RAINFALL

Kept at Twyford Pumping Station

in the County of Hants.

by D. Litchingman M. Inst. C.E.

Lat. 51° 1' 15" N Long. 1° 17' 45" W.

Time of Observation 9. a.m.

Nearest Railway Station Shawford

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 138·7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ×

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·20			·72	·03	1
2		·14		·06				·40			·24	·25	2
3				·26	·37			·19			·11	·04	3
4		·29						·09	·18	·01	1·34	·06	4
5		·11	·09		·16			·19	·05	·18		·02	5
6	·21	·10		·26				·14	·01	·12		·03	6
7		·15		·15	·46			·01	·30	·06	·34	·13	7
8		·24							·65	·10	·02	·05	8
9				·29		·16	·29		·13	·22		·50	9
10	·01			·05		·04	·64		·01	·09	·02	·05	10
11							·28		·04	(·12)	·02	·03	11
12		·07			·32		·18		·40			·04	12
13	·27				·40		·36		·26		·01	·02	13
14	·22		(·04)			·10	·06		·17	·21		·17	14
15	1·14			·47			·19					·11	15
16	·46			·17					·40	·03		·05	16
17	·05			·12			1·12	·01	·09			·02	17
18	·70					·50			·73			·16	18
19	·10		·02				·38	·01	·05	·01		·01	19
20	·04			·57		·03	·01		·32			—	20
21	·17	·09				·02	·18		·66	·08		·09	21
22	·12				·07		·43		·21			·20	22
23	·13				·12		·42	·01	03			·02	23
24		·29							·12		·28	—	24
25						·02	·13	·50		·04	·01	·17	25
26				·04			·55			·02	·04	—	26
27		·17	·02				·01	·14	·06		·13	·06	27
28	·02		·21								·17	·02	28
29			·03						·94			·02	29
30		×	·43					·10		·02	·08	·01	30
31	·01	×	·04	×		×			×	·16	×	—	31
Total	3·65	1·65	·86	2·44	1·90	·87	5·23	1·99	5·81	1·47	3·53	2·36	YEAR'S TOTAL 31·76
Rain Days.	15	10	8	11	7	7	16	13	22	16	15	27	167

W. 6,500, VII. 18. w w c

Ex. 4896

62

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

15 JAN 20

Kept at Twyford Pumping Station

in the County of Hants.

by D. Kitchingman M. Inst. C.E.

Lat. 51° 1' 15" N Long. 1° 17' 45" W.

Time of Observation 9 a.m.

Nearest Railway Station Shawford

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 138·70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·52		·06				·20			·07		1·28	1
2	·39								·48		·08	·01	2
3	·21		·51						·11			·23	3
4	·04	·02	·64			·02	·05	·05	·12		·07	·07	4
5	·01	·38	·72				·35		1·04		·09	·18	5
6	·38	—	·08		·11						·01	·18	6
7	·11	·01	·52										7
8	·43		·21	·03	·02								8
9	·10		·07	·08	·08				·01		·18		9
10	·48		·38	·10						·01		·38	10
11	·08		·04	·31	·11							·05	11
12	·01		·02	·09			·13			·09	·08		12
13	·07			·45								·08	13
14	·34			·24			·02		·15			·25	14
15	·24	·13		·02						·02		1·30	15
16	·05	·87						·02			·12		16
17	—	·15									·10	·03	17
18	—		·23					·02	·01		·08	·01	18
19	·43	·40	1·15			·12	·35	·25	·02	·01	·07	·02	19
20	·45	·10	·03			·38		·16				·01	20
21	·03	·64					·09					·02	21
22	—						·17		·42			·18	22
23	—									·12	·05	·04	23
24	—	·02				·03				·30	·06	·10	24
25	·04	·10										·10	25
26	·05	·12	·13	·11			·02	·26	·11		·07	·49	26
27	·08			·39				·08				·03	27
28	·07		·42					·75			·46	·43	28
29	·01							·81		·09		·07	29
30	—		·01	·20		·14		·16			·65	·68	30
31	—							·50		·01		·16	31
TOTAL	4·62	2·94	5·22	2·02	·32	·69	1·38	3·06	2·47	·72	2·17	6·38	YEAR'S TOTAL 31·99
Days with ·01 in. or more	24	12	17	11	4	5	9	11	10	9	15	26	153

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Twyford Pumping Station

in the County of Hants

by D. Kitchingman M.Inst.C.E.

Lat. 51° 1' 15" N Long 1° 17' 45" W

Time of Observation 9 a.m.

Nearest Railway Station Shawford

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 138·7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08		·02	·48	·14		·40			·56	·18	·41	1
2	·07		·02	·09			·30	·41	·03	·11		·12	2
3	·12	·03		·02	·15		·83			·60		·02	3
4		·04	·01				·38	·27		·34			4
5			·14	·06			·78	·71		·60		·03	5
6			·18		·24		·46			·06			6
7	·04			·25	·01		·23			·02			7
8	·03	·02		·09	·09		·35	·01					8
9	·26	·02	·02	·04		·10	·01						9
10	·71	·27	·04			·28	·21						10
11	·28	·02	·07	·54	·07	·06	·62					·03	11
12	·07	·06	·01	·28		·97	·01				·10		12
13	·11	·01	·34								·03		13
14		·04	·45	·46					·12	·30	·53		14
15	·04	·02	·02	·14	·06				·33	·28	·07		15
16		·02	·01	·02	·10				·14	·02			16
17				·01	·26		·01		·33			·03	17
18	·12		·01	·02	·11	·07		·42	·19			·01	18
19	·07			·34		·04			·02		·02		19
20	·07	·06		·23		·71					·01	·04	20
21							·77		·03			·24	21
22	·03			·26				·03	·05			·43	22
23							·41	·01				·39	23
24	·02		·20	·02							·02	·10	24
25		·02	·06		·10		·50						25
26	·10		·22			·04	·01				·03	·11	26
27	·52	·01	·02			·17	·07				·34	·23	27
28	·41	·01			·10		·14					·03	28
29	·55		·05	·01	·04						·19	·25	29
30	·07				·05	·12	·13		·25	·02	·30	·22	30
31	·10		·28							·96		·21	31
TOTAL	3·87	·65	2·17	3·36	1·52	2·56	6·62	1·86	1·49	3·87	1·82	2·90	YEAR'S TOTAL 32·69
Days with ·01 in. or more	22	15	20	19	14	10	20	7	10	12	12	18	179
Days with ·04 in. or more	19	5	11	13	13	10	16	4	7	9	9	12	128

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL.

27 JAN 1913

TWYFORD
MALLARD CLOSE
HANTS
1912 – 1920

Kept at Mallards

in the County of H

by C. R

1° 18' 29" W.
30 a.m.
Shawford
5 in.
ove Ground 1 ft. 0 in.
Sea Level 140 ft.

IMPORTANT
d the result entered to the
previous day. If
liversal rule, he is earnestly
requested to add the reading at 9 a.m. on 1st
ear in the space provided
for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1										·45	–	·35	1
2										–	–	–	2
3										–	·02	–	3
4										–	·15	–	4
5										–	·05	·02	5
6										–	–	·06	6
7										–	–	·15	7
8										–	–	·02	8
9										–	–	·32	9
10										–	·25	·31	10
11										–	–	·31	11
12										–	·01	·03	12
13										–	·02	·03	13
14					Began recording →				–	·01	–	·01	14
15									–	–	–	·49	15
16									–	·08	·05	–	16
17									–	–	–	·02	17
18									–	·02	–	·07	18
19									–	–	·01	–	19
20									–	·43	·04	–	20
21									–	·25	–	–	21
22									–	·07	–	·06	22
23									–	·04	·23	·16	23
24									–	·01	·01	·17	24
25									–	–	·18	·39	25
26									–	·42	·71	·59	26
27									–	·43	–	·46	27
28									·06	·72	·41	·35	28
29									1·45	·03	·03	–	29
30									1·04	·22	–	–	30
31										·08		·04	31
Total										3·28	2·17	4·41	YEAR'S TOTAL
Rain Days.										15	15	22	

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

27 JAN 1913

Kept at Mallards Close. Twyford.

in the County of Hampshire

by G. R. Marsh

Lat. 51 1 17 N Long. 1 18 29 W.

Time of Observation 9.30 a.m.

Nearest Railway Station Shawford

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										·45	–	·35	1
2										–	–	–	2
3										–	·02	–	3
4										–	·15	–	4
5										–	·05	·02	5
6										–	–	·06	6
7										–	–	·15	7
8										–	–	·02	8
9										–	–	·32	9
10										–	·25	·31	10
11										–	–	·31	11
12										–	·01	·03	12
13										–	·02	·03	13
14					Began recording →				–	·01	–	·01	14
15									–	–	–	·49	15
16									–	·08	·05	–	16
17									–	–	–	·02	17
18									–	·02	–	·07	18
19									–	–	·01	–	19
20									–	·43	·04	–	20
21									–	·25	–	–	21
22									–	·07	–	·06	22
23									–	·04	·23	·16	23
24									–	·01	·01	·17	24
25									–	–	·18	·39	25
26									–	·42	·71	·59	26
27									–	·43	–	·46	27
28									·06	·72	·41	·35	28
29									1·45	·05	·03	–	29
30									1·04	·22	–	–	30
31										·08		·04	31
Total										3·28	2·14	4·41	YEAR'S TOTAL
Rain Days.										15	15	22	

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 15 JAN 1914

Kept at Mallards Close. Twyford.

in the County of Hampshire

by G. R. Marsh

Lat. 50° 1' 17" N Long. 1° 18' 29" W.

Time of Observation 9.30 a.m.

Nearest Railway Station Shawford

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 145 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·35	·14	-	-	·02	-	-	·69	-	·14	·08	1
2	·01	·12	·01	·10	-	-	·03	-	·04	·38	·14	-	2
3	·01	-	·01	·08	·44	-	-	-	-	·07	-	·06	3
4	·56	-	·06	·01	·44	·01	·03	-	·49	·35	·04	·05	4
5	·46	·06	-	-	-	·03	·13	-	·25	-	·08	·05	5
6	·05	·22	·06	-	·08	·14	·25	-	-	·78	·03	·54	6
7	-	·33	·03	-	·15	·02	·45	-	-	·23	·13	-	7
8	·08	·03	-	-	·35	·05	-	-	-	·15	·01	·04	8
9	-	·16	-	-	·01	-	·04	-	·09	-	·02	·02	9
10	-	-	-	·04	-	-	·14	·12	-	-	·60	-	10
11	·93	·01	-	·35	·02	-	-	·10	-	·23	·68	-	11
12	-	·01	-	-	·44	-	-	-	-	-	·28	-	12
13	·17	-	·05	-	-	-	-	·03	·10	-	·10	·01	13
14	·29	-	·14	·02	-	-	·01	·03	-	·02	·20	-	14
15	·21	·02	·23	·37	-	-	·20	-	·54	-	·03	·03	15
16	·20	-	·46	·15	-	-	-	-	·01	-	-	-	16
17	·07	·01	·04	·14	-	-	·02	-	-	-	-	-	17
18	·01	-	·18	·13	-	-	·03	-	-	-	·05	-	18
19	·75	-	·16	-	·01	-	·05	-	·21	-	-	-	19
20	·26	-	·57	·10	-	·01	-	-	-	·67	·04	-	20
21	-	-	·24	·13	-	-	-	-	-	·11	·75	-	21
22	·36	-	·40	·01	·02	-	-	-	·26	·03	-	-	22
23	-	-	·09	-	-	·08	-	·10	-	-	-	·80	23
24	·01	-	-	·14	-	-	-	-	-	-	·03	-	24
25	-	·01	-	·23	-	-	-	-	-	-	-	-	25
26	-	-	-	·16	-	-	-	·17	-	·47	-	·26	26
27	-	-	·10	·06	-	-	-	-	-	-	-	-	27
28	·20	-	·40	·15	-	-	-	-	-	·28	-	-	28
29	·08		·28	·48	·80	-	-	·04	-	·21	-	-	29
30	·60		-	·05	-	-	-	·01	-	·36	-	-	30
31	·05		·07		-		-	·62		·03		-	31
Total	5·41	1·33	3·72	2·90	2·75	·36	1·38	1·22	2·68	4·37	3·35	1·94	YEAR'S TOTAL 31·42
Rain Days.	22	12	21	20	11	8	12	9	10	16	18	11	170

W. 7,500, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 17 FEB 1915

Kept at Mallards Close, Twyford

in the County of Hants

by G. R. Marsh

Lat. 51° 1' 16" N Long. 1° 18' 30" W.
Time of Observation 7.30 a.m.
Nearest Railway Station Shawford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	·05	·07	-	-	-	-	·13	-	-	·17	·03	1
2	-	-	-	-	-	-	·02	·29	-	-	·22	·25	2
3	-	-	·21	·03	·40	-	·06	·04	-	-	·14	·02	3
4	-	-	·04	·22	-	-	-	·22	-	-	·24	·32	4
5	·14	-	·13	·46	·20	-	·23	·64	-	-	·41	-	5
6	-	·19	·	·08	·02	·02	·03	-	-	-	·07	·45	6
7	·02	·64	·13	·14	·04	·02	·21	-	-	-	-	·16	7
8	·04	·28	·53	·06	·02	·01	·04	·23	-	-	-	·05	8
9	·08	·02	·51	·20	-	-	-	·01	·17	-	-	1·47	9
10	·03	·27	·01	·10	·24	·	-	-	·07	-	-	-	10
11	-	·39	·46	-	-	-	·15	-	·27	-	·08	·53	11
12	-	·11	·18	-	-	-	·19	-	·33	·14	-	·64	12
13	-	·43	·18	-	-	·02	-	-	·21	·10	·12	·99	13
14	-	·27	·20	-	-	·04	·10	·06	-	·23	·11	·30	14
15	·02	·07	·20	-	-	-	-	·45	·02	·06	·28	·02	15
16	-	-	-	-	-	-	·09	-	·03	-	-	-	16
17	-	·67	·08	-	-	-	·02	-	·17	-	-	·36	17
18	-	·02	·12	-	-	-	·07	-	-	-	-	·62	18
19	-	·07	·24	-	-	-	1·11	-	-	-	·12	·24	19
20	-	·38	·28	-	-	·04	-	-	-	-	-	·20	20
21	-	·66	·04	-	-	·15	-	-	-	·13	-	·06	21
22	-	·03	-	-	-	-	·09	-	-	·23	-	-	22
23	-	·11	·17	-	·23	·01	-	-	-	·05	-	-	23
24	-	-	·08	-	-	-	·02	-	-	·03	·23	-	24
25	·04	-	·16	-	-	-	-	·32	-	·34	·03	·03	25
26	-	-	-	-	-	-	·05	-	-	·03	·15	·75	26
27	·07	-	·02	-	-	-	-	-	-	·02	·06	·32	27
28	·02	·05	-	-	·22	-	-	-	-	·02	·29	·69	28
29	·16	X	·15	-	-	-	-	-	-	·26	·17	-	29
30	·02	X	·14	-	-	-	-	-	-	·17	·66	·69	30
31	·02	X	-	X	-	X	·07	-	X	·27	X	·03	31
Total	·66	4·71	4·33	1·29	1·37	·31	2·55	2·39	1·27	2·08	3·55	9·22	YEAR'S TOTAL 33·73
Rain Days.	12	19	24	8	8	8	17	10	8	15	18	24	171

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

783

FORM A. BRITISH RAINFALL.

17 FEB 1916

Kept at Mallards Close, Twyford.

in the County of Hampshire

by G. R. Marsh

5

Lat. 51° 1' 16" N Long. 1° 18' 30" W

Time of Observation 7.30 a.m

Nearest Railway Station Shawford

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 145 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·73	·20	-	-	-	-	-	-	·03	·08	·02	·77	1
2	·15	·27	·26	·02	·02	·03	-	·43	·07	·25	-	·22	2
3	1·80	-	·16	·15	·13	-	-	-	-	·03	-	·37	3
4	·02	-	-	-	-	-	-	-	-	-	-	·34	4
5	·04	·56	-	-	-	-	-	·11	-	-	-	·50	5
6	·60	·15	·02	·51	-	-	·45	·03	-	-	-	·40	6
7	·49	·53	·03	·02	·18	-	·30	·02	-	-	-	·30	7
8	·03	·58	-	-	-	-	·13	·04	-	-	·01	-	8
9	·02	·02	-	·11	-	-	-	·02	-	-	·44	·61	9
10	·18	·03	·01	-	-	-	-	-	-	-	-	·21	10
11	·01	-	·07	·02	-	-	·03	-	-	-	·53	-	11
12	·07	·11	-	·22	·37	-	-	-	-	·03	·36	-	12
13	-	·69	-	-	1·27	-	-	-	·16	-	-	-	13
14	·03	·02	-	-	-	-	·23	·70	·07	-	-	·60	14
15	·15	-	-	-	·09	-	·03	·08	-	-	·05	·37	15
16	·10	·71	-	-	·30	-	1·14	·08	-	-	-	·42	16
17	-	·42	-	-	·99	-	-	-	-	-	-	-	17
18	-	·22	-	-	·23	-	·01	-	-	-	-	-	18
19	-	·03	-	-	·04	-	-	-	-	-	-	-	19
20	·21	-	-	·04	-	-	·13	-	-	-	-	·09	20
21	·03	·11	-	-	-	-	·03	-	-	·34	-	·16	21
22	·52	·42	·37	-	-	-	·97	-	-	-	-	·20	22
23	-	·05	·14	-	-	-	·30	-	·20	·31	-	·26	23
24	-	-	-	·01	-	·01	·44	-	1·49	·36	-	·25	24
25	-	-	·03	-	-	-	·19	-	-	-	-	·21	25
26	-	·02	-	-	-	·10	·46	-	-	-	-	·68	26
27	-	·04	-	-	-	·29	·02	-	-	·45	-	-	27
28	-	·12	-	-	-	·20	--	-	·80	·12	-	·13	28
29	-		-	-	-	·05	·11	·05	-	-	·39	·03	29
30	·12		-	-	-	·09	-	-	-	·36	·71	·18	30
31	-		-		-		-	-		1·18		·29	31
Total	5·30	5·30	1·09	1·10	3·62	·77	4·97	1·56	2·82	3·51	2·51	7·59	YEAR'S TOTAL 40·14
Rain Days.	19	21	9	9	10	7	17	10	7	11	8	23	151

1,000, XI. '12

EDWARD STANFORD, Ltd., 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 16 JAN 1917

Kept at Mallards Close. Twyford.

in the County of Hampshire

by G.R. Marsh

Lat. 51° 1' 16" N. Long. 1° 18' 30" W.

Time of Observation 7.30 a.m. GMT

Nearest Railway Station Shawford

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 145 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·13	·08	·04	-	·04	·02	-	-	·75	·19	·43	-	1
2	·32	·13	·03	-	·34	-	-	-	·04	·83	·11	-	2
3	·02	1·08	·09	-	·01	-	-	-	·02	·70	·47	-	3
4	·14	·16	-	-	·03	·31	-	-	·30	·03	·41	-	4
5	·02	·05	-	-	·16	·17	·05	-	-	·08	·82	-	5
6	·01	·11	-	-	·07	·01	·52	-	-	·21	·76	-	6
7	-	·04	·25	-	·02	·11	·05	-	-	·03	·72	·07	7
8	-	·02	·03	-	·16	·32	-	-	-	-	-	·35	8
9	-	-	-	-	·34	·01	-	-	-	-	-	·20	9
10	-	·40	-	·05	·02	·02	·02	-	-	-	·02	·01	10
11	·04	-	·04	·05	·01	·02	-	-	-	-	-	·21	11
12	·05	·15	-	·03	·05	·02	·07	·09	-	·03	·01	·01	12
13	-	·27	-	-	-	-	-	·04	-	·04	-	-	13
14	-	·50	·04	·01	·03	-	-	·04	-	·06	-	-	14
15	-	·04	·19	-	-	-	-	·20	-	-	-	-	15
16	·02	·07	·25	·13	-	-	·15	·94	-	·02	-	-	16
17	·19	·22	-	·07	-	-	-	·16	·30	·94	-	-	17
18	·04	·20	·02	·08	-	-	-	·01	·33	·04	·34	-	18
19	·13	-	·04	·03	-	-	-	-	·02	-	·42	·19	19
20	·15	-	·56	-	-	-	-	-	-	-	·06	·90	20
21	-	-	·31	-	-	-	·10	-	-	-	-	·66	21
22	·02	-	-	-	·02	-	-	-	-	·15	-	·49	22
23	-	·02	-	·01	-	·16	-	·04	-	·12	·06	·05	23
24	·02	·14	-	-	·10	·02	-	·06	-	·35	·08	·32	24
25	-	·18	·19	-	-	-	-	·26	-	·05	-	-	25
26	-	·22	-	-	-	·21	-	·14	·09	·38	-	-	26
27	-	-	·88	-	-	·01	-	·32	·10	-	-	-	27
28	-	·50	·04	-	-	·27	-	·04	·20	·08	-	·22	28
29	-	~~·29~~	·03	-	-	-	-	·95	·23	·45	-	·27	29
30	-		-	-	·20	-	-	·06		·87	-	·03	30
31	-		-		-		-	·06		·20		·08	31
Total	1·30	4·87	3·03	·46	1·60	1·68	·96	3·41	2·38	5·85	4·71	4·06	YEAR'S TOTAL 34·31
Rain Days.	15	22	17	9	16	15	7	16	11	22	14	16	180

W.7,000, XI. 13

1

REGISTER OF RAINFALL IN 1917

738

FORM A. BRITISH RAINFALL.

19 JAN 1918

Kept at Mallards Close, Twyford.

in the County of Hampshire

by G. R. Marsh

Lat. 51-1-16. N. Long. 1-18-30. W.

Time of Observation 9 o a.m.

Nearest Railway Station Shawford

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 153 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·17	·32	·	·01	-	1·10	·26	-	·04	-	1
2	-	-	·02	·64	-	·08	-	-	-	·02	·10	-	2
3	·01	-	-	·06	-	-	1·05	·26	-	·09	·03	-	3
4	-	·15	·08	·38	-	-	-	·08	-	·32	-	·03	4
5	·22	-	·05	-	-	-	-	·10	·14	·44	·10	-	5
6	-	-	·40	-	-	·09	-	-	·02	·05	·10	-	6
7	·24	·	-	-	·	-	·02	-	-	·24	-	·04	7
8	·33	-	·02	·07	-	-	·42	·12	·05	·19	·18	·45	8
9	-	·	·08	·01	·06	-	·06	·02	·03	-	·14	-	9
10	·20	-	·29	·29	·	-	-	·25	-	·09	-	-	10
11	·16	·	·38	·08	·	·	-	-	·25	·28	-	-	11
12	·09	-	·02	-	-	-	-	·20	·	·19	·	-	12
13	·03	-	·16	·09	-	-	-	·10	·03	·06	-	-	13
14	·01	-	·	·17	-	-	-	·03	·	-	-	-	14
15	-	-	-	-	-	-	·32	·45	-	·18	-	·05	15
16	-	·18	-	·13	·09	-	·10	·02	-	1·08	-	·48	16
17	-	-	-	·15	·09	·16	·27	·11	·43	·25	-	-	17
18	-	·05	-	-	·02	·44	·38	-	·43	·04	-	-	18
19	·02	·24	·11	-	-	-	-	-	·32	-	-	-	19
20	-	·10	·34	-	·84	-	-	-	-	-	-	-	20
21	·	-	·06	-	-	·02	-	·06	-	·03	-	-	21
22	·	-	·03	-	-	-	-	·05	-	·09	-	-	22
23	-	·29	-	-	·07	-	·16	·33	-	·02	-	·04	23
24	-	·16	-	-	-	·06	-	·03	-	·23	·07	·02	24
25	·	·05	·03	-	-	-	-	-	·02	·08	-	-	25
26	-	-	·03	-	·05	-	-	·30	·09	-	·09	-	26
27	-	-	·01	-	·46	·15	-	1·08	-	-	-	·04	27
28	-	-	·08	-	-	3·16	-	·15	-	-	-	-	28
29	-		·07	-	·11	·08	·44	·02	-	·59	-	·07	29
30	-		·41	-	-	-	1·17	·13	-	-	·01	-	30
31	-		·06		-		·08	·06		-		·02	31
Total	1·31	1·17	2·90	2·39	1·79	4·25	4·47	5·05	2·07	4·56	·86	1·24	YEAR'S TOTAL 32·06
Rain Days.	10	8	22	12	9	10	12	23	12	21	10	10	159

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

W. 500, X. 14.

Price 2d.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Mallards Close, Twyford

in the County of Hampshire

by G. R. Marsh

Lat. 51° 1' 16" N. Long. 1° 18' 30" W.

Time of Observation 9 a.m.

Nearest Railway Station Shawford

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 159 ft. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	-	-	-	-	·23	-	-	·65	·04	1
2	-	·14	-	·07	-	-	-	·39	-	·03	·22	·23	2
3	-	·04	·03	·31	·35	-	-	·27	·01	-	·14	·04	3
4	-	·20	·01	-	-	-	-	·08	·16	-	1·10	·06	4
5	-	·11	·06	·01	·17	-	-	·21	·05	·16	-	·02	5
6	·21	·09	-	·26	·06	-	-	·07	·05	·07	-	·14	6
7	-	·15	-	·14	·46	-	-	·02	·25	·05	·32	·02	7
8	-	·26	-	-	-	-	-	-	·13	·08	·03	·03	8
9	·02	·01	-	·27	-	·22	·33	-	·57	·22	-	·46	9
10	·01	-	-	·06	-	-	·55	-	·13	·10	-	·49	10
11	-	-	-	-	-	-	·23	-	·03	·14	·06	·05	11
12	-	·06	-	-	·39	-	·19	-	·04	-	-	·03	12
13	·27	-	-	-	·26	-	·36	-	·40	-	-	·02	13
14	·22	-	-	-	·01	·13	·05	-	·23	·19	-	·11	14
15	1·19	-	-	·48	-	-	·14	-	-	-	-	·11	15
16	·34	-	-	·18	-	·10	-	-	·44	-	-	·05	16
17	·22	-	-	·12	-	-	1·08	-	·05	·03	-	-	17
18	·63	-	-	-	-	·48	-	-	·63	-	-	·02	18
19	·10	-	·08	-	-	·03	·36	·02	·05	·02	-	-	19
20	·04	·10	-	·53	-	·03	-	-	·25	·04	-	-	20
21	·16	·09	-	-	-	-	·19	-	·67	·05	-	·09	21
22	·11	-	-	-	·08	-	·73	-	·18	-	-	·20	22
23	·12	-	-	-	·11	·02	·27	-	·03	-	-	·02	23
24	-	·33	-	-	-	·03	-	-	·12	-	·25	-	24
25	-	-	-	-	-	-	·13	·51	-	·02	-	-	25
26	-	-	-	·03	-	-	·50	-	·01	·02	·05	·16	26
27	-	·19	·04	-	-	-	·01	·12	·06	-	·12	-	27
28	-	-	·18	-	-	-	-	-	-	-	·18	·02	28
29	-	X	·04	-	-	-	-	-	·95	-	-	·03	29
30	-	X	·44	·03	-	-	-	·10	-	·02	·07	·01	30
31	-	X	·04	X	-	X	-	-	X	·12	X	-	31
Total	3·64	1·77	·92	2·49	1·89	1·04	5·12	2·02	5·49	1·36	3·19	2·45	YEAR'S TOTAL 31·38
Rain Days.	14	13	9	13	9	8	15	11	24	17	12	24	169

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.
W. 500, IX. 17.
Price 2d.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Mallards Close Twyford.

in the County of Hants

by G.R. Marsh

Lat 51° 1' 16" N. Long 1° 18' 30" W.
Time of Observation 9 a.m.
Nearest Railway Station Shawford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 153 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·48	-	·05	-	-	-	·25	-	-	·07	-	1·34	1
2	·36	-	-	-	·01	-	-	-	·68	-	·12	·04	2
3	·35	-	·54	-	·04	-	-	-	·05	-	-	·22	3
4	·20	·04	·62	-	-	-	·05	·05	·10	-	·07	·09	4
5	·01	·38	·74	-	-	·02	·33	-	1·17	-	-	-	5
6	·35	-	·08	-	·13	-	-	-	-	-	·09	·20	6
7	·10	-	·50	·01	-	-	-	-	-	-	-	-	7
8	·32	-	·20	·03	·07	-	-	-	-	-	-	-	8
9	·13	-	·08	·10	·09	-	-	-	-	~~·01~~	·18	·39	9
10	·41	-	·37	·05	-	-	-	-	-	·01	-	-	10
11	·08	-	·05	·32	·11	-	·13	-	-	-	-	·05	11
12	·01	-	·04	·09	-	-	·13	-	-	·09	·08	-	12
13	·05	-	-	·47	-	-	-	-	-	-	-	·07	13
14	·31	·03	-	·17	-	-	·03	-	·15	-	-	·23	14
15	·21	·10	-	·04	-	-	-	-	-	-	-	1·17	15
16	·05	·86	-	-	-	-	-	·03	-	-	·10	-	16
17	-	·11	-	-	-	-	-	-	-	-	·07	·02	17
18	-	·10	·24	-	-	~~·47~~	~~·35~~	(·02) ~~·21~~	-	-	·07	-	18
19	·28	·34	1·12	-	-	·19	·35	·21	-	-	·01	-	19
20	·50	·08	-	-	-	(·38)	·07	·15	·01	-	-	·02	20
21	·03	·56	-	-	-	-	·21	-	-	-	·07	·05	21
22	-	-	-	-	-	-	-	-	·37	-	-	·20	22
23	-	-	-	-	-	-	-	-	-	·15	·04	-	23
24	-	·02	-	-	-	·03	-	-	-	·31	·07	·07	24
25	·09	·09	-	·03	-	-	~~·01~~	·31	·11	·01	-	·09	25
26	·09	·14	·15	·10	-	-	·01	·04	-	-	-	·50	26
27	·17	-	-	·39	-	-	-	·78	-	-	-	·04	27
28	-	-	·30	-	-	-	-	·65	-	-	·54	·45	28
29	-	-	-	·02	-	-	-	·19	-	·11	-	·06	29
30	-		-	·19	-	·14	-	·53	-	-	·63	·59	30
31	-		-		-		·02	-		-		·18	31
TOTAL	4·58	2·85	5·08	2·01	·45	~~·38~~ ·76	1·58	~~2·98~~ 2·64	2·64	·75	2·14	6·07	YEAR'S TOTAL ~~31·51~~ 31·89
Days with ·01 in. or more	22	13	15	14	6	~~4~~ 5	11	11	8	7	14	22	~~147~~ 148

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

March. 11th 1920.

S.154

MALLARDS CLOSE,
TWYFORD,
WINCHESTER, HANTS.

12 MAR 20

Dear Sir,

In answer to your letter of 9th inst. with reference to my return of "no rain" on June. 20th 1919. I am afraid I must have omitted to enter it. I have been to the Twyford Pumping Station, which is about half a mile away & find that they had .38 on that date, so I fear there is no doubt that I have made a mistake, though how it occurred I cannot say - I was certainly at home at the time.

Yours Sincerely,

G.R. Marsh

The Superintendent,
British Rainfall Organ?

REGISTER OF RAINFALL IN 1920

only nine stats

658

FORM A. BRITISH RAINFALL. 24 JAN 1921

Kent at Mallards Close. Twyford.

in the County of Hampshire

by G.R. Marsh

Lat. 51° 1' 16" N. Long. 1° 18' 30" W

Time of Observation 9.0 a.m.

Nearest Railway Station Shawford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 153 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06	-	·04	·38	·13	-	·34	-	-	·57	·16	·38	1
2	·07	-	·02	·07	-	-	·45	·02	-	·14	-	·19	2
3	·15	·10	-	·02	·18	-	·82	·30	·04	·58	-	·32	3
4	-	·04	·01	·02	-	-	·39	·26	-	·30	-	-	4
5	-	-	·16	·06	-	-	·94	·58	-	·66	-	·05	5
6	-	-	·16	-	·23	-	·30	-	-	·01	-	·01	6
7	·02	-	-	·28	-	-	·49	-	-	·02	-	-	7
8	·03	·02	-	·06	·09	-	·26	·02	-	-	-	-	8
9	·27	·03	·02	·03	-	·09	·01	-	-	-	-	-	9
10	·70	·28	·04	-	-	·26	·20	-	-	-	-	-	10
11	·32	·02	·07	·53	·07	·13	·57	-	-	-	-	-	11
12	·06	·06	·02	·27	-	·95	-	-	-	-	·13	-	12
13	·10	·01	·34	·02	·27	-	-	-	-	-	·02	-	13
14	-	·03	·45	·41	·08	-	-	-	·24	·37	·57	·02	14
15	·04	·02	·02	·12	-	-	-	-	·20	·32	·07	-	15
16	-	·02	·01	-	(·07)	-	-	-	·11	·01	-	-	16
17	-	-	-	-	-	-	·02	-	·30	-	-	-	17
18	·11	-	-	·04	-	·06	-	-	·12	-	-	·04	18
19	·06	-	-	·30	-	·11	-	·47	·01	-	-	-	19
20	·06	·07	-	·23	-	·57	-	-	-	-	-	·05	20
21	·06	-	-	-	-	-	·77	-	·08	-	-	·19	21
22	·06	-	-	·24	-	-	-	-	·02	-	-	·41	22
23	·03	-	-	-	-	-	·42	·03	-	-	-	·37	23
24	·02	-	·20	·02	-	-	-	-	-	-	-	·07	24
25	-	-	·07	-	·12	-	·45	-	-	-	-	-	25
26	·10	-	·22	-	-	·03	·02	-	-	-	·05	·12	26
27	·51	·02	·02	·21	-	·16	·11	-	-	-	·35	·22	27
28	·39	-	·05	·02	·08	-	·12	-	-	-	-	·03	28
29	(·46)	-	-	-	·02	·12	-	-	-	-	·16	·23	29
30	·07	X	-	-	·05	-	-	-	·28	-	·28	·21	30
31	·10	X	·42	X	-	X	·12	-	X	·92	X	·17	31
Total	3·85	·72	2·34	3·33	1·39	2·48	6·80	1·68	1·40	3·90	1·76	2·78	YEAR'S TOTAL 32.43
Rain Days.	24	13	19	20	12	10	19	7	10	11	9	18	172
	20	5	12	14	11	9	16	4	9	8	8	14	139

W, 6,500, VII. 18.

TYTHERLEY WEST
BUCKHOLT.
HANTS
1914

FORM A. BRITISH RAINFALL

R

Kept at Buckhol

in the County of Ha

by R. G. Town

4 JAN 1915

Lon & SW

5 in.

ound ft. 10½ in.

Level 410 ft.

IMPORTANT I

result entered to the previous day. If an

l rule, he is earnestly requested to add the

January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.01	.04	—	—	—	.04	.39	—	—	.07	.08	1
2	—	—	—	—	.01	—	.23	.04	—	—	1.14	.17	2
3	—	—	.19	.12	.30	—	.09	.01	—	—	.06	.08	3
4	.04	—	.02	.23	.04	—	.01	.50	—	—	.45	.35	4
5	.04	.01	.11	.34	.20	—	.18	.22	—	—	.63	.02	5
6	—	.22	.01	.26	.05	.03	—	—	—	—	.06	.32	6
7	—	.69	.11	.19	.04	—	.02	.22	—	—	.01	.12	7
8	.06	.16	.58	.03	.03	~~.26~~ .27	.19	.05	—	—	—	.01	8
9	.03	.01	.43	.23	—	.27	—	.01	.05	—	—	.75	9
10	.01	.28	.02	.03	.19	—	—	—	.15	—	—	.01	10
11	—	.33	.39	—	—	—	.36	—	.35	—	.09	.38	11
12	—	.15	.19	—	—	—	—	—	.02	.20	.10	.57	12
13	—	.47	.22	—	—	—	.09	—	.28	.01	.23	.47	13
14	—	.26	.19	—	—	—	—	.17	.16	.41	—	.36	14
15	.03	—	.24	—	—	—	—	.54	.01	.06	.22	.01	15
16	—	—	—	—	—	—	.06	—	.20	—	—	—	16
17	—	.55	.34	—	—	—	—	—	.04	—	—	.64	17
18	—	—	.10	—	—	—	.08	—	—	—	—	.67	18
19	—	.04	.67	—	—	—	1.30	—	.02	—	.12	.12	19
20	—	.59	.07	—	—	.04	—	—	—	—	—	.32	20
21	—	.85	.04	—	—	—	—	.01	—	.20	—	.04	21
22	—	.03	.02	—	.14	.03	.04	.02	—	.28	—	—	22
23	—	.09	.18	—	.04	.02	.01	—	—	.10	—	.01	23
24	—	—	.06	—	—	—	.01	—	—	.03	.24	—	24
25	.04	—	.19	—	—	—	.02	—	—	.35	.03	.25	25
26	—	.01	.01	—	—	—	.08	.31	—	.07	.30	.61	26
27	.08	—	—	—	—	—	—	.02	—	—	~~.30~~ .18	.24	27
28	—	.06	.09	—	.07	—	.03	—	—	.01	.38	.64	28
29	.19	X	.17	.04	.01	—	—	—	—	.34	~~.83~~ .38	.01	29
30	.01	X	.11	—	—	—	—	.01	—	.14	.83	.78	30
31	.11	X	—	X	—	X	.03	—	X	.34	X	.08	31
Total	.64	4.81	4.79	1.47	~~1.16~~ 1.15	.65	2.87	2.52	1.28	2.54	5.44	8.17	YEAR'S TOTAL ~~36.33~~ 36.34
Rain Days.	11	~~18~~ 19	27	9	12	6	19	15	10	14	19	28	189

W. 8,000. X. 14.

REGISTER OF RAINFALL FOR 1905

FORM A. BRITISH RAINFALL. 4 JAN 1906

Kept at Buckholt, West Tytherley

in the County of Hants

by R. G. Townsend

Lat. 51-5 N Long. 1.36 W

Time of Observation 8.45 a m

Nearest Railway Station Dean Lane & SW Ry

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10½ in.

" " " " Sea Level 410 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.01	.04	—	—	—	.04	.39	—	—	.07	.08	1
2	—	—	—	—	.01	—	.23	.04	—	—	1.14	.17	2
3	—	—	.19	.12	.30	—	.09	.01	—	—	.06	.08	3
4	.04	—	.02	.23	.07	—	.01	.50	—	—	.45	.35	4
5	.04	.01	.11	.34	.20	—	.18	.22	—	—	.63	.02	5
6	—	.22	.01	.26	.05	.03	—	—	—	—	.06	.32	6
7	—	.69	.11	.19	.04	—	.02	.22	—	—	.01	.12	7
8	.06	.16	.58	.03	.03	~~.26~~	.19	.05	—	—	—	.01	8
9	.03	.01	.43	.23	—	.27	—	.01	.05	—	—	.75	9
10	.01	.28	.02	.03	.19	—	—	—	.15	—	—	.01	10
11	—	.33	.39	—	—	—	.36	—	.35	—	.09	.38	11
12	—	.15	.19	—	—	—	—	—	.02	.20	.10	.57	12
13	—	.47	.22	—	—	—	.09	—	.28	.01	.23	.47	13
14	—	.26	.19	—	—	—	—	.17	.16	.41	—	.36	14
15	.03	—	.24	—	—	—	—	.54	.01	.06	.22	.01	15
16	—	—	—	—	—	—	.06	—	.20	—	—	—	16
17	—	.55	.34	—	—	—	—	—	.04	—	—	.64	17
18	—	—	.10	—	—	—	.08	—	—	—	—	.67	18
19	—	.04	.67	—	—	—	1.30	—	.02	—	.12	.12	19
20	—	.59	.04	—	—	.04	—	—	—	—	—	.32	20
21	—	.85	.04	—	—	—	—	.01	—	.20	—	.04	21
22	—	.03	.02	—	.14	.03	.04	.02	—	.28	—	—	22
23	—	.09	.18	—	.04	.02	.01	—	—	.10	—	.01	23
24	—	—	.06	—	—	—	.01	—	—	.03	.24	—	24
25	.04	—	.19	—	—	—	.02	—	—	.35	.03	.25	25
26	—	.01	.01	—	—	—	.08	.31	—	.07	.30	.61	26
27	.08	—	—	—	—	—	—	.02	—	—	~~.30~~ .18	.24	27
28	—	.06	.09	—	.07	—	.03	—	—	.01	~~.30~~ .38	.64	28
29	.19	X	.17	.04	.01	—	—	—	—	.34	~~.83~~ .38	.01	29
30	.01	X	.11	—	—	—	—	.01	—	.14	.83	.78	30
31	.11	X	—	X	—	X	.03	—	X	.34	X	.08	31
Total	.64	4.81	4.79	1.47	1.15 1.16	.65	2.87	2.52	1.28	2.54	5.44	8.17	YEAR'S TOTAL 36.33 36.34
Rain Days.	11	18 19	27	9	12	6	19	15	10	14	19	28	189

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL.
4 JAN 1913

UP NATELY
HANTS
1912-13. 15-18

Kept at Up N... ...am.
in the County of H... ...ook.
by Miss H. ...5 in.
Ground ft. 18 in.
Sea Level ft.

IMPORTANT ... the result entered to the previous day. ... ersal rule, he is earnestly requested to add the reading ... r in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.16			.15			.10	.59		.20	1
2						.13	.41	.10	.				2
3			.13			.19		.44	.				3
4			.7		.1	.31		.2	.		.19		4
5			.49					.35	.		.1	.3	5
6	.59					.10		.30	.			.13	6
7					.7	1.26		.22	.				7
8				.1	.2	3		.14	.			.12	8
9	.24	.39	.25	.2		.53	.1	.2	.7			.20	9
10			.9					.12			.6	.25	10
11					.48						.3	.31	11
12	.25	.7				.13		.6			.2		12
13		.18						.11		.4		.5	13
14		.15				.3	.31	.29				.5	14
15	.33	.4			.8	.38		.5				.23	15
16		.2			.14			.10					16
17	.39					.10		.73			.3	.4	17
18								.20				.7	18
19			.20				.8	.31		.5			19
20		.4	.12				.4	.5		.40		.1	20
21			.28		.42			.61					21
22		.2	.37		.10			.2		.12		.2	22
23	.42	.18	.25				.8	.12		.14	.18	.26	23
24	.37	.42	.25	.				.1		0	1	.25	24
25	.49					.24		.48		.5	.24	.55	25
26		.2		.1						.40	.59	.36	26
27		.7				.13	.15	.23	.1	.39		.29	27
28						.9	.10	.17	.52	.65	.0	.30	28
29						.34	.14	.41	.91	.23	.88		29
30					.18	.5		.6	.46	.17			30
31							.24			.3		.5	31
Total	3.08	1.60	2.66 2.66	0.04	1.50	4.19	1.56 1.56	5.62	2.07	3.26	2.24	3.77	YEAR'S TOTAL 29.42 31.59
Rain Days.	8	12	12	3	9	17	10	27	6	13	11	21	144 Bad!

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.
4 JAN 1913

RAIN IN 1912

Kept at Upper Hatch

in the County of Hampshire.

by Miss H. Mansel Jones.

Lat. ____ Long. ____

Time of Observation 9. am.

Nearest Railway Station Hook.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ____ ft. 18 in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.16			.15			.10	.59		.20	1
2						.13	.41	.10	.				2
3			.13			.19		.44					3
4			.7		.1	.31		.2			.19		4
5			.49					.35			.1	.3	5
6	.59					.10		.30				.13	6
7					.7	1.26		.22					7
8				.1	.2	3		.14				.12	8
9	.24	.39	.25	.2		.53	.1	.2	.7			.20	9
10			.9					.12			.6	.25	10
11					.48						.3	.31	11
12	.25	.7				.13		.6			.2		12
13		.18						.1		.4		.5	13
14		.15				.3	.31	.29				.6	14
15	.33	.4			.8	.38		.5				.23	15
16		.2			.14			.10					16
17	.39					.10		.73			.3	.4	17
18								.20				.7	18
19			.20				.8	.31		.5			19
20		.4	.12				.4	.5		.40		.1	20
21			.28		.42			.61					21
22		.2	.37		.10			.2		.12		.2	22
23	.42	.18	.25				.8	.12		.14	.18	.26	23
24	.37	.42	.25					.1		[illegible]	1	.25	24
25	.49					.24		.48		.5	.24	.55	25
26		.2		.1						.40	.59	.36	26
27		.7				.13	.15	.23	.1	.39		.29	27
28						.9	.10	.17	.52	.65	[illegible]	.30	28
29						.34	.14	.41	.91	.23	.88		29
30					.18	.5		.6	.46	.17			30
31							.24			.3		.5	31
Total	3.08	1.60	2.66 2.66	0.04	1.50	4.19	1.56 1.56	5.62	2.07	3.26	2.24	3.77	YEAR'S TOTAL 29.42 31.59
Rain Days.	8	12	12	3	9	17	10	27	6	13	11	21	149 Bad

W. 7,500, XI. 12

S. made

Cor. for arith. 6.IV.14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

3 APR 1914

Kept at Strip Cottage. Up Nately Basingstoke

in the County of Hampshire

by H. & J. Mansel Jones.

Lat. ..... Long. .....

Time of Observation 9. a.m.

Nearest Railway Station Hook. S.W.R.

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.25	.11	.13	.0						.0	.0	1
2	.04	.14	.00	.6	.0						.0	.0	2
3	.04	.1	.00	.8	.5						.0	.0	3
4	.31	.00	.6	.1	.57						.0	.2	4
5	.19	.00	.00	.0	.36						.0	.10	5
6	.03	.04	.21	.0	.0						.1	.15	6
7	.01	.27	.0	.0	.13						.1	.3	7
8	.00	.05	.0	.1	.21						.21	.0	8
9	.00	.05	.2	.1	.1						.0	.0	9
10	.03	.00	.2	.0	.2						.0	.6	10
11	.91	.2	.0	.31	.7						.44	.0	11
12	.00	.1	.0	.0	.36						.50	.0	12
13	.08	.00	.8	.0	.0						.0	.0	13
14	.13	.00	.17	.4	.1						.0	.0	14
15	.17	.07	.42	.0	.0						.0	.0	15
16	.18	.00	.33	.59	.0						.0	.0	16
17	.00	.02	.7	.4	.0						.0	.15	17
18	.00	.00	.40	.9	.0						.0	.0	18
19	.80	.00	.5	.0	.4						.0	.0	19
20	.12	.00	.0	.6	.0						.7	.0	20
21	.16	.00	.30	.4	.0						.50	.0	21
22	.00	.00	.38	.0	.0						.50	.0	22
23	.00	.00	.1	.1	.0						.0	.57	23
24	.02	.00	.1	.8	.0						.0	.4	24
25	.00	.00	.0	.20	.0						.0	.00	25
26	.00	.00	.4	.22	.0						.0	.00	26
27	.00	.00	.35	.5	.0						.0	.00	27
28	.22	~~.00~~	.12	.12	.0						.0	.0	28
29	.02	.00	.13	.64	.79						.0	snow	29
30	.53	~~.00~~	.0	.6	.0						.0	snow	30
31	.01	~~.0~~	.3		.0							snow	31
Total	4.02	.93	3.41 3.31	2.85	2.62						2.24	1.18 1.12	YEAR'S TOTAL
Rain Days.	21	11	21	21	12						8	8	

W.7,000, XI. 13

cwd for M.W.D. 25.III.16

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at Up Nately Basingstoke

in the County of Hampshire

by Mrs. H.M. Wolferstan.

Lat. ____ Long. ____

Time of Observation 9. am.

Nearest Railway Station Hook L.S.W.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			10					·3			197	·47	1
2								·84	·21	·8	·13	·48	2
3			4					·3	·2	·12		·20	3
4	·2		6					·9	·3			·33	4
5			50					·2				·31	5
6								·2				·32	6
7			55				46	·1				·51	7
8	·6	50	40				24	·3				·19	8
9		50	70				13						9
10			00				[illegible]	·5			·35	·74	10
11			50				-	·7				·21	11
12	·2	50	7		1		-	·2			·58	3	12
13			18		1·65		-	·16			·30		13
14			35				-	·18	·2			·53	14
15		68	18				41	·2	·1			·23	15
16							8					·24	16
17		50	14		·16		10					·2	17
18		33	11		1·30		[illegible]	·2			·8		18
19			20				-						19
20		4	45				10			·2	·3	·13	20
21		54	7							·4		·8	21
22		6	0									·16	22
23		5	13				·72					·15	23
24							·32		·12	·23		·73	24
25			8				·7		1·68	·29		·13	25
26	·8		1			·55	·39		·2	·2		·60	26
27							·23		·3			·13	27
28	·7	2								·31		·1	28
29	35		17			·12	·17	·16	116	·9		·4	29
30		X	6							·[illegible]	·12	·8	30
31		X		X		X			X	·19	X	·21	31
Total	~~·60~~ mis	3.72	4.60	·89	3·11	·67	3.42	1·75	3·30	1·94 +39 3·36	·47 3·66 2·06	(·40) 7·26 7·19	YEAR'S TOTAL ~~24·27~~
Rain Days.	6	11	22		3	2	13	16	10	~~10~~ 11	8	27	

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 3 JAN 17

Kept at Up. Nately

in the County of Hampshire

by H. M. Lofgreen (Mrs).

Lat. ..... Long. .....

Time of Observation 9 am.

Nearest Railway Station Hook. 2 miles N.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 15 in.

" " " " Sea Level 285 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.9	.4	.2		.19	.4	.1		.35	.20	.58		1
2	.21	.5	.12		.50		.1		.15	.76	.20		2
3	.8	.69	.15		.2		.1		.6	.38	.8		3
4	.11	.7				.33			.21	.2			4
5	.3	.2		.3	.13	.16			.1	.5	.71		5
6	-	.8	.2	.7	.6	.12	.41				.59		6
7	.8	1	.33			.15	.10			.16	.85		7
8	.		.29		.23	.14					.1	.35	8
9	.					.2					.1		9
10	.	.28	.8	.4	.11	.39	.3					.17	10
11	.10	.8	.4	.5						.13		.4	11
12	.3	.3	.3	.2	.12	.20		.9		.5		.1	12
13	.	.19	.12	.12		.3		.30		.6			13
14	.	.18	.12	.3	.2			.18				.1	14
15	.	.23	.59	.2		.39		.46	.3				15
16	.2	.4	.33	.12			.12	103	.22				16
17	.11	.20	.1	.1			.2	.39	7				17
18	.1	.7	.9	.13				.14			.58		18
19	.13	.1	.8	.85		.3		.1			.31		19
20	.11	.1	.47								—	.91	20
21	-1		.37		.9						—	.32	21
22	.1	.2	2			.5				.20	.1	.51	22
23	.3	.5				.19		.4			.4	.1	23
24		.27			.6	.9		.2		.31	.4	.29	24
25			.14			.1		.18		.10	.14	.10	25
26		.13	.6			.14		.25		.32			26
27		.27	105					100		.28			27
28		72	.12			.10		.4	.13	.24	.2	.15	28
29		77				.16		120		.19		.16	29
30		X	.1			.1		.4		.49		.1	30
31		X	—	X		X		.5	X	.11	X	.3	31
Total	1.16	4.51	4.66	.99	1.53	2.75	.71	5.28	1.16	4.05	4.17	3.07	YEAR'S TOTAL 34.04
Rain Days.	16	25	24	12	11	20	8	17	8	18	15	15	189

4.05 4.17 34.04

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL. 2 JAN 18

Kept at Up Nately

in the County of Hampshire

by Mrs. H. Wolferstan.

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Hook. L.&S.W.

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. ..... in.

" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.13	-	-	-	-	1.36	.3	-	-		1
2	-	-	.3	-	-	.11	-	.1	-	-	.6		2
3	-	-	-	.53	-	-	1.05	.45	-	.26	-		3
4	-	-	-	-	-	-	.2	.10	-	.21	-		4
5	.20	-	-	.16	-	.2	-	-	.13	.44	.10		5
6	.1	-	.17	.15	-	.14	-	-	.11	.21	-	.3	6
7	.16	-	-	-	-	-	.35	-	.1	.20	.4		7
8	.28	-	-	.6	-	-	.55	.6	.9	-	.10	.45	8
9	-	.18	-	.2	.2	-	.12	.14	.4	-		.6	9
10	.15	-	.28	.24	.1	-	.1	.18	-	.6		.2	10
11	.7	-	.40	.10	-	-	-	.1	.48	.27			11
12	.5	.2	.3	.8	.3	-	-	.13	-	.50			12
13	.9	-	.8	.2	-	-	-	.6	.4	.4			13
14	.1	-	-	.12	-	-	-	.6	.1	-			14
15	-	-	-	-	.1	-	.23	.15	-	.26			15
16	.2	.14	-	.8	-	-	.29	.1	-	.50		.27	16
17	.1	-	-	.15	.26	-	.38	.8	.33	.30			17
18	.4	.3	-	.6	-	.40	.15	.5	.50	.1			18
19	.3	.16	.9	.2	-	.3	.1	-	.28	-			19
20	.1	.7	.7	-	.56	.1	-	.8	.1	-			20
21	-	.1	.2	-	.1	-	-	.1	-	-			21
22	-	-	.3	-	.8	.17	-	.14	-	.5	.3		22
23	-	.14	.3	-	-	.1	-	.17	-	-		.26	23
24	-	.4	.6	-	-	.10	.3	.2	-	.17			24
25	-	.5	.1	-	-	-	-	.1	-	-	.4		25
26	-	-	.6	-	-	-	-	.23	.5	.1	.8		26
27	-	-	.1	-	.30	-	-	.86	-	-			27
28	-	-	.7	-	-	1.88	-	.22	-	-		.7	28
29	-	-	.3	-	1.04	.8	1.26	.2	-	.15		.9	29
30	-	X	.1	-	-	-	.3	.9	-	.20	.3	.1	30
31	-	X	.22	X	.1	X	.17	.1	X	-	X	.4	31
Total	1.13	.84	1.87	1.79	2.33	2.95	4.65	4.71	2.11	3.84	.48	1.30 1.30	YEAR'S TOTAL 28.00 27.76
Rain Days.	14	10	20	14	11	11	15	27	14	18	8	10	162

1.03

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 1.1.18

Kept at Up Nately

in the County of Hampshire.

by Mrs. H. Wolferstan

Lat. ..... Long. .....

Time of Observation 9. am.

Nearest Railway Station Hook

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 285 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	.4	–			.5					1
2	–	.5	–	.12	–			.46					2
3	–	–	.6	.26	.25			.5					3
4	–	.4	.6	.1	–			.1					4
5	–	.8	.3	–	–			.7					5
6	.13	.14	–	.44	.1								6
7	–	.10	–	.9	.42								7
8	–	.15	–	–									8
9	.1	.7	–	.13		.13	.19						9
10	–	–	–	.14			.72						10
11	.2	–	–	–			.81						11
12	–	.3	–	–	.74		.11						12
13	–	–	–	–			.15						13
14	.25	–	.4	–		.32	.4						14
15	1.55	–	–	.74		.16	.11						15
16	–	–	–	.33			.1						16
17	.66	–	–	.21		.4	.78						17
18	.80	–	–	–		.23	.12						18
19	.9	–	.8	.3		.3	.27						19
20	.7	.11	–	.59		.4	.3						20
21	.14	.4	–	.9		.2	.4						21
22	.11	.1	–	–			.15						22
23	.6	–	–	–	.18		.71						23
24	.1	.27	–	.5		.3	.25						24
25	–	.1	–	–			.28						25
26	–	.1	–	.3			.67						26
27	–	.3	.5	–									27
28	–	.2	.22	.27									28
29	–	–	–	–									29
30	–	X	.28	–									30
31	–	X	.4	X		X			X		X		31
Total	3.90	1.16 1.96	.86	3.34	1.00	1.00	5.44						~~19 2.67~~
Rain Days.	13	16	9	17	5	9	18						92

W. 8,000. X. 15.

UPPER ~~FROYLE~~

HANTS

1911 - 1913

FORM A2. BRITISH RAINFALL.

Snowdon 2 - JAN 1912

Kept at Upper

in the County of Ha

by R J Se

Walter Le

in. und 1 ft. in. Level 350 ft.

ne Bentley

tance 2 1/6 Direction E miles

IMPORTANT NO e result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	—	.01	.15	—	—	—	.02	—	—	.01	.05	1
2	.03	—	—	.14	.30	—	—	—	—	—	.14	.14	2
3	—	—	—	—	.26	—	—	.06	—	—	.14	.12	3
4	.02	.03	.08	.13	—	—	—	—	—	.11	.29	.44	4
5	.01	—	—	.02	—	—	—	.01	—	.28	.12	—	5
6	.28	—	.13	—	—	—	—	—	—	.05	.04	.46	6
7	.05	—	—	.01	—	—	—	—	—	.34	.39	.03	7
8	.12	—	.25	—	—	—	—	—	—	—	.24	.50	8
9	.15	—	.01	—	—	—	—	—	—	—	.03	.25	9
10	.03	.15	.13	.01	—	—	—	—	—	—	.02	.34	10
11	.62	—	—	—	—	—	—	—	—	—	.94	.01	11
12	.01	—	.58	—	.39	—	—	—	.01	—	.12	.04	12
13	—	—	.03	—	.35	—	—	—	.29	.01	—	.49	13
14	—	.06	.01	—	.14	—	—	—	—	.02	—	.54	14
15	—	.01	.09	—	—	—	—	—	—	.02	.19	.09	15
16	—	—	.01	—	—	.13	—	—	—	—	.45	.12	16
17	—	.01	—	—	—	.35	—	—	—	—	.70	.46	17
18	—	.24	.08	.02	—	.03	—	—	—	.02	.44	.34	18
19	—	—	—	—	—	.53	—	—	.49	.13	.10	.12	19
20	.02	.04	.03	—	—	—	—	.01	.04	.06	—	.51	20
21	.02	.18	—	—	—	—	—	.05	—	.61	—	.13	21
22	.06	—	.09	—	—	.10	—	.02	—	.23	—	.29	22
23	—	.29	—	—	—	.36	—	—	.15	.04	.04	.19	23
24	—	.21	—	—	—	.12	—	.05	—	1.04	—	.21	24
25	.03	.09	.01	.04	1.60	.06	.04	.09	.05	.05	—	.03	25
26	—	.02	.02	.26	.06	.02	.05	.02	—	.16	.01	.22	26
27	—	.36	.23	.34	—	—	.06	—	.06	.10	.05	.21	27
28	—	.22	—	.30	—	—	—	.10	—	—	.04	—	28
29	—		—	.48	—	.22	.08	—	.17	.32	—	—	29
30	—		—	.02	—	.06	—	.01	.01	.42	.01	.01	30
31	—		—	—	—	—	—	—		.04		—	31
Total	1.46	1.94	1.79	1.95	3.13	1.98	.26	.44	1.30	4.08	4.64	6.46	TOTAL for year 29.36?
No. of Rain Days.	15	14	17	13	7	11	4	11	9	20	22	24	170
Total	1.46	3.40	5.19	7.14	10.27	12.25	12.57	12.95	14.25	18.33	22.90	29.36	

W. 8,000. X. '11.

Dec 8 wet

FORM A2.
BRITISH RAINFALL.

Snowdon 2 - JAN 1912

R[redacted]

Kept at Upper Froyle

in the County of Hants 7

by R B Sedgwick
Walter Sedgwick (on B)

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 350 ft.

Time of Observation 9 am

Nearest Railway Station
Name Bentley
Distance 2½ miles Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	—	.01	.15	—	—	—	.02	—	—	.01	.05	1
2	.03	—	—	.14	.30	—	—	—	—	—	.14	.14	2
3	—	—	—	—	.26	—	—	.06	—	—	.14	.12	3
4	.02	.03	.08	.13	—	—	—	—	—	.11	.29	.44	4
5	.01	—	—	.02	—	—	—	.01	—	.28	.12	—	5
6	.28	—	.13	—	—	—	—	—	—	.05	.04	.46	6
7	.05	—	—	.01	—	—	—	—	—	.34	.39	.03	7
8	.12	—	.25	—	—	—	—	—	—	—	.24	.50	8
9	.15	—	.01	—	—	—	—	—	—	—	.03	.25	9
10	.03	.15	.13	.01	—	—	—	—	—	—	.02	.34	10
11	.62	—	—	—	—	—	—	—	—	—	.94	.01	11
12	.01	—	.58	—	.39	—	—	—	.01	—	.12	.07	12
13	—	—	.03	—	.35	—	—	—	.29	.01	—	.49	13
14	—	.06	.01	—	.17	—	—	—	—	.02	—	.54	14
15	—	.01	.09	—	—	—	—	—	—	.02	.19	.09	15
16	—	—	.01	—	—	.13	—	—	—	—	.45	.12	16
17	—	.01	—	—	—	.35	—	—	—	—	.70	.46	17
18	—	.24	.08	.02	—	.03	—	—	—	.02	.44	.34	18
19	—	—	—	—	—	.53	—	—	.49	.13	.10	.12	19
20	.02	.04	.03	—	—	—	—	.01	.04	.06	—	.51	20
21	.02	.18	—	—	—	—	—	.05	—	.61	—	.13	21
22	.06	—	.09	—	—	.10	—	.02	—	.23	—	.29	22
23	—	.29	—	—	—	.36	—	—	.15	.04	.04	.19	23
24	—	.21	—	—	—	.12	—	.05	—	1.04	—	.21	24
25	.03	.09	.01	.04	1.60	.06	.04	.09	.05	.05	—	.03	25
26	—	.02	.02	.26	.06	.02	.05	.02	—	.16	.01	.22	26
27	—	.36	.23	.34	—	—	.06	—	.06	.10	.05	.21	27
28	—	.22	—	.30	—	—	—	.10	—	—	.04	—	28
29	—		—	.48	—	.22	.08	—	.17	.32	—	—	29
30	—		—	.02	—	.06	—	.01	.01	.42	.01	.01	30
31	—		—	~~.04~~ ×	—	~~.44~~ ×	—	—	×	.04	×	—	31
Total	1.46	1.94	1.79	1.95	3.13	1.98	.26	.44	1.30	4.08	4.64	6.46	TOTAL for year 29.36?
No. of Rain Days.	15	14	17	13	7	11	4	11	9	20	22	24	170
W. 8,000 X. '11. Total	3.40	5.19	7.14	10.24	12.25	12.51	12.95	14.25	18.33	22.90	29.36		

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

Kept at Upper Froyle

in the County of Hampshire

by R B Sedgwick

RAIN GAUGE: Pattern ..... Diameter of top ..... in. Height of top above Ground ..... ft. ..... in. ,, ,, ,, Sea Level ..... ft.

Time of Observation .....

Nearest Railway Station: Name ..... Distance ..... Direction .....

52 Oakley St
S. Kensington Station
W. Chelsea
SW

2nd June 1913

Dear Sir Lelos

I have been much
Communicating with Burr
Dalrymple of Upper Froyle
with reference to his rain
record & the register that he
has and should where
anything wrong with the 4th
March 1912 record & that certainly
the amount of rain that day
was not .49 because the
entry in the diary for the 3rd
& 4th March is merely
"unrecorded" — There is
probably some physical reason
in the Bank edge garden with
causes the comparatively low fall record.

I have read through the rain
gauge experience with Burr
& am sure it is properly certificated
rain gauge of the Snowdon
pattern & is scarcely likely
that the gauge can be
miscalculated

Yours truly
Walter Sedgwick

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26		.00				.02		.17		.53	.62	.29	26
27		.01	.01			.11	.13			.40		.22	27
28		.09				.07	.22	.17	.09	.61	.73	.26	28
29		.12	.01			.19	.27	.11	1.48	.13	.05		29
30					.19	.02	.01	.01	1.03	.22			30
31			.19				.26	.11		.02		.08	31
Total	3.27	2.48	(3.41)	.04	1.75	3.91	1.83	4.62	2.64	2.95	2.21	3.74	32.85
No. of Rain Days.	21	20	26	3	13	19	13	27	6	15	14	22	199

W. 8,000, X. '11.

105

RM A2.
RAINFALL.

in.

to the
rnestly
ovided
, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.15	.01	.02	.13	.16		.01	.47		.19	1
2		.01	.12		.02	.09	.34						2
3	.04		.04			.26	.01	.41	.01			.03	3
4	.20		(.79)		.10	.32		.02			.18		4
5	.26	.07	.07		.01			.48			.02	.03	5
6	.25	.07	.01		.02			.28	.02			.06	6
7	.01				.07	.84		.05				.08	7
8	.34	.43	.32	.01		.06	.01	.07				.01	8
9	.01	.17	.16	.02		.23	.03	.06				.24	9
10		.07	.04					.10			.07	.27	10
11	.09	.14	.01					.03			.01	.36	11
12	.03	.27	.13		.22	.16	.09	.02			.01		12
13		.04	.01				.23	.05			.05	.11	13
14	.02	.04	.03		.03			.05		.01		.10	14
15	.02		.13		.09	.49						.38	15
16	.16		.11		.18	.05		.11		.06			16
17	.65		.21			.03		.16			.02	.03	17
18	.16		.39					.32		.03	.02	.08	18
19	.06	.13	.08				.07	.46					19
20	.02	.01	.26			.01		.07		.26	.01		20
21	.01	.05	.25		.75			.11		.07			21
22	.12	.32	.01		.05			.23		.01		.08	22
23	.39	.36	.37					.31		.11	.22	.17	23
24	.37	.02	.01			.33		.20				.18	24
25	.06					.50		.47		.02	.20	.49	25
26		.06				.02		.17		.53	.62	.29	26
27		.01	.01			.11	.13			.40		.22	27
28		.09				.07	.22	.17	.09	.61	.73	.26	28
29		.12	.01			.19	.27	.11	1.48	.13	.05		29
30					.19	.02	.01	.01	1.03	.22			30
31			.19				.26	.11		.02		.08	31
Total	3.27	2.48	(3.41) 3.41	.04	1.75	3.91	1.83	4.62	2.64	2.95	2.21	3.74	(32.85) 32.85
No. of Rain Days.	21	20	26	3	13	19	13	27	6	15	14	22	199

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

8 JAN 1914

Kept at Upper Froyle

in the County of Hampshire

by Mr R. B. Sedgwick

Lat. ____ Long. ____

Time of Observation 9 a.m.

Nearest Railway Station Bentley

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.25	.10	.11	.02	—	—	—	.67	—	.20	.14	1
2	.04	.11	.01	.06	—	—	.05	—	.08	.13	.13	.03	2
3	.10	—	.02	.15	.48	—	—	—	—	.01	—	.09	3
4	.40	—	.12	.01	.36	—	—	—	.76	.23	.08	.05	4
5	.26	.02	—	—	.01	.04	.06	—	.36	—	.02	.04	5
6	.06	.06	.14	—	.03	.10	.14	—	—	.54	.03	.17	6
7	—	.31	.02	—	.15	.04	.25	—	—	.49	.19	—	7
8	—	.12	—	—	.22	.05	—	—	—	.16	—	.03	8
9	—	.4	—	—	.03	.02	.02	—	.12	.01	.05	.02	9
10	.03	—	—	.03	.02	—	.06	.01	—	—	.36	—	10
11	.71	—	—	.36	.08	—	—	—	—	.59	.57	.01	11
12	—	.01	—	—	.42	—	—	—	.01	.01	.24	—	12
13	.11	—	.13	—	—	—	—	.01	.11	—	.14	—	13
14	.13	.01	.13	.04	—	—	1.02	.14	—	.04	.09	.01	14
15	.21	.05	.43	.50	—	—	.07	—	.04	—	.02	—	15
16	.19		.42	.14	—	—	—	—	.07	—	.02	—	16
17	.02	.02	.03	.10	—	—	.12	—	—	—	.01	.05	17
18	.01	—	.45	.12	—	—	.03	—	—	—	—	—	18
19	.67	—	.09	—	—	—	.16	—	.11	—	.04	—	19
20	.13	—	.50	.11	.01	.05	—	—	—	.31	.05	—	20
21	.04	—	.30	.11	—	—	—	—	—	.11	.88	—	21
22	.19	—	.34	.15	—	—	—	.14	.18	.02	—	.01	22
23	.01	—	.03	—	—	.02	—	.03	—	—	.01	.66	23
24	—	—	—	.09	—	—	—	.04	—	—	.02	—	24
25	—	.02	—	.21	—	—	—	—	—	.02	—	.01	25
26	—	.01	.05	.25	—	—	—	.12	—	.52	.01	.15	26
27	—	—	.25	.09	—	—	—	—	—	.12	—	—	27
28	.20	—	.22	.09	—	—	—	—	—	.21	—	.01	28
29	.05	X	.09	.53	.49	—	—	.09	—	.15	—	.07	29
30	.46	X	—	.01	—	—	—	.13	—	.33	.01	—	30
31	.01	X	.4	X	—	X	—	.36	X	.06	X	—	31
Total	4.01	1.03	3.94	3.29	2.32	.35	1.98	1.10	2.51	4.12	3.14	1.55	YEAR'S TOTAL 29.34
Rain Days.	23	13	22	21	13	4	11	10	11	20	22	14	190

5.64 8.98 12.27 14.59 15.04 17.02 18.12 20.73 24.85 27.99

W. 7,500, XI. 12

82

104

FORM A.
BRITISH RAINFALL.

28 JAN 1915

RE

UPPER SOMBORNE
HANTS
1914 - 1920

Kept at Upper S

in the County of Ham

by C. Alleway

in.

Ground ft. in.

Sea Level ft.

IMPORTANT NO ...e result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.02	.02					.37			.27	.08	1
2							.09				.58	.13	2
3			.23	.08	.30		.07	.09			.09	.06	3
4	.02		.03	.21	.01			.45			.36	.24	4
5	.04		.09	.40	.26		.13	.46			.41	.02	5
6		.20	.01	.18	.03	.03	.03	.03			.14	.30	6
7		.46	.12	.14		.01	.29	.03				.15	7
8	.03	.20	.44	.01		.05		.15	.01			.03	8
9	.07		.48	.14	.04	.12		.02	.06			.98	9
10		.17	.01	.06	.19				.24			.01	10
11		.30	.45		.03		.45		.01		.10	.50	11
12		.09	.16				.01		.27	.17	.01	1.02	12
13		.30	.12						.16	.04	.08	.63	13
14		.23	.27				.17	.25	.01	.36	.23	.29	14
15	.02		.15				.02	.48		.03	.14	.01	15
16							.04		.11	.01	.01	.02	16
17		.54	.24				.01		.02			.41	17
18			.28				.04					.44	18
19		.07	.37				.92				.14	.19	19
20		.50	.20			.05					.02	.02	20
21		.74	.03					.01		.20		.14	21
22		.10	.05		.03	.03	.06			.34		.01	22
23		.32	.17		.05	.01	.01			.09			23
24			.04		.05					.01	.27	.01	24
25	.06		.15					.24		.26	.02	.26	25
26			.07				.02	.06		.04	.16	.57	26
27	.08										.17	.29	27
28		.05	.04		.08					.04	.27	.56	28
29	.12		.17							.31	.20	.01	29
30	.01		.07							.10	.63	.90	30
31	.06				.01		.04			.29		.27	31
Total	.51	4.29	4.46	1.22	1.08	.30	2.40	2.64	.89 .99	2.29	4.30	8.55	YEAR'S TOTAL 32.93
Rain Days.	10	16	4.46 27	8	12	7	17	13	9	15	21	30	185

W.7,000, XI. 13

82

RE[redacted]

104 A

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at Upper Somborne

in the County of Hampshire 4

by C. Alleway

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.02	.02					.37			.27	.08	1
2							.09				.58	.13	2
3			.23	.08	.30		.07	.09			.09	.06	3
4	.02		.03	.21	.01			.45			.36	.24	4
5	.04		.09	.40	.26		.13	.46			.41	.02	5
6		.20	.01	.18	.03	.03	.03	.03			.14	.30	6
7		.46	.12	.14		.01	.29	.03				.15	7
8	.03	.20	.44	.01		.05		.15	.01			.03	8
9	.07		.48	.14	.04	.12		.02	.06			.98	9
10		.17	.01	.06	.19				.24			.01	10
11		.30	.45		.03		.45		.01		.10	.50	11
12		.09	.16				.01		.27	.17	.01	1.02	12
13		.30	.12						.16	.04	.08	.63	13
14		.23	.27				.17	.25	.01	.36	.23	.29	14
15	.02		.15				.02	.48		.03	.14	.01	15
16							.04		.11	.01	.01	.02	16
17		.54	.24				.01		.02			.41	17
18			.28				.04					.44	18
19		.07	.37				.92				.14	.19	19
20		.50	.20			.05					.02	.02	20
21		.74	.03					.01		.20		.14	21
22		.10	.05		.03	.03	.06			.34		.01	22
23		.32	.17		.05	.01	.01			.09			23
24			.04		.05					.01	.27	.01	24
25	.06		.15					.24		.26	.02	.26	25
26			.07				.02	.06		.04	.16	.57	26
27	.08										.17	.29	27
28		.05	.04		.08					.04	.27	.56	28
29	.12		.17							.31	.20	.01	29
30	.01		.07							.10	.63	.90	30
31	.06				.01		.04			.29		.27	31
Total	.51	4.29	4.46	1.22	1.08	.30	2.40	2.64	.89 .99	2.29	4.30	8.55	YEAR'S TOTAL 32.93
Rain Days.	10	16	4.46 27	8	12	7	17	13	9	15	21	30	185

W.7,000, XI. 13

Cost for Quilt W.2.16

725
78

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Upper Sombourne

in the County of Hampshire

by C. Alleway

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.75	.12			.06			.01	.15	.15	.02	.21	1
2	.31	.17	.21	.06				.46	.06	.18		.34	2
3	.98		.12	.11	.20	.03						.30	3
4	.01		.01		.01							.23	4
5	.02	.66	.05	.02				.08				.50	5
6	.63	.15		.32			.40	.05				.44	6
7	.29	.47	.03		.04	.02	.24					.15	7
8	.04	.67					.04	.07					8
9	.02	.05		.13				.05			.35	.57	9
10	.16	.03						.03				.15	10
11	.04	.01	.04	.03							.64		11
12	.06	.40	.01	.27	.43			.02		.02	.41	.04	12
13	.01	.82			1.02			.02	.13				13
14	.04	.02					.75	.31	.04			.54	14
15	.08	.01		.01	.10		.09	.14	.01			.17	15
16	.01	.79			.21		.91	.24				.18	16
17		.29			1.88								17
18		.27	.03		.31								18
19		.01	.01		.05		.11					.09	19
20	.15			.07								.07	20
21	.10	.22					.06			.05		.17	21
22	.48	.44	.33				.63		.03			.29	22
23	.01	.04	.15				.46		.19	.32		.75	23
24		.01	.01	.02			.21		1.31	.58		.17	24
25			.02				.24		.01			.57	25
26	.02	.05				.02	.17					.67	26
27	.01	.02				.83	.03			.51		.01	27
28		.11				.14			1.09	.01			28
29						.11	.02	.05			.34	.03	29
30	.11					.04				.69	.74	.28	30
31	.02							.01		1.16		.33	31
Total	4.35	5.83	1.02 1.92	1.04	4.31	1.19	4.36	1.54	3.02	3.67	2.50	7.25	YEAR'S TOTAL 40.08 39.78
Rain Days.	24	24	13	10	11	7	15	14	10	10	6	25	169

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A
BRITISH RAINFALL

Kept at Upper Sombourne

in the County of Hampshire

by C. Alleway

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.09	.11	.06		.25	.02			.58	.48	.30		1
2	.20	.16	.05		.12					.74	.05		2
3	.01	.96	.06		.02					.56	.03		3
4	.12	.42			.04	.35			.37	.03	.52		4
5	.02	.04			.17	.15				.09	.62		5
6		.12			.03		1.16			.23	.72		6
7	.03	.04	.32				.08			.07	.68	.07	7
8		.05			.32	.52						.35	8
9					.07	.08				.03		.20	9
10		.46		.04	.01	.03						.03	10
11		.06	.06			.07			.01			.36	11
12	.06	.05	.01		.06		.09	.03		.07	.01		12
13	.06	.22	.04	.02				.22					13
14		.49			.04			.02		.05			14
15		.16	.20					.21					15
16	.01	.06	.23	.11				.72		.01			16
17	.11	.32		.05			.24	.14	.43	.52			17
18	.01	.07	.01	.05				.01	.08	.02	.30	.16	18
19	.16		.08	.07							.49		19
20			.60								.03	1.41	20
21	.01		.40									.38	21
22		.01								.14		.55	22
23		.06		.02		.01		.06		.03	.13	.02	23
24		.01			.13	.40		.05		.36	.09	.39	24
25		.87	.10					.44	.10	.06	.12		25
26		.15				.18		.23		.68			26
27			.87			.15		.45	.12	.47			27
28		.55	.15					.13	.06	.18	.02	.25	28
29		.25	.01			.35		.81	.14	.35	.01	.24	29
30		X						.01		.86		.01	30
31		X		X		X		.03	X	.50	X	.07	31
Total	.89	5.69	3.25	.36	1.26	2.31	1.57	3.56	1.89	6.53	4.12	4.49	35.92
Rain Days.	13	24	17	7	12	12	4	16	9	23	16	15	168

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Upper Sombourne

in the County of Hampshire

by L. Alleway

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.25	.17		.03		1.22	.03		.02		1
2			.01	.46		.07					.16		2
3				.02			.77	.17		.09	.03		3
4		.05	.11				.01	.29		.31			4
5	.25		.08	.32		.09		.03	.11	.35	.11		5
6			.40							.10	.07		6
7	.27						.01			.22		.09	7
8	.31		.02	.06			.37	.10	.06	.18	.17	.40	8
9	.01		.17	.02	.09		.08	.07	.02		.04	.01	9
10	.22		.30	.39				.13					10
11	.08		.42	.14				.11	.46	.30			11
12	.13		.03		.01			.20		.27			12
13			.13	.21				.20	.06	.02			13
14				.11			.08	.05					14
15							.56	.92		.13		.14	15
16		.13		.14	.05			.01		.83		.69	16
17		.01		.26	.12	.05	.38	.17	.54	.28			17
18	.01	.03		.01	.01	.26	.28		.55	.04			18
19	.01	.30	.03			.01		.03	.30				19
20	.02		.25		.83			.01				.01	20
21			.08		.01	.08				.02	.06		21
22			.01			.07		.06				.02	22
23		.35			.06	.01		.16		.02			23
24		.12				.08				.27			24
25			.02				.09	.03	.03	.09			25
26					.02			.51	.06		.13		26
27					.47	.06		1.18				.01	27
28			.08		.02	3.41		.01		.01			28
29			.07		.22	.09	.52	.14		.67	.01	.09	29
30		X					.81			.01			30
31		X	.24	X		X	.08	.05	X	.03	X		31
Total	1.31	.99	2.70	2.31	1.91	4.31	4.04 ~~4.34~~	5.85	2.22	4.24	.80	1.46	YEAR'S TOTAL 32.14 ~~34.44~~
Rain Days.	10	7	19	13	12	13	13	24	11	21	10	9	162

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 27.1.19

Kept at Upper Sombourne

in the County of Hampshire

by C. Alleway.

5" Gauge

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.03		.02				.23			.76	.01	1
2		.08		.11				.29		.01	.14	.17	2
3		.11	.02	.35	.31			.17			.09	.03	3
4		.12	.02	.04				.09	.07		1.34	.02	4
5		.13	.01		.16			.14	.10	.18		.09	5
6	.25	.11	.05	.21	.01			.10		.07		.08	6
7	.01	.18		.11	.50				.52	.06	.27	.02	7
8		.11							.15	.14	.01	.06	8
9		.03		.33		.13	.26		.54	.25		.38	9
10	.03			.10			1.04		.15	.35		.54	10
11				.01			1.10		.05	.15	.06	.03	11
12		.03			.36		.26		.01			.02	12
13	.23	.04			.07		.37		.48	.01		.01	13
14	.22		.03		.01	.24	.07		.11	.15		.30	14
15	1.11			.64		.01	.19		.01			.12	15
16	.45		.01	.19		.19	.01		.19	.04		.02	16
17	.28		.01	.14			.98	.01	.10			.18	17
18	.73			.01		.52			.54			.18	18
19	.12	.04	.09			.01	.26		.01			.01	19
20	.05	.11	.01	.57		.04	.01		.21	.05			20
21	.17	.05				.01	.06		.70	.14		.11	21
22	.09	.01			.12		.59		.15			.18	22
23	.06			.01	.12		.52				.18	.01	23
24	.02	.32				.04	.05		.12		.20		24
25	.01						.19	.52					25
26							.41				.08	.19	26
27		.16	.04	.01				.19	.04	.03	.11	.01	27
28	.03	.01	.23	.01		.01					.17	.01	28
29	.01		.06					.02	1.07		.01	.03	29
30	.04	X	.42							.02	.08	.01	30
31	.02	X	.06	X		X			X	.11	X		31
Total	3.93	1.67	1.06	2.86	1.66	1.20	6.37	1.76	5.32	1.76	3.50	2.82	YEAR'S TOTAL 33.91
Rain Days.	20	18	14	17	9	10	17	10	21	16	14	27	193

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

27·1·19

Kept at Upper Somborne

in the County of Hampshire

by C. Alleway — 8" Gauge

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Funnel of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.03		.02				.23			.76	.01	1
2		.08		.11				.29		.01	.14	.17	2
3		.11	.02	.35	.31			.17			.09	.03	3
4		.12	.02	.04				.09	.07		1.34	.02	4
5		.13	.01		.16			.14	.10	.18		.09	5
6	.25	.11	.05	.21	.01			.10		.07		.08	6
7	.01	.18		.11	.50				.52	.06	.27	.02	7
8		.11							.15	.14	.01	.06	8
9		.03		.33		.13	.25		.54	.25		.38	9
10	.03			.10			1.04		.15	.35		.54	10
11				.01			1.10		.05	.15	.06	.03	11
12		.03			.36		.26		.01			.02	12
13	.23	.04			.07		.37		.48	.01		.01	13
14	.22		.03		.01	.24	.07		.11	.15		.30	14
15	1.11			.64		.01	.19		.01			.12	15
16	.45		.01	.19		.19	.01		.19	.04		.02	16
17	.28		.01	.14			.98	.01	.10			.18	17
18	.73			.01		.52			.54			.18	18
19	.12	.04	.09			.01	.26		.01			.01	19
20	.05	.11	.01	.57		.04	.01		.21	.05			20
21	.17	.05				.01	.06		.70	.14		.11	21
22	.09	.01			.12		.59		.15			.18	22
23	.06			.01	.12		.52				.18	.01	23
24	.02	.32				.04	.05		.12		.20		24
25	.01						.19	.53					25
26							.41				.08	.19	26
27		.16	.04	.01				.19	.04	.03	.11	.01	27
28	.03	.01	.23	.01		.01					.17	.01	28
29	.01		.06					.02	1.07		.01	.03	29
30	.04	X	.42							.02	.08	.01	30
31	.02	X	.06	X		X			X	.11	X		31
Total	3.93	1.67	1.06	2.86	1.66	1.20	6.36	1.77	5.32	1.76	3.50	2.82	YEAR'S TOTAL 33.91
Rain Days.	20	18	14	17	9	10	17	10	21	16	14	27	193

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1919

638

FORM A. BRITISH RAINFALL

Kept at Upper Somborne

in the County of Hampshire

by C. Alleway

8" Gauge

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.48		.06	.01	.02		.41			.07	.05	1.35	1
2	.34				.03				1.07		.02		2
3	.48		.52		.02				.11		.01	.02	3
4	.17	.05	.70		.01	.09		.05	.11		.07	.35	4
5	.01	.42	.63		.02		.28		.39		.14	.14	5
6	.53		.07		.09						.06	.14	6
7	.18		.65		.02								7
8	.34		.18		.06								8
9	.10		.03	.07	.14						.20		9
10	.14		.61	.10							.02	.35	10
11	.10		.09	.28	.09		.26			.01		.08	11
12			.03	.02			.05			.10	.04	.01	12
13	.06	.01		.63								.08	13
14	.42			.32			.06		.30			.20	14
15	.52	.05	.02	.03	.01					.03		1.04	15
16	.04							.05			.10		16
17		.67									.12	.01	17
18		.17			.01						.08	.02	18
19	.50	.33	.31			.14	.34	.03	.03		.04	.04	19
20	.32	.07	1.14			.43		.25				.04	20
21	.03	.57	.10				.18	.10			.02	.06	21
22		.01	.01						.29			.17	22
23										.11	.02	.07	23
24		.01		.06		.03				.38	.09	.16	24
25	.06	.03		.01		.02		.49				.10	25
26	.06	.26	.12	.13			.05	.04	.10		.02	.52	26
27	.06			.40				.83				.02	27
28			.48					.64			.41	.40	28
29				.02				.11		.18		.08	29
30		X	.01	.16		.06		.51			.50	.87	30
31		X		X		X			X	.02	X	.19	31
Total	4.94	2.65	5.76	2.24	.52	.77	1.63	3.10	2.40	.90	2.01	6.51	YEAR'S TOTAL 33.43
Rain Days.	21	13	19	14	12	6	8	11	8	8	19	26	165

W, 0,500, VII. 18. W W C

REGISTER OF RAINFALL IN 1919

63 FORM A. BRITISH RAINFALL.

Kept at Upper Somborne

in the County of Hampshire

by C. Alleway

5" Gauge

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.48		.06	.01	.02		.41			.07	.05	1.35	1
2	.34				.03				1.07		.02		2
3	.48		.52		.02				.11		.01	.02	3
4	.17	.05	.70		.01	.09		.05	.11		.07	.35	4
5	.01	.42	.63		.02		.26		.39		.14	.14	5
6	.53		.07		.09						.06	.13	6
7	.18		.65		.02								7
8	.34		.18		.06								8
9	.10		.03	.07	.14						.20		9
10	.14		.61	.10							.02	.35	10
11	.10		.09	.28	.09		.26			.01		.08	11
12			.03	.02			.05			.10	.04	.01	12
13	.06	.01		.63								.08	13
14	.42			.32			.06		.30			.20	14
15	.52	.05	.02	.03	.01					.03		1.04	15
16	.04							.05			.10		16
17		.67									.12	.01	17
18		.17			.01						.08	.02	18
19	.50	.33	.31			.14	.34	.03	.03		.04	.04	19
20	.32	.07	1.14			.43		.25				.04	20
21	.03	.57	.10				.18	.10			.02	.06	21
22		.01	.01						.29			.17	22
23										.11	.02	.07	23
24		.01		.06		.03				.38	.09	.16	24
25	.06	.03		.01		.02		.49				.10	25
26	.06	.26	.12	.13			.05	.04	.10		.02	.51	26
27	.06			.40				.83				.02	27
28			.48					.64			.41	.40	28
29				.02				.11		.18		.08	29
30		X	.01	.16		.06		.51			.50	.87	30
31		X		X		X			X	.02	X	.19	31
Total	4.94	2.65	5.76	2.24	.52	.77	1.63	3.10	2.40	.90	2.01	6.49	YEAR'S TOTAL 33.41
Rain Days.	21	13	19	14	12	6	8	11	8	8	19	26	165

W. 6,500, VII. 18. w w c

95 W&L 601

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Upper Somborne

in the County of Hampshire

by C. Alleway

Lat..... Long.....

Time of Observation.....

Nearest Railway Station.....

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground.....ft.....in.

" " " " Sea Level.....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11			.52	.16		.28			.44	.27	.45	1
2	.14			.09			.15	.48	.04	.55		.15	2
3	.17	.06		(.04)			.83			.10		.05	3
4		.07	.01	.01			.27	.26		.55			4
5			.25	.13	.01		.88	.22		.33			5
6			.26		.22		.25			.58			6
7	.03		.03	.29			.52						7
8	.02	.03		.10	.05		.30	.01					8
9	.30	.02		.04		.10	.01						9
10	.58	.30	.06	.01		.23	.33				.01		10
11	.35	.05	.09	.57	.09	.05	.14					.02	11
12	.09	.04	.01	.33		.96	.02				.06		12
13	.06		.50	.08							.03	.02	13
14	.01	.04	.31	.39					.05	.27	.55		14
15	.03	.03	.01	.26	.05				.25	.42	.10		15
16		.01	.01	.02					.07	.01			16
17					.26	.42	.10		.28				17
18	.09		.01	.10		.05	.01	.55	.22		.01	.04	18
19	.09			.19		.12							19
20	.05	.22		.28		.47					.03	.11	20
21							.54		.05			.18	21
22	.02			.21			.02		.08			.37	22
23							.40	.06				.43	23
24	.03		.18								.02	.09	24
25		.03	.09		.07		.34				.01		25
26	.13		.22	.01		.01	.06				.04	.09	26
27	.53	.01	.01	.17		.12					.48	.31	27
28	.58		.01	.02	.06		.11					.03	28
29	.44		.08	.01	.15	.01					.24	.25	29
30	.05	X			.01	.08	.14				.22	.26	30
31	.15	X	.48	X		X			X	.78	X	.20	31
TOTAL	4.05	.91	2.62	3.88	1.13	2.62	5.70	1.58	1.04	4.03	2.07	3.05	YEAR'S TOTAL 32.65
Days with .01 in. or more	23	13	19	23	11	12	21	6	8	10	14	17	177
	04	17	7	11	16	9	10	17	5	8	9	8	14	131

(44 283). Wt. 21,958—218—7500. 10/19. Gp.132. A.&E.W.

670

VERNHAM DEAN

ROWE HOUSE

1911 – 20

FORM A2.
BRITISH RAINFALL.

10 JAN 1912

19[illegible]

Kept at Rowe

in the County of [illegible]

by Admiral [illegible]

top 5 in.

p above Ground ft. 7

„ Sea Level 650 ft.

9.30 Am.

ation { Name Andover Junction
Distance 9 mls, Direction South

IMPORTANT: [illegible], and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04			.42								.12	1
2				.06	.25						.28	.14	2
3					.26						.25	.07	3
4	.10		.10					.20			.34	.45	4
5	.48										.24	[illegible]	5
6			.09									.75	6
7											.38		7
8	.15		.21		.21						.20	.46	8
9	.09	.23		.04	.26							.33	9
10	.48		.37		.06							.52	10
11									.30	.24	.87		11
12			.68							.08	.45	.17	12
13										.05		.60	13
14												.58	14
15											.34	.45	15
16						.13						.30	16
17		.05				.10					.20	.45	17
18			.12	.03		.46						.62	18
19		.31				.32			.15			.28	19
20		.04				.12			.35		.11	.62	20
21		.11	.07					1.63		.84		.10	21
22			.07					.18				.70	22
23		.27				.03			.10			.25	23
24		.23								.18		.14	24
25				.20	.28	.26				.23		.03	25
26		.15		.27	.31							.25	26
27		.56	.30	.07		.03			.06			.15	27
28		.23		.28				.15					28
29						.27				.38			29
30						.08		.03		.23			30
31										.13			31
Total	1.34	2.18	2.01	1.37	1.63	1.80	0	2.19	.96	2.35	3.66	8.63	TOTAL for year 28.13
No. of Rain Days.	6	10	9	8	7	10	0	5	5	9	11	24	104

W. 8,000, X. '11.

19[illegible]

FORM A2.
BRITISH RAINFALL.

10 JAN 1912

Kept at Rowe House, Fernham Dean.

in the County of Hants

by Admiral E.H. Gamble.

RAIN GAUGE { Pattern ; Diameter of top 5 in. ; Height of top above Ground ft. ; " " " Sea Level 650 ft.

Time of Observation 9.30 Am.

Nearest Railway Station { Name Andover Junction ; Distance 9 mls, Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04			.42								.12	1
2				.06	.25						.28	.74	2
3					.26						.25	.07	3
4	.10		.10					.20			.34	[illegible]	4
5	.48										.24	[illegible]	5
6			.09									.75	6
7											.38		7
8	.15		.21		.21						.20	.46	8
9	.09	.23		.04	.26							33	9
10	.48		.37		.06							.52	10
11									.30	.24	.87		11
12			.68							.08	.45	.17	12
13										.05		.60	13
14												.58	14
15											.34	.45	15
16						.13						.30	16
17		.05				.10					.20	.45	17
18			.12	.03		.46						.62	18
19		.31				.32			.15			.28	19
20		.04				.12			.35		.11	.62	20
21		.11	.07					1.63		.84		.10	21
22			.07					.18				.70	22
23		.27				.03			.10			.25	23
24		.23								.18		.14	24
25				.20	.28	.26				.23		.03	25
26		.15		.27	.31							.25	26
27		.56	.30	.07		.03			.06			.15	27
28		.23		.28				.15					28
29						.27				.38			29
30						.08		.03		.23			30
31										.13			31
Total	1.34	2.18	2.01	1.37	1.63	1.80	0	2.19	.96	2.36	3.66	8.63	TOTAL for year 28.13
No. of Rain Days.	6	10	9	8	7	10	0	5	5	9	11	24	104

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
7 JAN 1913

Kept at Rowe House, Vernham Dean.

in the County of Hants

by Admiral Gamble.

RAIN GAUGE: Pattern ____ Diameter of top 5 in. Height of top above Ground 0 ft. 7 in. „ „ „ Sea Level 650 ft.

Time of Observation 10 am

Nearest Railway Station: Name Grafton Distance 6m Direction West.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.10			.35				.60		.21	1
2			.23	.03		.10	.13						2
3		.08	.09			20		.37	.08		.02	.11	3
4	.17		.82			.40		.14			.22		4
5	.57		.08			.10		.50				.14	5
6	.32	.06	.03					.74				.11	6
7		.40				.24		.14				.08	7
8	.48	.28	.54					.06				.04	8
9		.16	.18	.06		.36		.05				.30	9
10		.11						.16			.12	.26	10
11	.14	.08				.12					.04	.36	11
12		.43	.17				.40	.20					12
13		.05	.03								.05	.03	13
14	.12		.20			.45				.05		.03	14
15		.13	.03									.47	15
16	.57		.34					.18		.05	.05		16
17	.43		.31			.40		.82					17
18	.41		.52			.10	.10	.22		.04		.17	18
19	.04	.18	.10				.24	.60		.35			19
20			.41	(.00)			.08	.20					20
21		.13	.30					.08					21
22	.24	.29	.03			.35		.20				.09	22
23	.30	.42	.47					.50		.03		.37	23
24	.10	.05				.19		.13		.06	.24	.17	24
25	.04						.13	.56			.31	.59	25
26		.03						.21		.54		.20	26
27	.08					.23				.75	.51	.34	27
28		.14				.15	.40	.71	.40	.56	.58	.27	28
29		.06					.10	.10	1.36	.37		.12	29
30						.08			.58	.15		.02	30
31			.24				.45	.09		.03			31
Total	4.01	3.08	5.22	not taken .09 (1.50)		3.82	2.03	6.99	2.42	3.58	2.14	4.48	TOTAL for year (39.36)
No. of Rain Days.	15	18	21			16	9	23	4	13	10	22	...

W. 8,000, X. '11.

TELEGRAMS,
VERNHAM-DEAN.

Attach to A - 8 APR 1913

ROWE HOUSE,
FOSBURY,
HUNGERFORD.

7th April 13.

Dear Sir

In reply to your letter of April 4th. I have no objection to the interpolation you suggest I am sorry that through a bad accident to myself the full record could not be sent.

Yrs Sincerely,

Edwd H. Samble.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 2 JAN 1914

Kept at Rowe House, Fernham Dean. E.H.G.

in the County of Hants

by Admiral E.H. Gamble

Lat. ..... Long. .....

Time of Observation 9.30 am

Nearest Railway Station .....

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ..... ft. 7½ in.

" " " " Sea Level 650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.23	.21		.11				.67		.21	.21	1
2		.11	.04						.05	.08	.13	.04	2
3	.09		.05	.15	.52					.04		.28	3
4	.57		.05		.31		.03		1.64	.44	.11	.15	4
5	.12	.03	.03			.12	.09		.22		.03	.08	5
6		.04	.08		.16	.10	.63			.64	.13	.45	6
7		.33	.10		.35	.08	.25	.02		.77	.04		7
8		.07			.18					.17			8
9		.18		.02	.03	.06	.05	.32			.03		9
10	.07		.10	.12	.04		.06				.74	.02	10
11	.86			.37	.11					.14	.72	.02	11
12					.39						.20		12
13	.10								.14		.27		13
14	.21		.11	.09	.07		.10		.19	.07	.06		14
15	.12	.06	.30	.54			.20				.07		15
16	.22		.52	.11		.12							16
17		.03	.08	.04							.02		17
18	.06			.24			.10				.07		18
19	.81		.09				.17		.65				19
20	.12		.06	.10	.03					.93	.09		20
21			.27		.07		.24			.03	.74		21
22	.47		.26		.03								22
23						.08						.44	23
24				.26									24
25		.04		.20								.03	25
26				.40				.18		.29		.17	26
27		.02	.31	.12						.06	.02		27
28	.23		.07	.09						.17			28
29	.03		.33	.67	.03			.02		.57	.04	.03	29
30	.48									.35			30
31	.04		.07					.46					31
Total	4.60	1.14	3.13	3.52	2.43	0.56	1.92	1.00	3.56	4.75	3.72	1.92	YEAR'S TOTAL 32.25
Rain Days.	17	11	20	16	15	6	11	5	7	15	19	12	154

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 2 - JAN 1915

Kept at Rowe House, Fosbury, Hungerford

in the County of Hants. 4

by Admiral E.H. Gamble. Exc. W.G.

Lat. _____ Long. _____

Time of Observation 9.30 am

Nearest Railway Station Grafton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground _____ ft. 7½ in.

" " " " Sea Level 650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								.40			.22	.03	1
2				.03			.50	.42			.81		2
3			.33	.11	.35			04				.23	3
4	.10		.10	.26	.12		.02	.74			.52	.42	4
5			.13	.24	.22		.17	.12			.78	.09	5
6		.24	.03	.21	.14		05	.05			.30	.27	6
7	.02	.45	15	.14	.43	.18	.16	.09				.22	7
8	.16	.11	.82		.04	.13	.15	.15				.03	8
9	.15		38	.12	.06	.53		.03	.05			.57	9
10	.03	.11	.06		.19				.29				10
11		.34	51	.10			.37				.17	.42	11
12		.09	.17						.35	.11	.03	.59	12
13		.33	38						.22	07			13
14		.31	49				.20		04		.28		14
15	.05	.06	20					.25			.18		15
16									.20				16
17		.71	.34									.43	17
18			.10				06					.65	18
19		.20	.26				1.06				.14		19
20		.47				.08	.01						20
21		1.03				02		.08		.20			21
22		.03	.02		.16	.10	.03	.02		.75			22
23		.24	.17		.13					.18			23
24	.04		.05		.10		.03			.13	.13		24
25			.13				.02	.35		.45	.04	.36	25
26										.07	.08	.67	26
27	.06		.04								.15	.28	27
28		.10										.92	28
29	.30		.13		.13					.32	.23		29
30		X	.10			.02				.20	.57	1.08	30
31	.04	X		X	.02	X	.17		X	.25	X	.12	31
Total	.95	4.82	5.09	1.21	2.09	1.06	3.10	2.74	1.15	2.73	4.63	7.38	YEAR'S TOTAL 36.95
Rain Days.	10	16	23	8	13	7	15	13	6	11	16	18	156

W. 8,000. X. 14.

Ed L.N.

740

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 4.1.1916

Kept at Rowe House - Fosbury

in the County of Hants

by Admiral Gamble.

Lat. ____ Long. ____

Time of Observation 10 am.

Nearest Railway Station Grafton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ____ ft. 7 in.

" " " " Sea Level 650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.63	.18	.24		.05			.03	.08			.22	1
2	.38	.24	.35	.10				.87	.03			.38	2
3	1.20		.12	.09	.16	[illegible]	.05	02				.42	3
4		.24						01				.30	4
5	.04	.68						.10				.44	5
6	.43	.07		.36		[illegible]	.56	25				.15	6
7	.34	.20				[illegible]	.26	.01				.28	7
8	.12			.03				05			10		8
9	.09	.47		.11		[illegible]	.03	.05			37	.78	9
10	.18		.05					03				.18	10
11	.04					[illegible]	.03	15			1.02		11
12	.10	.40		.31	.53			.69		.04	.33	.03	12
13		.52			1.02				09				13
14	.05				.11	[illegible]	.24	.30	03			1.09	14
15	.12					[illegible]	.12	.01			19	13	15
16	.10	.79			.50		.97	05				20	16
17		.40			1.71			58				.13	17
18		.11			.14					.04			18
19			.14		.08								19
20	.23			.05			.13					.14	20
21	[illegible]	.03	.47				.24					.04	21
22	.43	.24	.10				58					22	22
23		.22	.17	.03		.04	39		.11	.61		30	23
24			.10				36		.88	.43			24
25				.03		.26	.27			03			25
26						.08						55	26
27						43	14		01	47		30	27
28	.34					05			1.18	.03			28
29						.02					.29	.07	29
30	.26	X				.33		.03		.44	53	.52	30
31		X		X		X		02	X	1.63	X	.19	31
Total	5.08	4.79	1.74	1.11	4.30	1.21	4.37	3.25	2.41	3.72	2.83	7.06	[illegible]
Rain Days.	18	15	9	9	9	7	15	18	8	9	7	23	147

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Rowe House, Fobury, Hungerford

in the County of Hants

by Admiral E. H. Gamble

Lat. 51·20 Long. 1·31

Time of Observation 9·30 am

Nearest Railway Station Grafton M & SWR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 7½ in.

" " " " Sea Level 620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·24		02		·33	·04	02			20	38		1
2	·37	·22			·38					·85	09		2
3	03	1·49			02				·07	·45	05		3
4	10	·09				·38			·39	04	42		4
5	02	04		·03	·36	·16				08	1·02		5
6	07	·11	04		05	·08				04	92		6
7	04		42		·10					·19	55	12	7
8	03	01			·21		·14					18	8
9					·12	22	·01			·12			9
10		·57				20	·02						10
11	·12			04	08	·10			02			40	11
12		08	03	08.	20		16						12
13		30	16	07			03	·45	·10	·10			13
14	03	·40	02	·11	05			·80					14
15	07	·40	25	·02				10					15
16		04	24.	·20	05		·20	1·43					16
17	19	33						40	·35	58			17
18		06		·18.					·16		30	·11	18
19	·22										33		19
20			·44.						·07		05	1·32	20
21			·47	05								1·13	21
22	·04		04.		07					·18		41	22
23				04.		03		·19			12	06.	23
24		18.				19		·04		33	03	·20	24
25		30	·09			·10			08.				25
26		25	·19			15		26	05	43	03		26
27		08	1·07			23		30	16	25			27
28		40						·12		10	04	·29	28
29		34			·03	·47		1·66	04.	63		·34	29
30		X								53		03	30
31		X		X		X		·11	X	14	X	06.	31
Total	1·57	5·69	3·48	·82	2·05	2·35	·58	5·86	1·49	5·24	4·33	4·65	YEAR'S TOTAL 38·11
Rain Days.	14	20	14	10	14	13	7	12	11	18	14	13	38·11 160

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL 5 JAN 1918

Kept at Rose Hanes, Fobney, Hungerford

in the County of Hants

by Admiral Gamble

Lat. 51·20 Long. 1·31

Time of Observation 9.30 am

Nearest Railway Station Bedwyn

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 7 in.

" " " " Sea Level abt 650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·17	·03		·03			·10		·04		1
2	·04					·04				·65			2
3							·96	·21		·48		05	3
4		·29	·06	·25		·03	·68	·23		·33	·12		4
5	·58	·30	·15	·20		·04		·05	·13	27	·06		5
6						·39				·08	·14		6
7	·30									·60		04	7
8	·41						·45	·25		32	·15	·31	8
9				·38	·30			·47			·12		9
10	·22	·10		·23				·20		05			10
11	·14	·72								·30			11
12									·08	63			12
13	06	·26		·03				·30					13
14				·35						03			14
15							·23	·31		08			15
16		·13					·29		05	·68		·70	16
17					·27	·17	·47	·19	·78				17
18				·20		·02		·10	·64				18
19		·43	·13										19
20		·11	34		·75					·03			20
21			·07			·17				09			21
22			·09			·04		·12			·04		22
23						·03	·02	·43				·09	23
24		·32	03			08	·12	·14		05			24
25		·18	·06							·43		·05	25
26								·70			·14		26
27					·40			·93					27
28			·08			1·96		·60		·03			28
29					·09	·10	·23			47			29
30	·04	X	·06				1·30	·13					30
31		X	·16	X		X	·25		X		X	·40	31
Total	1·79	~~2·84~~ 1·76	~~3·48~~ 2·48	1·67	1·81	3·10	4·40	5·36	1·78	5·00	·81	1·64	YEAR'S TOTAL ~~30·60~~
Rain Days.	8	~~6~~ 7	~~12~~ 15	8	5	13	11	17	6	19	8	7	~~124~~

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 19 18

FORM A. BRITISH RAINFALL. 61

Kept at Rowe House, Vernham Dean

in the County of Hants

by Admiral Gamble.

Lat. ..... Long. .....

Time of Observation 9 am

Nearest Railway Station Grafton & Fyfield M&SWR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ..... ft. 8 in.

" " " " Sea Level 650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following. None

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		05						08					1
2		.07		.08							08	24	2
3			.06	.33				.34	.14		19	06	3
4		.08			02			52	.12	17	95	03	4
5		.11			.22			15	30				5
6	.17	.07		.36	.51			03	29	03		05	6
7	.02	.22		.19					16	31	.19	03	7
8		.03							36	16		15	8
9		.07				.16	.16		54	38		27	9
10				.25		.10	.40		10	31		39	10
11							.63		.11		09		11
12		.14			.31		.36					08	12
13	.08						51		50			03	13
14	.29					09	09		39	22		17	14
15	1.01			.40			16					27	15
16	.21			.73		03							16
17	.32			.26			.89	04	04			24	17
18	.88					.53	.08		34				18
19	.14		.09	.04			24		03	08		17	19
20	.08	20		.44			1.32		23	17			20
21	.07	.09					02			28			21
22					.12		.45					38	22
23					.17		.88		11				23
24		.33					.75				41		24
25							24	.43		03			25
26							.33		03		12	30	26
27		.08				05		.27	12		13	06	27
28			.30	04							15	10	28
29			05						1.35				29
30		X	.45								10	05	30
31		X	.11	X		X			X	.60	X		31
Total	3.27	1.54	1.06	3.12	1.35	.96	7.51	1.86	5.26	2.74	2.41	3.07	YEAR'S TOTAL 34.15
Rain Days.	11	13	6	11	6	6	17	8	19	12	10	19	138

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Rowe House, Fosbury.

in the County of Hants

by Admiral E. H. Gamble.

Lat. 51·20 Long 1·31

Time of Observation 9 am.

Nearest Railway Station Grafton M & SwR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft 7½ in.

" " " " Sea Level 632 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·53		08		·12		12				·17	1·38	1
2	24								·48		08	·10	2
3	60		36				16		·47			·11	3
4		15	60		03	24	13	07	·16			·09	4
5	·14	25	84						·17			18	5
6	40	32	13	22	31						10		6
7	18		71								04		7
8	32		11		·07								8
9			04	03	03						11		9
10			62	11								22	10
11	02	40	19	25	08		40			17			11
12				04		20						24	12
13	07			58			13			04			13
14	·66	04		72			09		17	06	05	03	14
15	·40		05									·98	15
16	06	·93									17		16
17											34		17
18		·22	36					04			14		18
19	31	·32	1·30			12	29	20	08		20		19
20	42	07	31			43		31				11	20
21	03	63	04				10					29	21
22									56	18		27	22
23										45	10	03	23
24		·10		18					02			41	24
25	·11			02				78				11	25
26	·08	·19	21	11			·18	10	07			42	26
27			03	50				46					27
28			16					1·07		15	15	38	28
29				03				09		09	53	17	29
30	·10		02	22		23		35				78	30
31			05									16	31
TOTAL	4·69	3·62	6·21	3·01	·64	1·22	1·60	3·47	2·18	1·14	2·18	6·46	YEAR'S TOTAL 36.42
Days with ·01 in. or more	18	12	20	13	6	5	9	10	9	7	13	20	142

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

615.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

No. 670

REGISTER OF RAINFALL IN 192 2.

Kept at Rowe House, Vernham Dean

in the County of Hants

by Admiral Gamble

Lat. 51.20 Long. 1.30

Time of Observation 9 am

Nearest Railway Station Grafton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 7½ in.

" " " " Sea Level 620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·48

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				48	35		50	06		32		35	1
2			20	14			08	49		20		10	2
3	03						31	31		42		05	3
4				25			04	05		24			4
5			09	16	02		84			63			5
6	·12			11	26		60			04			6
7				36	19		31			08			7
8		17		24			36						8
9	·47	03		07		03							9
10	·70	16	14			23	44						10
11	14		13	40		03	21						11
12	19			38		57	02				15		12
13			41	23		04				05	06		13
14	10	09	30	47		08	05		16	25	45		14
15	02		09	25			08		05	24	13		15
16				24	03				02		09		16
17				08	30		03		35				17
18				11	08		02	53				10	18
19				38	16	14		04					19
20	·02	20		30		70	22					12	20
21	01			03			37		32				21
22				27			03		07			37	22
23	16			02			74	03				45	23
24			17										24
25		08	10		03		60	05			05	12	25
26	17		16	04			19				02	14	26
27	42			23		25	02				16	36	27
28	48			03	18	03	14					05	28
29	36		04	02	04		04				34	37	29
30	08		07	04	08	15	20		21	82	22	30	30
31	07		25				07			32		19	31
TOTAL	3·54	·73	2·15	5·33	1·72	2·25	6·51	1·56	1·18	3·31	1·67	3·07	YEAR'S TOTAL 33·02
Days with ·01 in. or more	17	6	13	26	12	11	26	8	6	12	16	14	161
Days with ·04 in. or more	13	5	13	22	9	8	21	7	5	11	9	14	137

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Slip made 2/3/15

FORM A. BRITISH RAINFALL.

27 JAN 1915

WESTBURY HSE
GDNS.
HANTS
1914, 15 17, 18, 20

R

Kept at Westbury

in the County of

by Col. A. Le Roy

7. Union.

5 in.

ound 2 ft. 9½ in.

Level ft.

IMPORTANT

previous day. If a result entered to the

requested to add the l rule, he is earnestly

for it at the end of this paragraph. Full instructions for the measurement of rain, the space provided

the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.8	—	—	—	—	.24	—	—	—	.11	1
2	—	—	—	—	—	—	.5	.10	—	—	.26	.36	2
3	—	—	.18	—	.53	—	.8	—	—	—	.15	.3	3
4	—	—	.4	.37	.7	—	—	.24	—	—	.33	.28	4
5	.20	—	.12	.53	.19	.4	.17	.39	—	—	.3	—	5
6	—	.20	.5	.14	.9	.3	.11	.8	—	—	—	.57	6
7	—	.130	—	.4	.3	.5	.30	.2	—	—	—	.24	7
8	—	.20	.75	.5	.3	.4	—	.38	—	—	—	.15	8
9	.18	—	.80	.37	—	.2	—	—	.18	—	—	2.30	9
10	.5	.39	—	—	.25	—	—	—	.30	—	—	—	10
11	—	.70	.43	.9	.3	—	.50	—	.15	—	.12	.63	11
12	—	.20	.18	—	—	—	.5	—	.39	.14	—	.40	12
13	—	.40	.20	—	—	—	—	—	.25	.15	.16	1.04	13
14	—	.55	.65	—	—	.6	.9	.5	—	.46	.30	.43	14
15	—	—	.4	—	—	—	.18	.40	—	.2	.25	—	15
16	—	—	—	—	—	—	.10	—	.20	—	—	—	16
17	—	.91	.8	—	—	—	—	—	.10	—	—	.61	17
18	—	—	.32	—	—	—	2	—	—	—	—	.70	18
19	—	.12	.68	—	—	—	1.85	—	—	—	.21	.40	19
20	—	.43	.23	—	—	.3	—	—	.2	—	—	.21	20
21	—	.45	—	—	—	—	—	.14	—	.38	—	—	21
22	—	—	.8	—	.12	—	.7	.6	—	.13	—	—	22
23	—	.24	.25	—	—	—	—	—	—	.11	—	—	23
24	—	—	—	—	—	—	—	—	—	.2	.28	—	24
25	—	—	.13	—	—	2	—	.29	—	.42	.4	.23	25
26	—	—	—	—	—	—	.3	.22	—	.14	.21	.93	26
27	—	—	—	—	—	—	—	—	—	.4	.16	.43	27
28	—	.4	—	—	.14	—	.9	—	—	—	.60	.83	28
29	.38		.26	—	.5	—	2	—	—	.18	.20	—	29
30	.3	X	.12	—	—	—	—	—	—	.18	.86	.93	30
31	.5	X	—	X	3	X	.15	—	X	.23	X	.5	31
Total	8.89	6.49	6.00	1.65	1.56	.32	3.84	2.94	1.59	2.93	4.16	12.22	YEAR'S TOTAL 44.89
Rain Days.	6.	14.	21.	4.	12.	8.	16.	13.	8.	14.	16.	22.	154.

W. 8,000. X. 14.

Slip mast. 23/1/5

R[illegible] 1914.

FORM A. BRITISH RAINFALL.

27 JAN 1915

Kept at Westbury House Gardens

in the County of Hampshire

by Col. A. Le Roy Lewis C.B. D.S.O.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station West Meon

Diameter of Rain Gauge [illegible] in.

Height of top of Gauge above Ground 2 ft. 9½ in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.8	—	—	—	—	.24	—	—	—	.11	1
2	—	—	—	—	—	—	.5	.10	—	—	.26	.36	2
3	—	—	.18	—	.53	—	.8	—	—	—	.15	.3	3
4	—	—	.4	.37	.7	—	—	.24	—	—	.33	.28	4
5	.20	—	.12	.53	.19	.4	.17	.39	—	—	.3	—	5
6	—	.20	.6	.17	.9	.3	.11	.8	—	—	—	.57	6
7	—	1.30	—	.4	.3	.5	.30	.2	—	—	—	.24	7
8	—	.20	.45	.5	.3	.4	—	.38	—	—	—	.15	8
9	.18	—	.80	.37	—	.2	—	—	.18	—	—	2.30	9
10	.5	.39	—	—	.25	—	—	—	.30	—	—	—	10
11	—	.70	.43	.9	.3	—	.50	—	.15	—	.12	.63	11
12	—	.20	.18	—	—	—	.5	—	.39	.14	—	.40	12
13	—	.40	.20	—	—	—	—	—	.25	.15	.16	1.04	13
14	—	.55	.65	—	—	.6	.9	.6	—	.46	.30	.43	14
15	—	—	.4	—	—	—	.18	.40	—	.2	.25	—	15
16	—	—	—	—	—	—	.10	—	.20	—	—	—	16
17	—	.91	.8	—	—	—	—	—	.10	—	—	.61	17
18	—	—	.32	—	—	—	2	—	—	—	—	.70	18
19	—	.12	.68	—	—	—	1.85	—	—	—	.21	.40	19
20	—	.43	.23	—	—	.3	—	—	.2	—	—	.21	20
21	—	.45	—	—	—	—	—	.14	—	.38	—	—	21
22	—	—	.8	—	.12	—	.7	.6	—	.13	—	—	22
23	—	.24	.25	—	—	—	—	—	—	.11	—	—	23
24	—	—	—	—	—	—	—	—	—	.2	.28	—	24
25	—	—	.13	—	—	2	—	.29	—	.42	.4	.23	25
26	—	—	—	—	—	—	.3	.22	—	.14	.21	.93	26
27	—	—	—	—	—	—	—	—	—	.4	.16	.43	27
28	—	.4	—	—	.14	—	.9	—	—	—	.60	.83	28
29	.38		.26	—	.5	—	—	—	—	.18	.20	—	29
30	.3	X	.12	—	—	—	—	—	—	.18	.86	.93	30
31	.5	X	—	X	3	X	.15	—	X	.23	X	.5	31
	.89												YEAR'S TOTAL
Total	8.0	6.49	6.00	1.65	1.56	.32	3.84	2.94	1.59	2.93	4.16	12.22	44.89
Rain Days.	6.	14.	21.	7.	12.	8.	16.	13.	8.	14.	16.	22.	154.

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915.

780

FORM A. BRITISH RAINFALL ORGANIZATION

Kept at Westbury House Gardens.

in the County of Hampshire. 5

by Col. A. Le Roy Lewis. C.B.D.L.O.

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station West Meon.

Diameter of Rain Gauge 6 inches.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.92	.30	.3	—	—	—	—	.13	.12	.13	—	.48	1
2	.30	.35	.36	.15	—	.4	—	.28	.8	.15	—	.23	2
3	1.00	—	.18	.10	—	—	—	.4	—	—	—	.33	3
4	.3	—	—	.2	.24	—	—	—	—	—	—	.65	4
5	.5	.40	—	—	—	—	—	.12	—	—	—	.54	5
6	.80	.30	—	.85	—	—	.61	.10	—	—	—	.16	6
7	.33	.65	.3	.2	—	—	.36	—	—	—	—	.37	7
8	.4	.92	—	—	—	—	.5	.4	—	—	—	—	8
9	—	.7	—	.14	—	.11	—	—	—	—	.58	.44	9
10	.43	.6	—	—	—	—	—	—	—	—	—	.26	10
11	.7	—	.11	—	—	—	.2	—	—	—	.81	.2	11
12	.10	.38	—	.22	.46	—	—	—	—	—	.56	—	12
13	.5	.55	—	—	1.20	—	—	—	.12	—	—	—	13
14	.6	—	—	—	—	—	.22	.46	.8	—	—	1.18	14
15	.11	—	—	—	.10	—	.14	.13	—	—	—	.58	15
16	.2	1.20	—	—	.54	—	1.62	.2	—	—	.4	.34	16
17	—	.46	—	—	.93	—	—	.9	—	—	—	—	17
18	—	.24	—	—	.9	—	.2	—	—	—	—	—	18
19	—	.14	—	—	.2	—	.9	—	—	—	—	—	19
20	.38	—	—	—	.2	—	—	—	—	—	—	.13	20
21	—	—	—	—	.24	—	.8	—	—	.43	—	.18	21
22	.62	.42	.19	.5	—	—	1.42	—	—	—	—	.28	22
23	—	.7	.9	—	—	—	.15	—	.24	.28	—	.43	23
24	—	—	—	—	—	—	.20	—	1.45	.65	—	.40	24
25	—	—	.3	.11	—	.3	—	—	—	—	—	.12	25
26	—	.7	—	—	—	.10	.13	—	.2	—	—	1.02	26
27	—	—	—	—	—	.48	—	—	—	.58	—	.2	27
28	—	.18	—	—	—	.53	—	—	.46	—	—	.5	28
29	—		—	—	—	.6	39	—	—	.14	.62	—	29
30	.20	X	—		—	—	—	—	—	.64	.86	.15	30
31	—	X	—	X	—	X	—	.36	X	1.34	X	.50	31
Total	5.41	7.42	1.02	1.66	3.84	1.35	5.50	1.8	02.84	4.43	3.50	9.52	YEAR'S TOTAL 48.65
Rain Days.	18.	18.	8.	9.	16.	7.	15.	11.	8.	9.	6.	24.	143

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 19 17

FORM A. BRITISH RAINFALL.

28 JAN 1918

Kept at Westbury Park, Nr Petersfield

in the County of Hampshire

by Lt Col LeRoy Lewis

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station Westmeon 1 1/2 miles

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			22	23				1-40	48		3		1
2			31	1-10				2			4		2
3				29			1-15	38					3
4	2	22	24					21		60	11		4
5	36			41					9	39	14		5
6			22						5		9	3	6
7	34						7			35		8	7
8	32			7			43	20			32	36	8
9	1		21									3	9
10	33		29	35	25			30			5		10
11	20		25	14					10	55			11
12	5		4					14		22			12
13			23	14				5		11			13
14				16				10					14
15					16			16		24			15
16		13		17	7			8		1-85		59	16
17				15	17		40	19	74	24			17
18				2			34		60				18
19		28	19			7		6	35				19
20		8	10		84	3	8						20
21			7							6			21
22					13			7		14			22
23		24						36					23
24		14				29	11	5		30	11		24
25		6	5							7			25
26								34	16		16		26
27			9		66			1-36					27
28			5			2-91		19					28
29					17	11	48			51			29
30		X	50				84	21		3		21	30
31		X	4	X		X	8	3	X	4	X	3	31
Total	1-63	1-15	2-82	3-23	2-48	3-41	3-98	5-96	2-54	5-70	1-08	1-33	YEAR'S TOTAL 35-28
Rain Days.	8	4	14	12	8	5	10	21	8	16	9	7	128

3·20 (5·90)

35.28

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

103

Kept at Westbury Park Weston
& Petersfield
in the County of Hampshire
by Col. Le Roy. Lewis

Lat. ____ Long. ____ 15.1.19
Time of Observation ____
Nearest Railway Station ____
Diameter of Funnel of Rain Gauge ____ in.
Height of top of Gauge above Ground ____ ft. ____ in.
" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				10				6		3	64		1
2						18		46			33	32	2
3		6		22	32			4			12	5	3
4		28	5					10	.24		1-0	8	4
5		3	14		28			15		14			5
6	2 2	24		34					7	9		14	6
7		23		14	41			9	12	10	39		7
8		50							14	6		11	8
9				42			24		66	28		60	9
10				4			54		25	20		50	10
11							17		4			11	11
12		15			26		44		4			10	12
13	30				32		30		34			21	13
14	26					19	4		46	26			14
15	32			38			36		76	8		22	15
16	59			14		19							16
17	19			4			26		1-0			28	17
18	1-23					75						19	18
19	32		24			14	34		7			5	19
20	34	21		40		4	4		.50	8			20
21	23	32					23		41	5			21
22	16						56		36			37	22
23	24				23		35		6			3	23
24		34							26		18		24
25							16		6	3			25
26							40	34	8		8	29	26
27		15	4				3	22			13	2	27
28			25			18					16	2	28
29			5						1-04		8		29
30			45							10		8	30
31										14			31
Total	4-91	2.54	1-26	2.52	1-82	1-70	4-61	1-46	6-98	1-64	3-11	3-77	YEAR'S TOTAL 36-40
Rain Days.	12	11	7	10	6	7	16	8	20	14	10	21	142

W. 8,000, IX. 17.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Westbury Park

in the County of Hampshire

by Col. Le Roy Lewis

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13	—	—	.34	.3	—	.54	—	—	.56	.20	.41	1
2	.5	—	.2	.8	.24	—	.13	.54	.4	.18	—	.18	2
3	.32	.5	—	—	.22	—	.35	—	—	.58	—	.3	3
4	×	.4	—	.3	—	—	.42	.28	.4	.41	—		4
5	×	—	.19	.2	—	—	.92	.22	—	.35	—	.6	5
6	×	—	.25	—	.30	—	.78	—	—	.4	—	.4	6
7	.4	—	—	.31	—	—	.36	—	—	—	—	—	7
8	+	—	—	.9	.10	—	.33	—	—	—	—	—	8
9	.33	.9	—	—	—	.6	.18	—	—	—	—	—	9
10	.91	.26	.11	—	—	.25	.34	—	—	—	—	—	10
11	.29	.5	.9	.73	.4	.2	.34	—	—	—	—	—	11
12	.7	.2	.3	.41	—	.80	—	—	—	—	.9	—	12
13	.14	—	.30	.2	—	—	—	—	—	.45	.18	—	13
14	×	—	.45	.60	—	—	—	—	—	.15	.83	—	14
15	.4	—	.2	.32	—	—	.3	—	.44	.26	.9	—	15
16	+	—	—	.8	—	.3	—	—	.30	—	—	—	16
17	.20	—	—	.6	.36	—	.6	—	.80	—	—	—	17
18	.5	—	—	—	.6	.4	.4	.58	.12		—	.3	18
19	.20	—	—	.28	—	.4	—	—	.4		—	.5	19
20	—	.8	—	.24	—	.44	—	—	—		—	.9	20
21	—	—	—	.3	—	—	.68	—	.11		—	—	21
22	—	—	—	.32	—	—	.2	.3	.28		—	.41	22
23	—	—	—	.4	—	—	.42	.3	—		—	.44	23
24	—	—	.20	.4	—	—	—	—	—		.6	.4	24
25	.3	—	.3	—	.4	.07 .7	.49	—	.4		—	.18	25
26	.9	—	.28	.2	.1	.14 .14	.1	—	.1		—	.10	26
27	.72	—	.3	.32	—	.04 .24	—	—			.43	.33	27
28	.61	.5	.4	.2	—	.4	.13	—			—	.4	28
29	.67	—	.13	.7	.17		—	—			.29	.44	29
30	.9	—	—	.1	—	.6	.14	—	.12		.29	.33	30
31	.10	—	.40	—	—	—	.1	—	—	.1.10	—	.23	31
TOTAL	5.18	.60	2.57	4.41	1.65	2.29	6.74	1.68	2.69	3.66	2.40	3.45	YEAR'S TOTAL 37.37
	5.17		2.57			2.29							34.24
Days with .01 in. or more	20	7	16	22	10	12	21	6	11	9	9	13	159

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

729

WESTON PETERSFIELD

1914 – 20

LL IN 1914.

FORM A. BRITISH RAINFALL. 2 JAN 1915

at. 51 N Long. 1 W

Time of Observation 9 a.m.

Nearest Railway Station Petersfield

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 330 ft.

...ured daily at 9 a.m. and the result entered to the ... conform to this almost universal rule, he is earnestly ... 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.02					0.31				0.05	0.38 1
2								0.03			0.16	0.22	0.41 2
3			0.08	0.04	0.50		0.08	0.09				0.03	0.82 3
4			0.08	0.42	0.06			0.26			0.42	0.28	1.52 4
5	0.09		0.11	0.50	0.35	0.02	0.19	0.18			0.13		1.57 5
6		0.21	0.03	0.15	0.13	0.04	0.06	0.06				0.64	1.35 6
7		1.25	0.21	0.13	0.07	0.04	0.23					0.39	2.32 7
8	0.07	0.50	0.61	0.05	0.04	0.07	0.01	0.48				0.06	1.59 8
9	0.10		1.20	0.27		0.05		0.01	0.24			2.66	4.53 9
10		0.45	0.03	0.13	0.21				0.45			0.02	1.29 10
11		0.75	0.76		0.03	0.01	0.79				0.14	0.81	3.29 11
12		0.20	0.17				0.02		0.44			0.76	1.59 12
13		0.77	0.38			0.03			0.23	0.17	0.19	1.12	2.89 13
14		0.69	0.28			0.12	0.04	0.06		0.48	0.43	0.39	2.49 14
15			0.26				0.11	0.53		0.02	0.40		1.32 15
16							0.08		0.44		0.02		0.54 16
17		1.00	0.13									0.66	1.79 17
18			0.47									0.68	1.15 18
19		0.18	0.52				1.85				0.19	0.37	3.11 19
20		0.41	0.20						0.02			0.42	1.05 20
21		0.78	0.09					0.10		0.39		0.09	1.45 21
22		0.03			0.05		0.09	0.05		0.45			0.67 22
23		0.31	0.28	0.01		0.04		0.01		0.03			0.68 23
24			0.03								0.32		0.35 24
25	0.10		0.17					0.33		0.50	0.03		1.13 25
26								0.25		0.10	0.23	1.14	1.72 26
27	0.06									0.02	0.16	0.53	0.77 27
28	0.62	0.05	0.04		0.12		0.09			0.25	0.53	0.78	1.89 28
29	0.34		0.22							0.29	0.30		1.15 29
30	0.04	X	0.17	0.07						0.19	0.91	0.84	2.22 30
31	0.05	X		X	0.03	X	0.16		X	0.28	X	0.10	0.62 31
Total	0.57	7.61	6.54	1.80	1.54	0.42	3.80	2.75	1.82	3.17	4.56	13.01	YEAR'S TOTAL 47.94
Rain Days.	9	15	25	10	11	9	14	15	6	13	16	23	166

W. 8,000. X. 14.

RAINFALL IN 1914.

FORM A. BRITISH RAINFALL. 2 JAN 1915

Kept at Milton, Petersfield

in the County of Hants

by Capt P. W. Seward

Lat. 51 N Long. 1 W

Time of Observation 9 a.m.

Nearest Railway Station Petersfield

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.02					0.31				0.05	0.38 1
2								0.03			0.16	0.22	0.41 2
3			0.08	0.04	0.50		0.08	0.09				0.03	0.82 3
4			0.08	0.42	0.06			0.26			0.42	0.28	1.52 4
5	0.09		0.11	0.50	0.35	0.02	0.19	0.15			0.13		1.57 5
6		0.21	0.03	0.15	0.13	0.04	0.06	0.06				0.64	1.35 6
7		1.25	0.21	0.13	0.07	0.04	0.23					0.36	2.32 7
8	0.07	0.50	0.61	0.05	0.04	0.07	0.01	0.48				0.06	1.59 8
9	0.10		1.20	0.27		0.05		0.01	0.24			2.66	4.53 9
10		0.45	0.03	0.13	0.21				0.45			0.02	1.29 10
11		0.75	0.76		0.03	0.01	0.79				0.14	0.81	3.29 11
12		0.20	0.17				0.02		0.44			0.76	1.59 12
13		0.77	0.38			0.03			0.23	0.17	0.19	1.12	2.89 13
14		0.69	0.28			0.12	0.04	0.06		0.48	0.43	0.39	2.49 14
15			0.26				0.11	0.53		0.02	0.40		1.32 15
16							0.08		0.44		0.02		0.54 16
17		1.00	0.13									0.66	1.79 17
18			0.47									0.68	1.15 18
19		0.18	0.52				1.85				0.19	0.37	3.11 19
20		0.41	0.20						0.02			0.42	1.05 20
21		0.78	0.09					0.10		0.39		0.09	1.45 21
22		0.03			0.05		0.09	0.05		0.45			0.67 22
23		0.31	0.28	0.01		0.04		0.01		0.03			0.68 23
24			0.03								0.32		0.35 24
25	0.10		0.17					0.33		0.50	0.03		1.13 25
26								0.25		0.10	0.23	1.14	1.72 26
27	0.06									0.02	0.16	0.53	0.77 27
28	0.02	0.05	0.04		0.12		0.09			0.25	0.53	0.78	1.88 28
29	0.34		0.22							0.29	0.30		1.15 29
30	0.04	X	0.17	0.07						0.19	0.91	0.84	2.22 30
31	0.05	X		X	0.03	X	0.16		X	0.28	X	0.10	0.62 31
Total	0.57	7.61	6.54	1.80	1.54	0.42	3.80	2.75	1.82	3.17	4.56	13.01	YEAR'S TOTAL 47.94
Rain Days.	9	15	25	10	11	9	14	15	6	13	16	23	166

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 2 JAN 1917

Kept at Welton Pidsfield

in the County of Hants

by Capt P. W. Seward

Lat. 1° W Long. 51° N.

Time of Observation 9 a.m.

Nearest Railway Station Pidsfield

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1' ft. in.

" " " " Sea Level 330' ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.16	0.11	0.09		0.25	0.03			0.43	0.23	0.39		1
2	0.47	0.16	0.07		0.25				0.09	1.11	0.08		2
3	0.06	0.87	0.13		0.01		0.02		0.05	0.90	0.65		3
4	0.28	0.22				0.65			0.24	0.02	0.58		4
5	0.03	0.19	0.01		0.17	0.17				0.19	0.80		5
6		0.15	0.05	0.05	0.04	0.10	0.80			0.35	0.79		6
7	0.04	0.02	0.69		0.07	0.10	0.02			0.07	1.21	0.05	7
8		0.02			0.41							0.56	8
9			0.03		0.40							0.16	9
10		0.62	0.05	0.08		0.07	0.15		0.02	0.01	0.04		10
11			0.07	0.05	0.03	0.08						0.03	11
12	0.10	0.07		0.15	0.07	0.02	0.18	0.01		0.08		0.02	12
13		0.45	0.04			0.02		0.01		0.04			13
14		0.74	0.03	0.14	0.03			0.15		0.06		0.12	14
15		0.14	0.31					0.40	0.01	0.08			15
16	0.04	0.05	0.25	0.18			0.09	0.96					16
17	0.48	0.80		0.07				0.06	0.28	1.00		0.03	17
18	0.09	0.09	0.05	0.10				0.05	0.25	0.04	0.45	0.24	18
19	0.33		0.15	0.25		0.03			0.03		0.39	0.14	19
20	0.21	0.01	0.73	0.10								1.12	20
21	0.02		0.20									0.16	21
22	0.01		0.02		0.02	0.04				0.17		0.85	22
23	0.02	0.35				0.39		0.05		0.04	0.15	0.02	23
24					0.22	0.02		0.06	[illegible]	0.50	0.20	0.38	24
25		1.11	0.16					0.23	0.40	0.08	0.08		25
26		0.31	0.08			0.06		0.26	0.19	0.65			26
27		0.02	0.92			0.10		0.11	0.09	0.31			27
28		0.47	0.20						0.55	0.39	0.06	0.29	28
29		0.32	0.02			0.61		1.20	0.27	0.45		0.35	29
30					0.05			0.02		0.52			30
31								0.07		0.30		0.05	31
Total	2.34	6.89	4.35	1.17	2.02	2.49	1.26	3.64	2.81	7.59	5.87	4.57	44.90
Rain Days.	15	23	23	10	14	16	6	15	14	24	14	17	191

W. 8,000, VIII. 16

Ext. L.M.

801

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 3 JAN 1916

Kept at Weston, Petersfield

in the County of Hants

by Capt Percy W. Sewell.

Lat. 1° W Long. 51° N

Time of Observation 9 a.m.

Nearest Railway Station Petersfield

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.85	0.34	0.03		0.03			0.08	0.11	0.17	0.09	0.67	1
2	0.44	0.37	0.36	0.11		0.03		0.31	0.11	0.07		0.32	2
3	0.91		0.16	0.20	0.16			0.02	0.01			0.44	3
4	0.02											0.58	4
5	0.05	0.69		0.02				0.10				0.65	5
6	0.79	0.22		0.97			0.80	0.03				0.45	6
7	0.34	0.71	0.02	0.04	0.10		0.73					0.48	7
8	0.03	1.29		0.02			0.20	0.03					8
9	0.08	0.10		0.17		0.07		0.06			0.57	0.91	9
10	0.41	0.02										0.22	10
11	0.08		0.08				0.03				1.13	0.05	11
12	0.09	0.19		0.32	0.49					0.05	0.64		12
13	0.06	0.84			1.57				0.10				13
14	0.05						0.19	0.61	0.05			1.30	14
15	0.08				0.09		0.10	0.09			0.07	0.54	15
16		1.38			0.39		1.72	0.06				0.25	16
17		0.52			1.03			0.17					17
18		0.23			0.13								18
19		0.22			0.12		0.05						19
20	0.45			0.02	0.02							0.10	20
21					0.01		0.15			0.55		0.17	21
22	1.00	0.49	0.20	0.02			1.31					0.28	22
23		0.10	0.03			0.02	0.36		0.70	0.36		0.45	23
24			0.02	0.09			0.13		0.88	0.50		0.52	24
25						0.12	0.10					0.17	25
26		0.12				0.09	0.10					1.27	26
27		0.03				0.10			0.02	0.61		0.01	27
28		0.14				0.19			0.96	0.08			28
29		X				0.33	0.10	0.06			0.77	0.04	29
30	0.24	X				0.42				0.62	0.94	0.10	30
31		X		X		X		0.33	X	2.09	X	0.58	31
Total	5.97	8.00	0.90	1.98	4.14	1.37	6.07	1.95	2.94	5.10	4.21	10.55	YEAR'S TOTAL 53.18
Rain Days.	18	19	8	11	12	9	15	13	9	10	7	24.	155

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL. 3 JAN 1918

Kept at Weston Petersfield

in the County of Hants

by Capt F. W. Seward

Lat. 51° N Long. 1° W

Time of Observation 9 a.m.

Nearest Railway Station Petersfield

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1' ft. in.

" " " " Sea Level 330' ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.16	0.40		0.02		1.26	0.25	~~0.01~~	0.03	0.02	1
2			0.02	1.05				0.02		0.01			2
3	0.02			0.35			0.90	0.24		0.18	0.20		3
4		0.15	0.20				0.01	0.13		0.28			4
5	0.37		0.08	0.43		0.04			0.13	0.34	0.20		5
6						0.03			0.04	0.18	0.15		6
7	0.37		0.22				0.05			0.20		0.10	7
8	0.26			0.06			0.40	0.09		0.28	0.30	0.29	8
9	0.08		0.20	0.02	0.04			0.02		0.02	0.05		9
10	0.20		0.30	0.39	0.08			0.20		0.10			10
11	0.18		0.26	0.18				0.03	0.11	0.48			11
12	0.05		0.04					0.07		0.38			12
13	0.05		0.28	0.08				0.09	0.03	0.18			13
14				0.12				0.21					14
15								0.24		0.15		0.08	15
16	0.01	0.13	~~0.22~~	0.22	0.11		0.15	0.01		1.65		0.74	16
17		0.01	~~0.09~~	0.24	0.18		0.37	0.19	0.65	0.20			17
18			~~0.10~~	0.02	0.02		0.26	0.01	0.50	0.03			18
19	0.01	0.31	~~8.22~~		0.72	0.03		0.05	0.33	0.10			19
20	0.02	0.08	0.09			0.07	0.04		0.01				20
21	0.05		0.10		0.01					0.02			21
22			0.10			0.02		0.14		0.10	0.02		22
23		0.22			0.11			0.19		0.05			23
24		0.17				0.12	0.10	0.02		0.30	0.05		24
25		0.06	0.07				0.05			0.08		0.05	25
26			0.17					0.45	0.10		0.24		26
27			0.03		0.59	0.11		2.28					27
28			0.04			2.91		0.20				0.12	28
29			0.04		0.15	0.10	0.50	0.02		0.55		0.03	29
30		X	0.44				0.85	0.27					30
31	0.02	X	0.05	X		X	0.08	0.10	X	0.05	X	0.03	31
Total	1.69	1.13	3.11	3.56	2.01	3.45	3.76	6.53	2.15	5.91	1.24	1.46	YEAR'S TOTAL 36.00
Rain Days.	14	8	21	13	10	10	13	15	10	24	9	9	166

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

729

122

FORM A. BRITISH RAINFALL. 8.1.10

Kept at Weston, Petersfield

in the County of Hants

by Capt. N. W. Seward.

Lat. 51 N Long. 1 W

Time of Observation 9 a.m.

Nearest Railway Station Petersfield

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1' ft. — in.

" " " " Sea Level 330' ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. X

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				0.06				0.05			0.63	0.05	1
2		0.09		0.08				0.49			0.42	0.37	2
3			0.02	0.16	0.35			0.15		0.06	0.08	0.02	3
4		0.30	0.09	0.03				0.08	0.26		0.91	0.07	4
5		0.03	0.13		0.10			0.19		0.23		0.04	5
6	0.16	0.16		0.35				0.07	0.08	0.05		0.13	6
7	0.04	0.19		0.09	0.35			0.05	0.24	0.12	0.05	0.08	7
8		0.21							0.14	0.08	0.38	0.01	8
9				0.34		0.17	0.40		0.70	0.29		0.71	9
10				0.08		0.18	0.28		0.29	0.08	0.05	0.39	10
11	0.05			0.09			0.38		0.16	0.31		0.09	11
12		0.20			0.33		0.70		0.03			0.06	12
13	0.50				0.26		0.34		0.35			0.06	13
14	0.30		0.08		0.05	0.10	0.09		0.52	0.28		0.24	14
15	1.42			0.30		0.02	0.07		0.01			0.29	15
16	0.50			0.09		0.07			0.79			0.01	16
17	0.20			0.15			0.15	0.01				0.37	17
18	0.75					0.65			0.79			0.16	18
19	0.11		0.15			0.04	0.35			0.04		0.06	19
20	0.05	0.26		0.56		0.02	0.08		0.40	0.04			20
21	0.28	0.11		0.02		0.05	0.20		0.43	0.07		0.16	21
22	0.23	0.01			0.11	~~0.11~~	0.63		0.25			0.27	22
23	0.25				0.11	~~0.11~~	0.33	0.03	0.03			0.03	23
24		0.35				0.05	0.03		0.22		0.19		24
25	0.01			0.17			0.18	0.28	0.05				25
26							0.62		0.07	0.03	0.10	0.28	26
27		0.13		0.01			0.04	0.22	0.12		0.10	0.03	27
28			0.39	0.02		0.02		0.02			0.17	0.02	28
29									1.28	~~0.07~~		0.02	29
30		X	0.62					0.03	0.07	0.07	0.05	0.03	30
31		X	0.12	X		X			X	0.25	X		31
Total	4.85	2.04	1.60	2.60	1.66	1.37	4.87	1.67	7.28	2.00	3.13	4.05	YEAR'S TOTAL 37.12
Rain Days.	15	12	8	17	8	11	17	13	23	15	12	27	178

W, 6,500, VII. 18. W W 6

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Merton, Petersfield

in the County of Hants

by Capt. Percy W. Toward

Lat. 51° N Long. 1° W

Time of Observation 9 a.m.

Nearest Railway Station Petersfield

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1' ft. in.

" " " " Sea Level 330' ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.68		0.09	0.06			0.24			0.06	A	1.27	1
2	0.47		0.01		0.11				0.15		0.03	0.06	2
3	0.53		0.62		0.02				0.13			0.26	3
4	0.38	0.06	0.53			0.01	0.05	0.04	0.20		0.11	0.11	4
5		0.37	1.15				0.31		0.24		0.12	0.30	5
6	0.40		0.15		0.16							0.13	6
7	0.36		0.79										7
8	0.32		0.20	0.08									8
9	0.17		0.05	0.18	0.05						0.32		9
10	1.24		0.39	0.06								0.61	10
11	0.16		0.11	0.27	0.16		0.09					0.05	11
12			0.05	0.05			0.06			0.08	0.05		12
13	0.10			0.91								0.08	13
14	0.72	0.02		0.37			0.18		0.34			0.19	14
15	0.23	0.09		0.06						0.02		1.47	15
16	0.05	0.81									0.15		16
17		0.22									0.19	0.05	17
18		0.06	0.27		0.04			0.20			0.15	0.05	18
19	0.34	0.47	1.27			0.14	0.20	0.29			0.10		19
20	0.78	0.22	0.08			0.40		0.22				0.05	20
21	0.06	0.80					0.08				0.02	0.02	21
22		0.03	0.05				0.11		0.52			0.25	22
23											0.05	0.02	23
24		0.03		0.01				0.01		0.29	0.15	0.10	24
25						0.04		0.41				0.08	25
26	0.10	0.24	0.14	0.23				0.02	0.18			0.69	26
27	0.81			0.65				0.93			0.11	0.04	27
28	0.02		0.58					0.90			1.00	0.48	28
29				0.05				0.21			0.02	0.12	29
30				0.26		0.08		0.63			0.78	1.16	30
31	0.03		0.05							0.02		0.10	31
TOTAL	7.95	3.42	6.55	3.24	0.54	0.67	1.32	3.86	1.76	0.47	3.35	7.68	YEAR'S TOTAL 40.81
Days with .01 in. or more	21	13	19	14	6	5	9	11	7	5	16	25	151

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 729

REGISTER OF RAINFALL IN 1920.

Kept at Weston Petersfield,
in the County of Hampshire
by Capt. F. W. Seward

Lat. 51° N Long. 1° W
Time of Observation 9 a.m.
Nearest Railway Station Petersfield L.S.W.Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.11			0.19	0.25		0.41			1.13	0.17	0.37	1
2	0.11		0.11	0.09	0.05		0.16	0.35	0.06	0.12		0.32	2
3	0.28				0.39		0.14			0.53			3
4		0.09		0.04			0.96	0.36	0.01	0.55			4
5			0.28	0.05			0.87	0.50		0.20		0.15	5
6			0.35				0.67			0.05			6
7	0.08			0.26	0.39		0.25						7
8		0.02		0.07	0.10		0.29						8
9	0.45	0.09		0.09		0.09	0.19						9
10	0.88	0.20	0.09			0.32	0.29						10
11	0.21		0.10	0.82	0.04		0.24					0.21	11
12	0.07	0.12		0.34		0.61					0.12		12
13	0.16		0.32	0.04							0.04		13
14			0.59	0.55					0.18	0.15	0.92		14
15	0.05	0.06	0.04	0.28	0.07				0.60	0.21	0.10		15
16		0.01		0.28					0.25	0.02			16
17	0.01			0.05	0.26	0.03			0.71			0.02	17
18	0.16				0.11		0.03	0.69	0.06			0.03	18
19	0.05			0.28					0.07			0.02	19
20	0.10	0.09		0.29		0.78						0.11	20
21				0.04			0.77		0.12			0.29	21
22	0.05			0.37			0.02		0.02			0.51	22
23							0.42	0.07				0.55	23
24	0.02	0.09	0.26								0.06	0.25	24
25					0.05		0.75						25
26	0.09		0.54			0.10					0.02	0.15	26
27	0.85	0.02	0.02	0.31		0.09					0.30	0.35	27
28	0.57		0.05		0.03	0.03	0.15					0.05	28
29	0.71		0.11	0.09							0.38	0.56	29
30	0.11				0.02	0.06	0.07		0.14		0.32	0.46	30
31	0.14		0.37		0.02					1.23		0.23	31
TOTAL	5.26	0.79	3.23	4.53	1.78	2.44	6.68	1.97	2.22	4.19	2.43	4.63	YEAR'S TOTAL 39.82
Days with .01 in. or more	22	10	14	20	13	9	18	5	12	10	10	18	160
Days with .04 in. or more	20	7	13	20	10	7	16	5	9	9	9	15	140

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

716

WEST MEON, WESTWOOD

1920 –

FORM A. 1. METEOROL[OGICAL] ...ANIZATION. 8 FEB 1921

RE[CORD]

Kept at WESTWOOD ...

in the County of HA[MPSHIRE]

by MAJOR G.EGA[RTON] ...

...5' 40" W.

...M.

...EST MEON, L&S.W.R.

Gauge 5 in.

...e Ground 1 ft. 7 in.

„ Sea Level 420 ft.

IMPORTANT NOTE ...e result entered to the previous day.

If an Observer prefers not ... earnestly requested to add the reading at 9 a.m. on 1s ...e provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0".225

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	0".140	–	0".420	tr.	–	0".085	–	–	0".130	1".120	0".330	1
2	0".305	–	0".050	0".380	0".175	–	0".475	–	–	0".530	0".195	0".375	2
3	0".115	–	0".055	0".065	0".010	–	0".280	0".670	0".070	0".165	–	0".195	3
4	0".210	0".070	–	–	0".290	–	0".420	–	–	0".600	–	0".010	4
5	–	0".055	0.010	0".010	–	–	0".330	0".280	–	0".335	–	0".015	5
6	–	–	0".190	0".015	tr.	–	0".925	0".410	–	0".420	0".005	0".055	6
7	–	–	0".205	–	0".265	–	0".955	–	–	0".020	–	0".025	7
8	0".065	0".010	–	0".280	0".010	–	0".495	–	–	–	–	–	8
9	–	0".010	–	0".070	0".080	–	0".335	0".020	–	0".010 d.	–	–	9
10	0".315	0".075	0".010	0".050	–	0".060	0".035	0".005	–	–	–	–	10
11	0".915	0".245	0".070	tr.	–	0".240	0".420	–	–	–	0".010	–	11
12	0".265	–	0".075	0".715	0".070	0".035	0".360	–	–	0".010 d.	–	0".035	12
13	0".070	0".120	0".050	0".280	–	0".860	–	–	–	–	0".105	–	13
14	–	0".200	0".245	0".015	–	–	–	–	–	–	0".060	–	14
15	0".170	0".020	0".460	0".570	–	–	0".005	–	0".170	0".190	0".810	–	15
16	0".070	0".020	0".015	0".385	0".080	–	–	–	0".560	0".240	0".120	–	16
17	–	0".005	0".015	0".045	0".335	0".015	–	–	0".370	–	–	–	17
18	0".015	–	–	tr.	–	tr.	0".010	–	0".750	–	–	0".040	18
19	0".195	–	0".015	0".015	0".065	0".030	0".040	0".630	0".170	–	–	0".025	19
20	0".045	–	–	0".345	–	0".055	–	–	0".065	–	–	–	20
21	0".105	0".055	–	0".325	–	0".655	–	–	–	–	0".015	0".180	21
22	0".005	–	–	0".030	–	–	0".610	0".015	0".080	–	–	0".125	22
23	0".050	–	–	0".270	–	–	0".015	0".030	0".260	–	–	0".410	23
24	–	–	–	–	–	–	0".435	0".020	0".005	–	0".025	0".475	24
25	0".035	0".010	0".200	0".020	–	–	–	–	–	–	0".030	0".135	25
26	tr.	–	0".020	–	0".055	–	0".540	–	0".005	–	–	–	26
27	0".125	–	0".250	0".010	–	0".060	0".010	–	–	–	0".010 d.	0".110	27
28	0".695	0".020	0".030	0".260	–	0".135	–	–	–	0".005 d.	0".440	0".275	28
29	0".715	0".015	0".050	0".005	0".160	0".020	0".150	–	–	–	0".015	0".035	29
30	0".590	X	0".160	0".020	0".140	–	–	–	–	–	0".225	0".455	30
31	0".070	X	0".010	X	0".040	X	0".180	–	X	0".010	X	0".400	31
TOTAL	5".140	1".070	2".420	4".600	1".775	2".085	7".110	2".080	2".505	4".120	3".330	3".225	YEAR'S TOTAL 38".415
Days with ·01 in. or more	23	15	22	22	14	12	19	8	16	12	14	20	191
Days with ·04 in. or more	20	9	13	14	12	8	17	4	9	8	8	14	135

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.632. A.&E.

10

136

FORM A. 1. METEOROL[illegal] ORGANIZATION.

8 FEB 1921

REGISTER OF RAINFALL IN 1920.

Kept at WESTWOOD, WEST MEON,

in the County of HAMPSHIRE,

by MAJOR G.E.GALBRAITH.

Lat. 51° 1' 20" N. Long. 1° 5' 40" W.
Time of Observation 9 A.M.
Nearest Railway Station WEST MEON, L.&S.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 7 in.
" " " " Sea Level 470 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0".225

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0".140	—	0".420	tr.	—	0".085	—	—	0".130	1".120	0".330	1
2	0".305	—	0".050	0".380	0".175	—	0".475	—	—	0".530	0".195	0".375	2
3	0".115	—	0".055	0".065	0".010	—	0".280	0".670	0".070	0".165	—	0".195	3
4	0".210	0".070	—	—	0".290	—	0".420	—	—	0".600	—	0".010	4
5	—	0".055	0.010	0".010	—	—	0".330	0".280	—	0".335	—	0".015	5
6	—	—	0".190	0".015	tr.	—	0".925	0".410	—	0".420	0".005	0".055	6
7	—	—	0".205	—	0".265	—	0".955	—	—	0".020	—	0".025	7
8	0".065	0".010	—	0.280	0".010	—	0".495	—	—	—	—	—	8
9	—	0".010	—	0".070	0".080	—	0".335	0".020	—	0".010 d.	—	—	9
10	0".315	0".075	0".010	0".050	—	0".060	0".035	0".005	—	—	—	—	10
11	0".915	0".245	0".070	tr.	—	0".240	0".420	—	—	—	0".010	—	11
12	0".265	—	0".075	0".715	0".070	0".035	0".360	—	—	0".010 d.	—	0".035	12
13	0".070	0".120	0".050	0".280	—	0".860	—	—	—	—	0".105	—	13
14	—	0".200	0".245	0".015	—	—	—	—	—	—	0".060	—	14
15	0".170	0".020	0".460	0".570	—	—	0".005	—	0".170	0".190	0".810	—	15
16	0".070	0".020	0".015	0".385	0".080	—	—	—	0".560	0".240	0".120	—	16
17	—	0".005	0".015	0".045	0".335	0".015	—	—	0".370	—	—	—	17
18	0".015	—	—	tr.	—	tr.	0".010	—	0".750	—	—	0".040	18
19	0".195	—	0".015	0".015	0".065	0".030	0".040	0".630	0".170	—	—	0".025	19
20	0".045	—	—	0".345	—	0".055	—	—	0".065	—	—	—	20
21	0".105	0".055	—	0".325	—	0".655	—	—	—	—	0".015	0".180	21
22	0".005	—	—	0".030	—	—	0".610	0".015	0".080	—	—	0".125	22
23	0".050	—	—	0".270	—	—	0".015	0".030	0".260	—	—	0".410	23
24	—	—	—	—	—	—	0".435	0".020	0".005	—	0".025	0".475	24
25	0".035	0".010	0".200	0".020	—	—	—	—	—	—	0".030	0".135	25
26	tr.	—	0".020	—	0".055	—	0".540	—	0".005	—	—	—	26
27	0".125	—	0".250	0".010	—	0".060	0".010	—	—	—	0".010 d.	0".110	27
28	0".695	0".020	0".030	0".260	—	0".135	—	—	—	0".005 d.	0".440	0".275	28
29	0".715	0".015	0".050	0".005	0".160	0".020	0".150	—	—	—	0".015	0".035	29
30	0".590	✕	0".160	0".020	0".140	—	—	—	—	—	0".225	0".455	30
31	0".070	✕	0".010	✕	0".040	✕	0".180	—	✕	0".010	✕	0".400	31
TOTAL	5".140 5.145	1".070	2".420 2.185	4".600	1".775	2".085 2.250	7".110 7.025	2".080	2".130 2.635	3".120 3.655	3".330 2.395	3".525 3.600	YEAR'S TOTAL 38".190
Days with ·01 in. or more	23	15	27	22	14	12	19	8	10	12	14	20	135
Days with ·04 in. or more	20	9	13	14	12	8	17	4	9	8	8	14	136

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.

1691

WICKHAM, LOWER HOUSE

1917 - 18

FORM A. BRITISH RAINFALL.

Kept at Wickha... 7

in the County of ...

by Maj Gen S... ng.

... n.

... Rain Gauge ... in.

... above Ground ... ft. ... in.

... „ Sea Level ... ft.

IMPORTANT ... and the result entered to the previous day. If a ... conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						.02		1 in 20	.03		.05		1
2				.34	—						.12		2
3				.24	—	—	.49	.19		.12	.14		3
4				—	—	—		.08		.20			4
5				.24	—	.14		.37	.12	.34	.14		5
6				—	—				.01	.44	.12	.06	6
7				.02	—		.04	.20		.15		.37	7
8				—	—		.22		.03	.06	.25		8
9				.01	—		.02				.03		9
10				.26				.23					10
11				.19	.13			.36		.36			11
12				—	—			.10	.04	.30			12
13				—	.02			.18					13
14				.07	—			.18		.13		.20	14
15				—	—	—	.01	.53					15
16				.14	.01			.04				.50	16
17				.14	.21		.38	.16	.43	1.42			17
18				.03	.26	.02	.18	.03	.48	.18			18
19					.23			.18	.43	.08			19
20					.03	.14		.05		.03			20
21					—		.31			.			21
22					—	.02		.03		.18			22
23					.10			.21		.01		.02	23
24						.11	.08			.21			24
25	These figures for the											.04	25
26	first 3 months are				.19	.01		.02			.16		26
27	those of Colonel				.15	.06		.23 .20					27
28	Farquhar of Park Place				.14	.24		.25		.58			28
29					.19	.04	.34	.24					29
30			Wickham				.53	.21		.05			30
31							.10	.04				.03	31
Total	(1.44)	(1.27)	(3.35)	2.02	2.59	3.59	2.75	6.32	1.77	4.89	1.01	1.24	YEAR'S TOTAL (32.24)
Rain Days.				14	11	16	12	24	9	17	8	7	

W. 8,000, VIII. 16

2.02 2.59 3.59 2.75 6.32 1.77 4.89 1.01 (32.24)

FORM A.
BRITISH RAINFALL.

7

Long.

Kept at Wickham, The Lower House

in the County of Hampshire

by Maj Gen Sir Herbert Powell KCB

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

FEB 8 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.17	—	.02		1 in 20	.03		.05		1
2				.34	—						.12		2
3				.16	—	—	.44	.19		.12	.14		3
4				—	—	—		.08		.20			4
5				.24	—	.14		.34	.12	.34	.14		5
6				—	—				.01	.44	.12	.06	6
7				.02	—		.04	.20		.15		.37	7
8				—	—		.22		.5	.06	.25		8
9				.01	—	—	.02				.03		9
10				.26				.23					10
11				.19	.13			.36		.31			11
12				—	—			.10	.04	.30			12
13				—	.02			.18					13
14				.04	—			.18		.13		.20	14
15				—	—		.01	.53					15
16				.14	.01			.04				.50	16
17				.14	.21		.38	.16	.43	1.45			17
18				.03	.26	.02	.18	.02	.48	.18			18
19					.39			.18	.43	.08			19
20					.13	.14		.05		.25			20
21					—		.21			.			21
22					—	.02		.03		.18			22
23					.10			.21		.01		.02	23
24						.11	.08			.21			24
25	These figures for the											.04	25
26	first 3 months are				.19	.01		.02			.16		26
27	those of Colonel				.15	.06		.23	.20				27
28	Farquhar of Park Place				.47	.3 in	.24	.25		.58			28
29					.19	.04	.34	.24					29
30		X	Wickham				.53	.21		.05			30
31		X		X		X	.10	.04	X		X	.03	31
Total	(1.64)	(1.27)	(3.35)	2.02	2.59	3.59	2.75	6.32	1.72	4.89	1.01	1.24	YEAR'S TOTAL (32.24)
Rain Days.				12	11	18	12	24	9	14	4	7	

W. 8,000, VIII. 16

2.02 2.59 3.59 2.75 6.32 1.72 4.89 1.01 (32.24)

Ashley Old Manor
Kings Somborne. Hants.
2nd Jan 1918

Dear Mr. Salter

My brother, Major General Sir Herbert Powell. K.C.B. of the Lower House. Wickham. Hants. has passed on his rainfall record to me to complete & to post to you. As he, or rather his gardener only took over the instrument & broken record from his neighbour Mrs Jones last April, I have obtained the figures for from Colonel Farquhar, of Park

Place. Witham for the first 3 months.
In comparing the two records I am strongly of opinion that the record kept by Colonel Farquhar's Gardener is by far the more reliable of the two. I fear there are many signs of carelessness in the record kept by my brother's gardener. Figures put down on the wrong date, not regular in collecting & so forth.

Yours sincerely
Leigh S. Powell

Escape

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at The Lower House, Wickham

in the County of Hampshire

by Major General Sir Herbert Powell. KCB

Lat. ..... Long. .....

Time of Observation 9

Nearest Railway Station Wickham (2 rs. W.N.W.)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. about in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											·36	·18	1
2		·10		·04	·46			·90			·26	·25	2
3		·04		·24				·54			·13		3
4		·12						·12	·10				4
5			·08		·08			·20		·23	·56	·06	5
6	·20	·11		·22				·34				·10	6
7		·12		·13	·56			·03	·35	·20			7
8		·11									·30	·02	8
9				·26		·12	·20		·56			·02	9
10	·03					·01	·23		·55	·36		·51	10
11				·06			·12			·15		·36	11
12		·12			·33				·20			·10	12
13	·50				·03		·32		·35	·24		·03	13
14	·50		·03			·10	·07		·28			·20	14
15	1·50			·25			·22						15
16	·35			·04			·35			·05			16
17	·25			·19			·30		·58			·15	17
18	·50		·01			·61	·05			·08			18
19	·05		·08	·52			·65		·60	·05		·22	19
20	·03	·16					·65		·50				20
21	·18	·10				·03	·18		·35			·20	21
22	·16	.01			·08		·03	·04	·25				22
23	·10						·42					·04	23
24		·35											24
25							·61	·30	·20	·03		·03	25
26				·03			1·12				·12		26
27		·10						·10	·05			·20	27
28			·20						·12		·30		28
29			·03						1·06		·11	·03	29
30		X	·46						·02	·04		·03	30
31		X	·10	X		X			X	·14	X		31
Total	4·30	1·44	·99	1·98	1·54	·87	5·52	2·57	6·12	1·57	2·14	2·73	YEAR'S TOTAL 31·77
Rain Days.	13	12	8	10	6	5	16	9	17	11	8	19	+3·75

W. 6,500, VII. 18. w w c

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

Kept at Wickham

in the County of Hants

by Major Gwynne South

L. ____ Long. ____

Time of Observation ____

Nearest Railway Station Wickham L. & S.W.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. about in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											.31	.18	1
2		.10		.04	.46			.90			.21	.25	2
3		.01		.24				.51			.13		3
4		.12						.12	.10				4
5			.08		.08			.20		.22	.56		5
6	.20	.11		.22				.34				.10	6
7		.12		.13	.56			.03	.35	.20			7
8		.11										.02	8
9				.26		.12	.20		.56				9
10	.03					.01	.23		.55			.51	10
11				.06			.12			.15		.36	11
12		.12			.53				.20			.10	12
13	.50				.03		.32		.35	.21		.03	13
14	.50		.03			.10	.04		.28			.20	14
15	.10			.25			.22						15
16	.35			.04			.35			.5			16
17	.25			.19			.30		.58			.15	17
18	.50		.01			.61	.05			.8			18
19	.05		.08	.52			.45			.5		.22	19
20	.03	.16					.63		.50				20
21	.13	.10				.03	.18		.35			.20	21
22	.16	.01			.08		.68	.04	.25				22
23	.10						.12					.04	23
24		.35											24
25							.61	.30	.20	.3			25
26				.3			.12				.12		26
27		.10						.10	.05			.20	27
28			.20						.12		.20		28
29									.06		.11	.23	29
30		X	.16						.02	.04		.03	30
31	X	X	.10	X	X	X	X		X	.14	X		31
Total	4.30	1.44	.99	1.98	1.54	.87	5.52	2.57	6.12	1.57	2.14	2.73	31.77
Rain Days.	12	12	8	11	6	5	16	9	17	12	8	14	135

W. 8 000, IX. 17.

Ashley Old Manor
Kings Somborne. Hants.
25 Jan 1919

Dear Mr Salter

I am sorry to plague you with a lengthy & troublesome letter at a busy time. I have two or three items of rain record news for you & a query or two about my Hyetograph & charts to submit to you.

To take the latter first, I have had some concern lately with the ill working of the pen. Sometimes the tracings are clear & uniform, in other cases they are faint, irregular & occasionally invisible. I send you specimens of both sorts. Recently I attributed the trouble to the clogging of the ink in the pen from long use. But the cleansing of the nib brought no greater certainty. The worst tracing of all perhaps, that of Jan 19 was after it had been cleansed. When I have noticed the

tracing getting faint I have rubbed ink over the point of the nib (once, during rain at 12·30 am) but often the temporary improvement did not continue. Then I questioned the cause being due to difference in the paper, but this does not tally with the evidence.

For instance the tracings on the 4th & 5th inst are very faint whilst that of the 6th is uniformly good. Next, that of the 7th is perfect whilst that of the 8th is very irregular. Again, that of the 9th between 2·15 & 3 pm is imperfect; at 4 pm I attended to the pen as described & improvement resulted. The tracing of the 10th is distinct throughout, whilst that of 11th leaves much to be desired. Those of the 13th & 14th are good & uniform throughout whilst the next, that of the 15th, which started extra strong became very weak during the heavy afternoon rain. The record of the 16th is not traceable between noon & the shower at 3·45 pm (when I visited the instrument & inked the point of the pen) & the tracing on the 19th when I visited the instrument at 1 pm, also soon after midnight & again at 7·45 am is to say the least highly unsatisfactory in spite of so much attention. The next tracing (20th) is good throughout with no attention to the pen.

I am keen to know if you have had any similar experience & have you discovered means of rectifying the defect. One other question. Do you take in & house your Hyetograph during a period of hard frost for fear of injury?

The study of light & heavy rain, about which I have already written to you does not form part of my present letter. The opportunity to give this interesting matter due attention has not yet occurred.

With reference to other matters:—

1. Herewith I send you the record for 1918 at my brother's house Wickham, Hants.

The record is kept by his gardener & I am afraid it leaves a few things to be desired. I have redrafted & corrected the bulk of it but April is not complete as I am uncertain as to the measurement on the 3rd. I had no fall of an inch or more it on that day. You will have data to guide you. It may interest you to know that my brother has gone to Siberia in charge of a Red X Unit.

2 I think it will interest you to read these two letters from Mr. King of Braishfield. The error that is possible with a Ross gauge is a surprise to me & the instrument is seemingly in good condition. Perhaps you are better acquainted with it ways. Mr. King did not venture to send me the two sets of figures for Dec, but for the latter days of Nov his gauge measured about one third more than my open "British"

Before long I hope to have my spare gauge by the side of Mr Jörgensen's (of Finge Down, Kings Somborne) Ross gauge & in due course you shall know the result of this trial.

3 Since last writing to you I have been informed that Mr Charles T. Milburn, (a wealthy landowner & neighbour & a recent comer) of Compton Manor has set up a Ross rain gauge. I have written to him on the subject & as a result have been invited to lunch with him on Monday. I hope to hook him into the net & also to get him to set up a more reliable instrument.

4 It has been reported to me that Mr Hansard of Stanbridge, Romsey has left & that new occupiers have

come into residence. I have written to enquire if Mrs Hansard removed her gauge & if not whether the record for 1918 is complete. I have however had no reply.

I fully hoped to have announced to you yet another record, viz, at Melchet Court, to the W. of Romsey. It is the seat of Sir Alfred Mond. It has been reported to me that there is a rain gauge there. I have written to the head gardener & should long since have had a reply, but nothing has come.

With kind regards & apologies for bothering you.

Yours sincerely

Leyh S. Powell

I hope you will see your way to helping me some in the pen trouble. My letter has been delayed & I again last night rain has not been traced although I visited the things at 9 pm.

FORM A.
BRITISH RAINFALL.

WICKHAM
THE CROFT
HANTS
1913

RE

Kept at The Croft

in the County of H

by Captain W. T

20" W. - JAN 1913

cham (2.S.W9R)

in.

nd 1 ft. 8 in.

Level 84 ft.

IMPORTANT N

result entered to the previous day. If an

rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·02	·37	·19	·11	·00	·02	·00	·00	·79	·00	·27	·09	1
2	·03	·12	·01	·01	·00	·00	·08	·00	·05	·27	·08	·01	2
3	·01	·00	·02	·11	·32	·00	·00	·00	·00	·05	·00	·19	3
4	·33	·00	·04	·00	·40	·00	·14	·00	·62	·22	·18	·01	4
5	·20	·07	·00	·00	·00	·03	·10	·00	·48	·02	·19	·03	5
6	·00	·10	·04	·00	·10	·18	·82	·00	·00	·84	·09	·56	6
7	·05	·27	·12	·00	·25	·05	·10	·33	·00	·37	·10	·31	7
8	·00	·03	·00	·00	·22	·02	·00	·18	·00	·35	·00	·09	8
9	·05	·08	·00	·00	·01	·01	·12	·13	·05	·00	·02	·00	9
10	·06	·00	·00	·01	·00	·00	·29	·07	·00	·13	·61	·00	10
11	·92	·00	·00	·33	·05	·00	·00	·00	·00	·62	·40	·01	11
12	·00	·01	·00	·00	·57	·00	·00	·00	·02	·00	·30	·00	12
13	·21	·00	·09	·00	·00	·00	·00	·03	·002	·00	·15	·00	13
14	·30	·00	·12	·00	·00	·00	·00	·01	·05	·01	·04	·00	14
15	·05	·04	·24	·40	·00	·00	·15	·00	·01	·00	·00	·00	15
16	·14	·00	·35	·15	·00	·02	·01	·00	·11	·00	·00	·00	16
17	·00	·00	·00	·03	·00	·00	·03	·00	·00	·00	·01	·00	17
18	·06	·00	·18	·10	·00	·00	·03	·00	·00	·00	·07	·00	18
19	·56	·00	·12	·00	·03	·03	·07	·00	·28	·02	·00	·00	19
20	·00	·00	·31	·12	·00	·00	·00	·00	·00	·37	·03	·00	20
21	·00	·00	·20	·13	·00	·00	·00	·00	·00	·21	·77	·00	21
22	·36	·00	·17	·00	·00	·00	·00	·21	·25	·01	·00	·01	22
23	·00	·00	·05	·00	·00	·02	·00	·01	·00	·00	·02	·75	23
24	·04	·00	·00	·11	·00	·00	·00	·01	·00	·00	·01	·00	24
25	·00	·02	·00	·16	·00	·00	·00	·00	·00	·00	·02	·03	25
26	·00	·00	·08	·10	·00	·00	·00	·16	·00	·47	·00	·32	26
27	·00	·00	·31	·02	·00	·00	·00	·00	·00	·02	·00	·00	27
28	·20	·00	·09	·08	·00	·00	·00	·00	·00	·20	·00	·00	28
29	·09		·21	·72 (·72)	·59	·00	·00	·03	·00	·30	·00	·08	29
30	·52		·00	·07	·00	·00	·00	·06	·00	·16	·00	·00	30
31	·00		·03		·01		·00	·78		·01		·00	31
Total	4·25 / 4·20	1·09 / 1·11	2·89	2·76 ✓	2·56 / 2·55	·38	1·64	2·01	2·75 / 2·73	4·65 / 4·65	3·36	2·19	YEAR'S TOTAL 30.47
Rain Days.	20	10	20	18	11	9	12	13	12	20	~~18~~ 19	14	178

W. 7,500, XI. 12

FORM A. BRITISH RAINFALL.

RE[illegible] 20 "W. - JAN 1912

Kept at The Croft Wickham

in the County of Hampshire

by Captain W. Douglas-Jones

Time of Observation 9. a.m

Nearest Railway Station Wickham (L.S.W.R.)

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 8 in.

" " " " Sea Level 84 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·02	·37	·19	·11	·00	·02	·00	·00	·79	·00	·27	·09	1
2	·03	·12	·01	·01	·00	·00	·08	·00	·05	·27	·08	·01	2
3	·01	·00	·92	·11	·32	·00	·00	·00	·00	·05	·00	·19	3
4	·33	·00	·04	·00	·40	·00	·14	·00	·62	·22	·18	·01	4
5	·20	·07	·00	·00	·00	·03	·10	·00	·48	·02	·19	·03	5
6	·00	·10	·04	·00	·10	·18	·52	·00	·00	·84	·09	·56	6
7	·05	·27	·12	·00	·25	·05	·10	·33	·00	·37	·10	·31	7
8	·00	·03	·00	·00	·22	·02	·00	·18	·00	·35	·00	·09	8
9	·05	·08	·00	·00	·01	·01	·12	·13	·05	·00	·02	·00	9
10	·06	·00	·00	·01	·00	·00	·29	·07	·00	·13	·61	·00	10
11	·92	·00	·00	·33	·05	·00	·00	·00	·00	·62	·40	·01	11
12	·00	·01	·00	·00	·57	·00	·00	·00	·02	·00	·30	·00	12
13	·21	·00	·09	·00	·00	·00	·00	·03	·02	·00	·15	·00	13
14	·30	·00	·12	·00	·00	·00	·00	·01	·05	·01	·04	·00	14
15	·05	·04	·24	·40	·00	·00	·15	·00	·01	·00	·00	·00	15
16	·14	·00	·35	·15	·00	·02	·01	·00	·11	·00	·00	·00	16
17	·00	·00	·00	·03	·00	·00	·03	·00	·00	·00	·01	·00	17
18	·06	·00	·18	·10	·00	·00	·03	·00	·00	·00	·07	·00	18
19	·58	·00	·12	·00	·03	·03	·07	·00	·28	·02	·00	·00	19
20	·00	·00	·31	·12	·00	·00	·00	·00	·00	·37	·03	·00	20
21	·00	·00	·20	·13	·00	·00	·00	·00	·00	·21	·77	·00	21
22	·36	·00	·17	·00	·00	·00	·00	·21	·25	·01	·00	·01	22
23	·00	·00	·05	·00	·00	·02	·00	·01	·00	·00	·02	·75	23
24	·04	·00	·00	·11	·00	·00	·00	·01	·00	·00	·01	·00	24
25	·00	·02	·00	·16	·00	·00	·00	·00	·00	·00	·02	·03	25
26	·00	·00	·00	·10	·00	·00	·00	·16	·00	·47	·00	·32	26
27	·00	·00	·31	·02	·00	·00	·00	·00	·00	·02	·00	·00	27
28	·20	·00	·09	·08	·00	·00	·00	·00	·00	·20	·00	·00	28
29	·09		·21	·72 (72)	·59	·00	·00	·03	·00	·30	·00	·08	29
30	·52		·00	·07	·00	·00	·00	·06	·00	·16	·00	·00	30
31	·00		·03		·01		·00	·74		·01		·00	31
Total	4·20	1·09	2·89	2·76 ✓	2·55	·38	1·64	2·01	2·73	4·65	3·36	2·19	YEAR'S TOTAL 30.47
Rain Days.	20	10	20	18	11	9	12	13	12	20	19	14	178

W. 7,500; XI. 12

692

WICKHAM, PARK PLACE

1911 to 20.

FORM A2.
BRITISH RAINFALL.

ALL IN 1911

RAIN GAUGE { Pattern Negretti & Zambra
Diameter of top 5" in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 150 ft.

Time of Observation 9 a.m.

Nearest Railway Station { Name Wickham
Distance just under 1 mile Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	—	—	.35	—	—	—	.02	—	—	—	.08	1
2	.02	—	—	.10	.37	—	—	—	—	—	.24	.20	2
3	—	—	—	—	.20	—	—	.03	—	—	.25	.13	3
4	.01	—	.03	.04	—	—	—	—	—	.05	.23	.36	4
5	—	—	—	.03	—	—	—	.03	.02	.12	—	—	5
6	.34	—	.07	—	—	—	—	—	—	—	.05	.71	6
7	.07	—	—	—	—	—	—	—	—	.28	.56	.04	7
8	.03	—	.28	—	—	—	—	—	—	—	.34	.54	8
9	.15	—	—	—	—	—	—	—	—	—	—	.17	9
10	—	.12	.27	—	.15	—	—	—	—	—	—	.72	10
11	.44	—	.03	—	.02	—	—	—	—	—	1.10	—	11
12	—	—	.25	—	.02	—	—	—	.02	—	.10	.08	12
13	—	—	.01	—	.06	—	—	—	.31	.04	—	.49	13
14	—	.08	—	—	—	—	—	—	—	—	—	.41	14
15	—	.01	—	—	—	—	—	—	—	—	.15	.02	15
16	—	—	—	—	—	.35	—	—	—	—	.53	.20	16
17	—	—	—	—	—	.20	—	—	—	—	.38	.31	17
18	—	.14	.06	.02	—	.12	—	—	—	.05	.37	.46	18
19	—	.06	—	—	—	.17	—	—	.35	.17	—	.16	19
20	.06	.01	.09	—	—	—	—	.06	.11	—	—	.95	20
21	.01	.16	.01	—	—	—	—	.01	—	.39	—	.16	21
22	.13	—	.09	—	—	.24	—	.32	—	.32	—	.57	22
23	—	.17	—	—	—	.33	—	—	.15	.42	.01	.36	23
24	.01	.15	—	—	—	.31	—	.07	—	1.13	—	.48	24
25	—	.09	—	.11	1.03	.07	.14	.20	.06	.10	—	.13	25
26	—	—	.01	.33	1.61	.03	—	—	—	.20	—	.39	26
27	—	.43	.15	.09	—	—	.03	—	.07	.17	.09	.21	27
28	—	.24	—	.31	—	—	—	.19	—	—	.07	—	28
29	—	—	—	.16	.04	.16	.03	—	.16	.31	—	—	29
30	—	—	—	.10	—	.07	—	.03	—	.38	—	.01	30
31	—		—		—	—	—	—		—		—	31
Total	1.31	1.66	1.92	1.64	3.50	2.05	0.20	0.96	1.25	4.13	4.47	8.36	TOTAL for year 31.45
No. of Rain Days.	12	12	13	11	9	11	3	10	9	15	15	26	146

W. 8,000, X. '11.

RAINFALL IN 1911

FORM A2. BRITISH RAINFALL.

Kept at Park Place, Wickham

in the County of Hampshire

by George Chappell

Dr. Lt. H R Farquhar

RAIN GAUGE — Pattern: Negretti & Zambra; Diameter of top: 5 in.; Height of top above Ground: 1 ft. – in.; " " " Sea Level: 150 ft.

Time of Observation: 9 a.m.

Nearest Railway Station — Name: Wickham; Distance: just under 1 mile; Direction: S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	—	—	.35	—	—	—	.02	—	—	—	.08	1
2	.02	—	—	.10	.37	—	—	—	—	—	.24	.20	2
3	—	—	—	—	.20	—	—	.03	—	—	.25	.13	3
4	.01	—	.03	.04	—	—	—	—	—	.05	.23	.36	4
5	—	—	—	.03	—	—	—	.03	.02	.12	—	—	5
6	.34	—	.07	—	—	—	—	—	—	—	.05	.71	6
7	.07	—	—	—	—	—	—	—	—	.28	.56	.04	7
8	.03	—	.28	—	—	—	—	—	—	—	.34	.54	8
9	.15	—	—	—	—	—	—	—	—	—	—	.17	9
10	—	.12	.27	—	.15	—	—	—	—	—	—	.72	10
11	.44	—	.03	—	.02	—	—	—	—	—	1.10	—	11
12	—	—	.25	—	.02	—	—	—	.02	—	.10	.08	12
13	—	—	.01	—	.06	—	—	—	.31	.04	—	.49	13
14	—	.06	—	—	—	—	—	—	—	—	—	.41	14
15	—	.01	—	—	—	—	—	—	—	—	.15	.02	15
16	—	—	—	—	—	.35	—	—	—	—	.53	.20	16
17	—	—	—	—	—	.20	—	—	—	—	.38	.31	17
18	—	.14	.06	.02	—	.12	—	—	—	.05	.37	.46	18
19	—	.06	—	—	—	.17	—	—	.35	.17	—	.16	19
20	.06	.01	.09	—	—	—	—	.06	.11	—	—	.95	20
21	.01	.16	.01	—	—	—	—	.01	—	.39	—	.16	21
22	.15	—	.09	—	—	.24	—	.32	—	.32	—	.57	22
23	—	.17	—	—	—	.33	—	—	.15	.42	.01	.36	23
24	.01	.15	—	—	—	.31	—	.07	—	1.13	—	.48	24
25	—	.09	—	.11	1.03	.07	.14	.20	.06	.10	—	.13	25
26	—	—	.01	.33	1.61	.03	—	—	—	.20	—	.39	26
27	—	.43	.15	.09	—	—	.03	—	.07	.17	.09	.21	27
28	—	.24	—	.31	—	—	—	.19	—	—	.07	—	28
29	—	—	—	.16	.04	.16	.03	—	.16	.31	—	—	29
30	—	—	—	.10	—	.07	—	.03	—	.38	—	.01	30
31	—		—		—	—	—	—		—		—	31
Total	1.31	1.66	1.92	1.64	3.50	2.05	0.20	0.96	1.25	4.13	4.47	8.36	TOTAL for year
No. of Rain Days.	12	12	13	11	9	11	3	10	9	15	15	26	31.45

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1920

631

FORM A. BRITISH RAINFALL. 2 FEB 1921

Kept at Wickham

in the County of Hampshire

by Major General [illegible]

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Funnel of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.50	.13					.85		.91	1
2	.08			.08	.01					.15			2
3	.01			.16	.06					.27		.20	3
4		.01		.12									4
5			.16	.10			.95			.81		.71	5
6			.14	.07						.02			6
7	.07												7
8			.02	.03									8
9	.39	.06											9
10	.62	.19	.09	.03									10
11	.21												11
12		.08	.03	.22									12
13	.23		.22	.32									13
14			.15	.19						.16			14
15	.05												15
16												.12	16
17			.03		.26				.1.12				17
18	.20			.20	.07			.50					18
19	.01							.06					19
20	.09	.10		.13									20
21				.35								.10	21
22								.03					22
23	.03												23
24	.01	.01	.21								.08	.39	24
25	.03		.08		.02		.12					.17	25
26	.13		.14				.02				.02		26
27		.02									.21	.28	27
28	.12	.01	.04	.02	.15								28
29	.50											.30	29
30	.12	X					.2		.29			.22	30
31		X	.16	X	X				X	.75	X	.18	31
Total	3-06	0.19	1-83	3-56	1-18		5-50	1-35	1-91	3-39	1-91	3-10	YEAR'S TOTAL 31.01
Rain Days.	18	8	14									15	

15 5 12 5 7 15

W. 6,500, VII. 18. W W C

Waldeburn, Hants 1920

FEB 1921

Jan	3·61 3·71	3·61
Feb	·49	·49
Mar	1·73	1·83
Apr	3·32	3·56
May	1·78	1·78
Jun	2·10	2·10
July	5·52 5·30	5·50 5·68 -18
Aug	1·39 1·75	1·75 1·42 +33
Sept	1·94	1·89 +5
Oct	3·39	3·39
Nov	1·94	1·96 1·93 +3
Dec	3·10	3·10
	30·31	30·78 +23
	The gardener's figures	My reading of his figures 31·01

Re Aug 19 the figure is either ·03 or ·36. If the former figure is taken the total is 1·42; if the latter it is 1·75. I have taken the former as being nearest his total. Here there was no rain on the 19th. You will have other figures in the vicinity with which to compare.

L.S.P.

DL

721

WINCHESTER — EAST HILL

1913 - 20.

1913

FORM A. BRITISH RAINFALL.

22 JAN 1914

117B

Kept at 9m

in the County

by E. E.

Long.

vation

ay Station

ain Gauge in.

of Gauge above Ground ft. in.

„ „ Sea Level ft.

IMPOR 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1									.72		.14	.13	1
2									.02	.55	.10	.01	2
3										.10		.04	3
4									.76	.31	.03	.08	4
5									.19		.07	.01	5
6									.03	.76		.50	6
7										.22	.11	.01	7
8										.08		.03	8
9									.14		.01		9
10										.01	.58		10
11										.15	.76	.01	11
12											.26		12
13									.10		.20		13
14									.07	.02	.12		14
15									.77		.02		15
16													16
17											.03	.01	17
18											.05		18
19									.21				19
20										.78	.05		20
21										.11	.77		21
22									.21	.01			22
23											.02	.80	23
24											.01		24
25													25
26										.44		.22	26
27										.02			27
28										.27			28
29										.25		.05	29
30								.07		.31			30
31								.58		.07			31
Total								mlp	3.22	4.46	3.33	1.90	YEAR'S TOTAL
Rain Days.									11	18	18	13	

W. 7,500, XI. 12

DL

1913

Long.

1173

FORM A. BRITISH RAINFALL.

22 JAN 1914

Kept at [redacted] Winchester

in the County of Hampshire

by E. E. Wilde

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									.72		.14	.13	1
2									.02	.53	.10	.01	2
3										.10		.04	3
4									.76	.31	.03	.08	4
5									.19		.07	.01	5
6									.03	.76		.50	6
7										.22	.11	.01	7
8										.08		.03	8
9									.14		.01		9
10										.01	.58		10
11										.15	.76	.01	11
12											.26		12
13									.10		.20		13
14									.07	.02	.12		14
15									.77		.02		15
16													16
17											.03	.01	17
18											.05		18
19									.21				19
20										.78	.05		20
21										.11	.77		21
22									.21	.01			22
23											.02	.80	23
24											.01		24
25													25
26										.44		.22	26
27										.02			27
28										.27			28
29										.25		.05	29
30								.07		.31			30
31								.58		.07			31
													YEAR'S TOTAL
Total								nil	3.22	4.46	3.33	1.90	
Rain Days.									11	18	18	13	

W. 7,500, XI. 12

SL

REGISTER OF RAINFALL IN 1914

94

FORM A. BRITISH RAINFALL.

28 JAN 1915

Kept at Winchester Melesdown

in the County of Hampshire

by E. E Wilde

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			04					36			12	03	1
2							04	03			17	23	2
3			22	04	32		06	29			09	02	3
4	03		03	23	11		01	69			33	25	4
5	03		11	48	35	01	16	03			31		5
6		17	01	15	03	01	02	02			04	30	6
7	01	67	09	12	05	01	11	20				18	7
8	04	22	52	02	01	03						03	8
9	09	01	47	17	05	02			11			1.30	9
10	02	27	01	08	15				55				10
11		33	46		01	01	60		02		11	44	11
12		08	14				02		30	14		87	12
13		34	13						20	04	08	73	13
14		25	16			03	11	02		25	19	46	14
15			16					41			12		15
16	02						03		12				16
17	01	66	07						05			35	17
18			13				03					57	18
19		07	26				1.04				12	22	19
20		39	12			03						16	20
21		61	03			05				17		06	21
22		08	01		11	04	06	01		14			22
23		10	23			01	01			08			23
24			04		03	01				01	27		24
25	01		12					18		31	02	20	25
26		01	01				02	05		04	14	60	26
27	07									01	16	24	27
28		05	03		20					03	28	61	28
29	16		13		01					24	15	01	29
30	01		07							07	54	63	30
31	03				01		07			23		06	31
Total	53	4.31	9.80	1.29	1.44	26	2.39	2.29	1.35	1.76	3.24	8.55	YEAR'S TOTAL 31.21
Rain Days.	13	17	27	8	14	12	16	12	7	14	18	24	182

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at St. Giles Hill, Winchester

in the County of Hampshire

by E. E. Wilde

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.59	.12			.02				.08	.12	.01	.45	1
2	.16	.21	.25	.02		.02		.40	.05	.14		.21	2
3	1.07		.11	.15	.08			.01		.01		.31	3
4								.03				.24	4
5	.03	.40						.08				.44	5
6	.60	.20		.47			.53	.06				.32	6
7	.48	.43	.03	.01	.36		.22				.01	.32	7
8	.04	.43						.06			.01	.01	8
9	.01	.07		.12							.42	.53	9
10	.13	.01	.01					.01		.01		.21	10
11	.02		.06	.02			.01				.53		11
12	.05	.19		.22	.52					.02	.28	.01	12
13	.01	.54			1.02				.12				13
14	.03				.08		.29	.14	.04			.73	14
15	.06				.31		.04	.29			.08	.22	15
16	.03	.62			1.07		.96	.14				.39	16
17		.24			.17		.01						17
18		.25	.01		.03								18
19		.01			.02		.13						19
20	.27			.03								.14	20
21	.01	.12					.09			.22		.12	21
22	.49	.40	.25			.01	.83				.01	.15	22
23	.01	.05	.10			.02	.21		.20	.28		.33	23
24							.21		1.50	.32		.42	24
25			.02	.01			.40		.01			.14	25
26		.04				.13	.46					.72	26
27		.04				.86	.03			.55		.04	27
28		.13				.17			.96	.03			28
29						.07		.05			.32	.03	29
30	.09	X				.03				.43	.86	.21	30
31	.02	X		X		X		.04	X	.86	X	.39	31
Total	4.20	4.50	.84	1.05	3.68	1.31	4.42	1.31	2.96	2.99	2.53	7.08	YEAR'S TOTAL 36.87
Rain Days.	21	20	9	9	11	8	15	12	8	12	10	25	160

W. 8,000. X. 14.

To be filled up if the Observer desires to do so and returned to

DR. H. R. MILL, *Director*, BRITISH RAINFALL ORGANIZATION, 62 CAMDEN SQUARE, LONDON, N.W.

FORM E. BRITISH RAINFALL.

13 JAN 1916

BRIEF REMARKS on the weather of the year or on any meteorological occurrences

at Miles down Winchester *in the County of* Hants. *for the year* **19** 15

The difference between the readings of the two gauges is caused by situation. We are on a very steep slope.

The readings of the gauges in the City are I believe almost always higher than here. & Constantly in the City there will be a shower when not a drop falls here.

About 3 rd inst: Some extraordinary yellow & brown clouds passed over no rain. On the 7th ·01 fell of a very brown colour. On 8th ·01 slightly yellow. Wind had been persistently in E.N.E. & N.E. during period.

Perhaps London fog?

787
788

(*Signed*) Edith E Wilde

Please write on one side of the paper, as if the remarks are selected for publication in BRITISH RAINFALL this form will be sent to the Printer. If there is not room to describe any very remarkable phenomenon, such as a cloudburst, serious flood or disastrous drought, please continue on an additional sheet.

W.—5,000.—XI.-13.

1

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL

Kept at St. Giles Hill, Winchester

in the County of Hampshire

by E. E. Wilde

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	.04	.02		.21	.03			.70	.26	.39		1
2	.29	.13	.02		.14					.91	.05		2
3	.01	.89	.06		.01				.07	.64	.43		3
4	.11	.28			.02	.26			.34	.01	.41		4
5	.02	.03		.01	.14	.17				.07	.65		5
6		.11	.05		.05	.01	.54			.20	.73		6
7	.02	.02	.23		.02		.14			.05	.71	.06	7
8		.02			.20	.37					.01	.28	8
9					.20							.18	9
10		.42	.01	.04	.01	.04	.06				.02	.01	10
11	.05	.01	.03	.14		.15						.24	11
12	.05	.03	.01	.02	.08	.01	.05	.10		.07	.01		12
13		.20					.01	.09		.01			13
14		.46		.02	.03			.01		.04			14
15		.13	.16					.04					15
16	.01	.04	.25	.11			.11	1.04					16
17	.17	.29		.04				.08	.41	.77			17
18	.02	.06	.01	.11				.02	.18	.03	.40	.17	18
19	.09		.03	.06					.01		.38	.01	19
20	.16		.65	.01							.02	1.23	20
21	.01		.23				.13					.23	21
22	.01				.03	.02				.12	.01	.40	22
23	.01	.09				.14		.03		.06	.06	.02	23
24		.04		.01	.13			.05		.33	.10	.33	24
25		.39	.26					.26	.15	.01	.11		25
26		.07	.02			.32		.01	.05	.44			26
27			.69			.02		.55	.08	.39			27
28		.36	.09					.09	.16	.24	.01	.21	28
29		.27	.03			.26		.77	.15	.28		.26	29
30					.16			.02		.80		.02	30
31								.04		.20		.07	31
Total	1.09	4.38	2.85	.57	1.43	1.80	1.04	3.20	2.30	5.93	4.50	3.72	YEAR'S TOTAL 32.81
Rain Days.	16	23	19	11	15	13	7	16	11	22	18	16	187

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Milesdown, St. Giles Hill, Winchester

in the County of Hampshire

by H Holland

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.03	.14	.35				1.14	.06		.03		1
2			.02	.52		.10			.09	.04	.09		2
3	.01			.03			1.11	.24		.08	.03		3
4		.11	.05					.13		.30			4
5			.04	.35		.05				.44	.08		5
6	.25		.25						.15	.14	.11	.03	6
7	.31						.02		.02	.12		.05	7
8				.10			.45	.06		.20	.19	.44	8
9	.22		.06	.02	.02		.07		.06		.05	.02	9
10	.12		.28	.31				.22	.04	.09			10
11	.05		.35	.05				.03		.32			11
12	.02		.03					.15	.21	.20			12
13			.17	.18				.11		.02			13
14				.15			.44	.10	.05				14
15							.01	.62		.13		.08	15
16		.11		.13	.07		.35	.07	.08	.96		.40	16
17		.02		.13	.15	.10	.33	.17		.26			17
18		.03		.01		.52		.02	.53	.03			18
19		.20	.07			.01							19
20		.10	.21		.89				.40				20
21			.05					.21	.03	.03			21
22			.02			.08				.07			22
23		.28			.09		.20						23
24		.18				.05	.02	.02		.31	.18	.07	24
25		.02	.02					.03		.08			25
26			.03		.08			.32		.04	.07		26
27					.59	.23		.94				.04	27
28			.07		.01	2.90		.09				.02	28
29			.08		.14	.07	.48			.43		.05	29
30		X	.20				1.17	.15		.01			30
31	.02	X	.07	X		X	.07		X	.02	X		31
													YEAR'S TOTAL
Total	1.00	1.08	2.21	2.33	2.04	4.11	4.72	4.82	1.72	4.32	.83	1.20	30.38
Rain Days.	8	10	20	13	9	10	13	20	12	23	9	10	157

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 27.1.19

Kept at Milesdown, St. Giles Hill, Winchester

in the County of Hampshire

by H. Holland

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.04	—			.17	—	—	.58	.03	1
2		.10		.14	—			.34	—	—	.25	.21	2
3		.06	—	.26	.32			.19	—	.03	.13	.03	3
4		.21	.03		—			.07	—	—	.93	.06	4
5		.14	.07	.23	.21			.10	.13	.16	—	.02	5
6	.24	.09		.21	.03			.08	.02	.03	—	.10	6
7		.16			.43			.03	.08	.06	.32	.02	7
8		.23			—				.41	.11	—	.06	8
9	.01	.02		.27	—	.22	.45		.12	.20	.02	.47	9
10				.13	—	.07	.72		.51	.12	—	.48	10
11					—		.46		.07	.16	.07	.04	11
12		.05			.32		.12		.03	—	—	.02	12
13	.28				.33		.28		.32	—	—	.03	13
14	.20		.04		—	.16	.04		.37	.12	—	.14	14
15	1.05			.47	—		.18		.10	—	—	.13	15
16	.15			.11	—	.55			.39	.05	—	.03	16
17	.36			.13	—	.01	1.19		.07	—	—	.16	17
18	.62				—	.42	.03		.61	—	—	.21	18
19	.03		.10		—	.03	.26		.03	—	—	.03	19
20	.13	.12		.56	—	.04	.03		.35	.03	—	—	20
21	.02	.07			—	.01	.33		1.07	.06	—	.06	21
22	.08				.08		.52		.25	—	—	.21	22
23	.11				.16		.55		.03	—	.02	.06	23
24		.36			—		.02		.16	—	.21	.02	24
25	.01			.13	—		.12	.54	—	.03	—	—	25
26					—		.81		—	—	.05	.15	26
27		.22	.04	.02	—		.02	.16	.06	—	.13	—	27
28		.02	.15		—				—	—	.18	.02	28
29			.03		—				.91	—	—	.07	29
30		X	.22		—			.04	.02	—	.06	.03	30
31	.01	X	.02	X	—	X			X	.13	X	—	31
Total	3.30	1.85	.70	2.70	1.88	1.51	6.13	1.72	6.11	1.29	2.95	2.84	YEAR'S TOTAL 32.98
Rain Days.	15	14	9	13	8	9	18	10	23	14	13	27	173

W. 8,000, IX. 17.

8h

697 FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Milesdown, St. Giles's Hill, Winchester

in the County of Hampshire

by H. Holland E. C. Wilde

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Funnel of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.46				.01		.18			.07		1.21	1
2	.44		.06		.07		.01		.73		.10		2
3	.37		.05		.02				.09			.30	3
4	.18		.56			.01	.02	.04	.10		.06	.08	4
5	.02	.27	.54				.53		1.31		.09	.16	5
6	.33	.07	.67		.10							.18	6
7	.11		.09										7
8	.26		.53	.02	.01								8
9	.15		.21	.12	.10						.17		9
10	.39		.11	.06	.01							.33	10
11	.08		.04	.30	.08		.10					.04	11
12	.02		.05	.04			.19			.13	.03		12
13	.33			.54								.08	13
14	.21			.15			.08		.22			.17	14
15	.10	.10								.02		1.07	15
16	.18	.72						.04			.10		16
17		.14									.13	.01	17
18		.06	.21					.02	.005		.08	.01	18
19	.32	.26	1.11			.17	.30	.23	.005		.10	.02	19
20	.38	.08	.02			.43		.11				.02	20
21	.03					.02	.03				.02	.02	21
22		.56					.18		.28			.22	22
23										.13	.02	.04	23
24		.11				.05				.28	.09	.15	24
25	.07	.12		.03		.01		.29				.10	25
26	.06		.15	.16			.03	.03	.13		.04	.43	26
27	.09			.36				.75				.03	27
28	.11		.19					.55			.33	.38	28
29	.03			.02				.17		.11		.04	29
30		X		.20		.14		.62		.02	.52	.58	30
31		X	X	X		X		.02	X		X	.18	31
Total	4.72	2.49	4.59	2.00	.40	.83	1.65	2.87	2.87	.76	1.88	5.85	YEAR'S TOTAL 30.91
Rain Days.	24	11	16	12	8	7	11	12	7	7	15	25	155

W, 6,500, VII. 18. w w o

103

county mm stats

602

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Milesdown, St. Giles Hill, (Winchester)

in the County of Hampshire

by Mrs Wilde

Lat..... Long.....

Time of Observation.....

Nearest Railway Station.....

Diameter of Funnel of Rain Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

" " " " Sea Level.....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08		·02	·52	·12		·26	·01		·56	·20	·27	1
2	·08			·07			·27	·23	·04	·12		·12	2
3	·13	·07	·01	·01	·02		·52			·49		·03	3
4		·04		·01			·36	·22		·28			4
5			·19	·04			·80	·21		·52		·04	5
6			·16		·19		·36					·01	6
7	·02			·24			·27						7
8	·03	·03		·08	·05		·19	·03					8
9	·29	·04	·01	·03		·09		·03					9
10	·50	·24	·03			·20	·15						10
11	·26	·03	·06	·35	·06	·03	·40						11
12	·06	·03	·01	·23		·83	·01				·07		12
13	·11	·01	·28	·05							·01		13
14		·02	·35	·38					·16	·12	·45		14
15	·03	·02	·01	·11	·01				·20	·40	·07		15
16						·03			·09	·01			16
17					·25	(·20)	·01		·39			·01	17
18	·09			·01	·02	·03		·45					18
19	·10			·24		·06							19
20	·07	·10		·27		·48						·07	20
21							·71		·05			·10	21
22	·03			·17			·01	·03	·02			·37	22
23				·33			·44				·01	·33	23
24	·01	·01	·14	·01								·06	24
25		·02	·08		·09		·29				·01		25
26	·09		·18	·02		·04	·08				·01	·10	26
27	·43	·01	·01	·16		·15	·19				·31	·18	27
28	·31			·01	·03		·08					·01	28
29	·34		·03	·01	·01						·17	·17	29
30	·05				·01	·11	·12		·26		·26	·19	30
31	·14		·35							·98		·13	31
TOTAL	3·25	·67	1·92	3·35	·86	2·25	5·52	1·21	1·21	3·48	1·57	2·19	YEAR'S TOTAL 27·48
Days with ·01 in. or more	22	14	17	23	12	11	20	8	8	9	11	17	172

(4623). Wt. 11958—2187500. 10/19. Gp.132. A.&E.W.

604 17 5 9 15 6 8 17 4 7 8 7 13. 116

Copied from MS. Record Shee

WINCHESTER
ST. CROSS
HANTS
1911 - 1920

FORM 1090. METEOROLOGIC … E.
REG… TION.

County No.
River Dist.
Station No.

Kept at Saint Cross, We…
in the County of Hampshire)
by A. F. Golch

…in.
d …ft. …in.
vel …ft.

THE MORNING MEA… DAY.

An observer who does not conform … t of the following year in the space on the ri…
Records tak…

Jan. 1, following.

Date	Jan.	Feb.	March	Ap…							Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	·03			·33				·05			·02	·07	1
2	·01			·11	·30			·04		·02	·23	·25	2
3					·21						·12	·21	3
4	·01		·04	·02						·11	·14	·47	4
5				·02				·01		·45	·10		5
6	·33		·10							·03	·04	·80	6
7	·05									·09	·40	·02	7
8	·06		·44								·22	·64	8
9	·14										·03	·49	9
10		·13	·36		·10							·42	10
11	·51										·94		11
12			·81		·11				·01		·01	·14	12
13			·01		·15				·27			·54	13
14		·04			·01							·49	14
15		·02									·11	·02	15
16						·13					·33	·27	16
17						·22					·58	·50	17
18		·16	·05	·02		·09				·06	·29	·58	18
19		·03				·27			·24	·10	·01	·50	19
20	·03	·03	·07					·03	·06	·03		·48	20
21		·24	·07			·01		·04	·16	·92		·06	21
22	·07		·32			·09		·02		·19	·01	·40	22
23		·40	·03			·16			·12	·12	·04	·27	23
24						·27		·10		·96		·20	24
25				·11	·97	·05	·01	·01	·04	·12		·19	25
26		·06		·30	·22			·03		·16	·01	·42	26
27		·70	·18	·13				·02	·07	·10	·13	·22	27
28				·34				·08			·02		28
29				·13		·22	·14	·01	·18	·56			29
30		X			·02			·01		·25		·02	30
31		X		X	·14	X			X		X		31
TOTAL	1·24	1·81	2·48	1·51	2·23	1·51	·15	·45	1·15	4·27	3·78	8·67	YEAR'S TOTAL 29·25
Days with ·01 in. or more.													
Days with ·04 in. or more													

Copied from MS. Record Shee [redacted] E.

County No.
River Dist.
Station No.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1911.

Kept at Saint Cross, Winchester
in the County of Hampshire
by A. F. Golch

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03			.33				.05			.02	.07	1
2	.01			.11	.30			.04		.02	.23	.25	2
3					.21						.12	.21	3
4	.01		.04	.02						.11	.14	.47	4
5				.02				.01		.45	.10		5
6	.33		.10							.03	.04	.80	6
7	.05									.09	.40	.02	7
8	.06		.44								.22	.64	8
9	.14										.03	.49	9
10		.13	.36		.10							.42	10
11	.51										.94		11
12			.81		.11				.01		.01	.14	12
13			.01		.15				.27			.54	13
14		.04			.01							.49	14
15		.02									.11	.02	15
16						.13					.33	.27	16
17						.22					.58	.50	17
18		.16	.05	.02		.09				.06	.29	.58	18
19		.03				.27			.24	.10	.01	.50	19
20	.03	.03	.07					.03	.06	.03		.48	20
21		.24	.07			.01		.04	.16	.92		.06	21
22	.07		.32			.09		.02		.19	.01	.40	22
23		.40	.03			.16			.12	.12	.04	.27	23
24						.27		.10		.96		.20	24
25				.11	.97	.05	.01	.01	.04	.12		.19	25
26		.06		.30	.22			.03		.16	.01	.42	26
27		.70	.18	.13				.02	.07	.10	.13	.22	27
28				.34				.08			.02		28
29				.13		.22	.14	.01	.18	.56			29
30		X			.02			.01		.25		.02	30
31		X		X	.14	X			X		X		31
TOTAL	1.24	1.81	2.48	1.51	2.23	1.51	.15	.45	1.15	4.27	3.78	8.67	YEAR'S TOTAL 29.25
Days with .01 in. or more.													
Days with .04 in. or more													

Copied from MS. Record Sheets. W Nt

FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No.
River Dist.
Station No.

REGISTER OF RAINFALL IN 1912.

Kept at Saint Cross, Winchester
in the County of Hampshire
by A. F. Golch

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·04			·37	·14		·03	·53		·33	1
2			·11		·03	·01	·45	·18					2
3	·04		·07			·23		·39	·02		·03	·02	3
4	·11		·50		·01	·19		·05			·17	·01	4
5	·42	·12	·14					·58			·02	·04	5
6	·45	·17	·02		·12	·05		·34	·01			·08	6
7		·09	·09		·12	·81		·16				·16	7
8	·36	·30	·39			·41	·02	·04				·03	8
9	·02	·23	·10			·10	·01	·06				·33	9
10		·07		·05		·01		·09			·07	·30	10
11	·08	·13						·03			·02	·32	11
12	·04	·23	·14			·27	·05	·12				·01	12
13		·03	·01		·48		·01	·25				·03	13
14	·11		·11					·07		·06		·005	14
15	·01	·10	·13			·33		·01				·46	15
16	·15	·02	·28			·02		·20		·10	·04		16
17	·52		·19			·06		·45					17
18	·19		·19					·35		·05	·01	·10	18
19	·03	·12	·15			·02	·09	·25		·02			19
20	·01	·03	·29				·05	·05		·39	·03		20
21		·14	·44		·36			·07		·23			21
22	·17	·35	·06		·04			·30		·05		·07	22
23	·36	·32	·26			·02		·50		·04	·25	·18	23
24	·31	·04				·57		·19		·16	·01	·30	24
25	·06	·01				·29		·81		·10	·17	·48	25
26		·03				·01	·41	·25		·35	·60	·23	26
27						·13	·32			·55		·36	27
28		·13				·17	·15	·67	·09	·72	·50	·30	28
29		·11			·07	·46	·20	·07	1·65	·16			29
30		X				·02	·04	·01	·97	·19			30
31		X	·24	X		X	·25	·14	X	·08	X	·10	31
TOTAL	3·44	2·77	3·95	·05	1·23	4·75	2·19	6·68	2·77	3·78	1·92	4·245	YEAR'S TOTAL 37·725
Days with ·01 in. or more.													
Days with ·04 in. or more													

Copied from MS. Record Sheets. W.B.

FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1913.

County No.
River Dist.
Station No.

Kept at Saint Cross, Winchester
in the County of Hampshire
by A. F. Gold

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.15	.20		.03			.69			.12	1
2	.03	1.25	.02		.03				.02	.39	.18	.01	2
3	.11		.01		.87				.01	.16	.10	.05	3
4	.56		.05	.04	.02				.75	.19		.10	4
5	.39	.06				.08			.58	.03		.03	5
6	.03	.10	.09		.10	.14			.02	.64		.57	6
7		.31	.04		.30	.09		.07		.30		.01	7
8	.05	.04			.26			.08		.17	1.57	.05	8
9		.14			.01	.01		.11	.12				9
10	.13			.04	.01			.03		.04			10
11	.79			.35	.11					.14		.02	11
12		.03			.28		1.58			.01	.27		12
13	.12		.08					.03	.11		.24		13
14	.31		.09	.02				.04	.11	.02	.11		14
15	.14	.04	.26	.48					.33		.04		15
16	.13		.46	.07					.01				16
17	.05	.02	.01	.06							.04	.01	17
18			.23	.12							.05		18
19	.76		.06		.04				.22	.88			19
20	.08			.10						.13	.12		20
21			.46	.12						.02	.77		21
22	.35		.31					.12	.26				22
23			.02						.01		.03	.88	23
24	.03			.18						.02	.02		24
25		.04		.32						.45			25
26		.01		.25				.17		.02		.20	26
27			.82	.04						.27			27
28				.15						.26			28
29				.47	.69			.04			.01	.03	29
30		X		.03	.01			.03					30
31		X		X		X		.60	X	.06	X		31
TOTAL	4.06	2.04	3.16	3.04	2.73	1.93		1.32	3.24	4.20	3.55	2.088 2.09	YEAR'S TOTAL 31.345 31.34
Days with .01 in. or more.													
Days with .04 in. or more													

Copied from MS. Record Sheets. W.D.H.

FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No.
River Dist.
Station No.

REGISTER OF RAINFALL IN 1914.

Kept at Saint Cross, Winchester
in the County of Hampshire
by A. F. Golch

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·08								·23	·04	1
2				·01							·15	·26	2
3			·25	·05	·34						·31	·04	3
4	·05		·01	·26	·11						·23	·25	4
5	·03		·10	·44	·25	·02		3·57			·35		5
6		·21	·03	·12	·03	·02		·06			·06	·36	6
7	·01	·75	·10	·15	·06			·07				·17	7
8	·04	·26	·50	·04	·02	·06		·23				·04	8
9	·08		·47	·17		·05			·11		·02	1·30	9
10	·02	·38	·02	·10	·20				·40			·50	10
11		·39	·53			·01					·10	1·07	11
12		·11	·17						·31	·16	·02	·76	12
13		·38	·24						·23	·04	·07	·36	13
14		·29	·14			·03		·07		·24	·24	·02	14
15	·01		·19					·42	·01	·01	·12		15
16			·01						·18			·52	16
17		·71	·08						·03			·54	17
18		·03	·14									·07	18
19		·07	·50								·13	·34	19
20		·47	·08			·05						·06	20
21		·76	·05			·07				·17			21
22		·03	·03		·10	·02		·02		·18		·03	22
23		·09	·22		·01	·01				·09			23
24			·04		·03					·03	·29	·31	24
25	·06		·15					·33		·36	·05	·60	25
26			·04					·02		·06	·18	·31	26
27	·07									·02	·16	·61	27
28		·08	·05		·23					·03	·31		28
29	·15	—	·15		·02					·26	·24	·80	29
30		×	·08							·11	·55	·	30
31	·05	×		×	·02	×			×	·25	×	·26	31
TOTAL	·57	5·01	4·45 ~~3·50~~	1·34	1·42	·34	4·79		1·27	2·01	3·81	9·62 ~~9·64~~	34·63 YEAR'S TOTAL ~~33·66~~
Days with ·01 in. or more.													
Days with ·04 in. or more													

Copied from MS. Record Sheets. W.H.

FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No.
River Dist.
Station No.

REGISTER OF RAINFALL IN 1915.

Kept at Saint-Cross, Winchester
in the County of Hampshire
by A. F. Golch

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·61	·31			·04				·08	·20		·21	1
2	·27		·32	·15		·02		·45	·04			·35	2
3	1·02		·14	·03	·15			·01				·26	3
4	·02	·59										·29	4
5	·04	·25		·03								·52	5
6	·69	·61	·02	·47			·58					·34	6
7	·44	·62	·02		·64		·19					·25	7
8	·04	·48		·03							·04	·03	8
9	·01	·13		·09							·44	·61	9
10	·15		·06							·04		·24	10
11	·04		·02	·03			·05				·70		11
12	·08	·48		·23	·63					·02	·28		12
13	·01	·35			1·10				·14				13
14	·04							·99	·07			·80	14
15	·08				·09						·11	·25	15
16	·06	1·02			·36							·38	16
17		·06			1·30								17
18		·31			·15							·01	18
19		·03			·07								19
20	·32			·04								·16	20
21	·05	·19								·26		·09	21
22	·47	·45	·35				3·35					·19	22
23	·04	·06	08						·25			·36	23
24			·03						1·54			·56	24
25									·02			·10	25
26		·06				·17				1·40		·90	26
27		·03				·67						·01	27
28		·15				·21			·88		·05		28
29	·14					·14	·04	·06			·43	·17	29
30	·02	X				·04				·53	1·21	·34	30
31	·19	X		X		X		·04	X	·99	X	·15	31
TOTAL	4·83	6·18 ~~6·19~~	1·04	1·10	4·53	1·25	4·21	1·55	3·02	3·44	3·26 ~~2·76~~	7·57	YEAR'S TOTAL 41·98 ~~41·39~~
Days with ·01 in. or more.													
Days with ·04 in. or more													

Copied from MS. Record Sheets. W.H.

FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No.
River Dist.
Station No.

REGISTER OF RAINFALL IN 1916.

Kept at Saint Cross, Winchester
in the County of Hampshire
by A. F. Golch

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	.06	.04		.24	.03	.01		.79	.26	.48		1
2	.28	.47	.04		.14				.01	.98	.02		2
3	.02	.79	.08		.02				.05	.65	.41		3
4	.12	.22			.02	.36			.37	.01	.51		4
5	.03	.20		.03	.16	.15				.09	.66		5
6			.04		.06	.05	.79			.30	.65		6
7	.01	.02	.23		.06		.12				.77	.07	7
8					.29	.29					.02	.30	8
9					.19		.01				.01	.19	9
10		.55	.04	.06	.02	.06	.03				.02	.13	10
11	.05		.05	.08		.03						.15	11
12	.06	.06	.02	.01	.07	.02	.08			.09			12
13		.25								.01			13
14		.52			.04					.05			14
15		.14	.40	.01									15
16	.03	.03		.14			.15			.08			16
17	.16	.34		.10					.35	.79			17
18	.05	.05	.02	.09					.24	.03	.41	.18	18
19	.14		.10	.05					.03		.39		19
20	.17		.60	.01							.02	1.43	20
21	.02		.25				.12					.16	21
22						.01		3.56		.19	.03	.44	22
23	.03	.04		.01		.15				.05	.07	.02	23
24		.20			.10	.02				.30	.10	.35	24
25			.26							.02	.11		25
26		.53	.03			.36			.05	.56			26
27	.02		.91			.09			.10	.36		.02	27
28		.53	.11						.09	.26		.21	28
29		.26	.03			.30			.12	.23	.02	.24	29
30		X			.25				.17	.70		.03	30
31		X		X		X			X	.24	X	.05	31
TOTAL	1.28	5.26	3.25	.59	1.66	1.92	1.31 1.28	3.56	2.37	6.25	4.70	3.97	YEAR'S TOTAL 36.09
Days with .01 in. or more.													
Days with .04 in. or more													

36.12

Copied from MS. Record Sheets.

FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1917.

County No.
River Dist.
Station No.

Kept at Saint Cross, Winchester
in the County of Hampshire
by A. F. Golch

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.16	.26		.01			.12		.04		1
2			.02	.41		.07				.03	.09		2
3	.02			.12			.86			.17			3
4		.14	.08							.29		.03	4
5	.26		.04	.36		.07			.16	.45	.11		5
6			.29	.01					.02	.20	.12		6
7	.26						.01			.10		.06	7
8	.34		.03	.09			.46		.08	.21	.23	.49	8
9			.06	.03	.04		.05		.05		.05		9
10	.24		.16	.36						.12			10
11	.12		.26	.05					.16	.32			11
12	.09		.03		.02					.22			12
13	.05		.16	.17				3.58	.04	.02			13
14				.11			.48	.12		.01			14
15				.01				.01		.17		.14	15
16		.13		.15	.06			.69		1.17		.63	16
17		.02		.14	.09	.06	.37	.13	.65	.31			17
18		.03		.01	.02	.29		.01	.57	.06			18
19		.30	.16			.03			.30		.01		19
20		.07	.25		.60			.27	.10				20
21			.03			.02				.05			21
22			.03			.04		.11		.08			22
23		.29			.06			.19				.03	23
24		.19	.02			.07		.02	.01	.31	.20	.02	24
25		.03	.02						.03	.07			25
26			.02		.04			.38	.09	.02	.08		26
27			.01		.48	.11		1.27				.04	27
28			.05			3.77?		.14				.01	28
29			.06		.15	.03?				.62		.07	29
30		X	.19					.19		.02			30
31		X	.08	X		X		.08	X	.02	X		31
TOTAL	1.38	1.~~26~~	2.~~21~~	2.28	1.~~56~~	4.57?		3.61	2.38	5.04	.93	1.52	YEAR'S TOTAL 30.26
		1.46	2.10		1.20	4.59		7.19?					30.07
Days with .01 in. or more.													
Days with .04 in. or more													

Copied from MS. Record Sheets. IW 8/2

FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No.
River Dist.
Station No.

REGISTER OF RAINFALL IN 1918.

COPY BY [illegible]

Kept at Saint Cross, Winchester
in the County of Hampshire
by A. F. Golch

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·03		·01							·65	·04	1
2		·11		·12						·02	·21	·25	2
3		·10	·01	·33	·48				⎫ ⎭ ·13		·12	·03	3
4		·21	·01						⎫ ⎭ ·13		1·23	·06	4
5		·14	·05		·20				⎫ ⎭ ·08	·11	·02	·03	5
6	·23	·11		·28	·05				⎫ ⎭ ·44	·04		·13	6
7		·18		·12	·45				⎫ ⎭ ·13	·01	·35	·01	7
8		·26							⎫ ⎭ ·67	·11		·06	8
9		·01		·30		·17	·67		⎫ ⎭ ·10	·15	·01	·65	9
10	·01			·10		·02	·99		⎫ ⎭ ·04	·15	·01	·39	10
11							·31		⎫ ⎭ ·03	·07	·05	·06	11
12		·06			·43		·21		⎫ ⎭ ·41			·01	12
13					·21		·33		⎫ ⎭ ·24			·01	13
14	·52		·04			·18	·06		⎫ ⎭ -	·12		·14	14
15	1·18			·55			·34		⎫ ⎭ ·32			·13	15
16	·24		·01	·11		·65		2.00	⎫ ⎭ ·06	·03		·04	16
17	·35			·10			1·15		⎫ ⎭ ·74			·18	17
18	·75					·47			⎫ ⎭ -			·19	18
19	·09	·02	·07				·26		⎫ ⎭ ·48	·01		·01	19
20	·04	·11		·56		·03			⎫ ⎭ 1·35	·01	·02		20
21	·16	·05					·37		⎫ ⎭ ·38	·04		·07	21
22	·11				·13		·97		⎫ ⎭ ·03		·01	·26	22
23	·12				·10	·02	·18		⎫ ⎭ ·16		·01	·01	23
24		·36							⎫ ⎭ -		·22		24
25				·06			·13		⎫ ⎭ ·02	·02			25
26									⎫ ⎭ ·04	·01	·10	·18	26
27		·15	·05						⎫ ⎭ -		·14		27
28	·02		·15						⎫ ⎭ 1·09		·18		28
29	·01		·05									·03	29
30		X	·44							·02	·08	·02	30
31		X	·03	X		X			X	·10	X		31
TOTAL	3·83	1·90	·91	2·64	2.05 ~~1·78~~	1·54 ~~1·50~~	7·97 ~~7·84~~		7·07 ~~7·15~~	1·02	3·41 ~~3·51~~	2·98 ~~3·08~~	35·32 YEAR'S TOTAL 35·46
Days with ·01 in. or more.													
Days with ·04 in. or more													

Copied from MS. Record Sheets.

FOR OFFICIAL USE.

COPY BY B.R.O.

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No.
River Dist.
Station No.

REGISTER OF RAINFALL IN 1910.

Kept at Saint Cross, Winchester.

in the County of Hants.

by A. T. Gotch, Esq.,

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·54	–	·06	–	–	–	·34		–	·06	–	1·13	1
2	·41	–	–	–	·06	–	·01		1·08	–	·07	·06	2
3	~~·98~~	–	·67	–	·03	–	–		·05	–	·01	·20	3
4	·20	–	·69	–	–	·01	·04		·12	–	·09	·05	4
5	·02	·35	·70	–	–	–	·27		1·84	–	·11	·17	5
6	·43	–	·10	–	·11	–	–		–	–	–	·17	6
7	·13	–	·68	–	–	–	–		–	–	–	–	7
8	·31	–	·25	–	·03	–	–		–	–	–	–	8
9	·25	–	·06	·13	·11	–	–		·02	–	·16	–	9
10	·36	–	·53	·07	–	–	–		·01	·02	–	·38	10
11	·10	–	·07	·32	·10	–	·20		–	–	–	·02	11
12	·01	–	·04	·07	–	–	·03		–	·14	·05	–	12
13	·08	·02	–	·70	–	–	–		–	–	–	·07	13
14	·39	–	–	·10	–	–	·02		·19	–	–	·16	14
15	·25	·11	–	·01	–	–	–		–	–	–	1·08	15
16	·17	·78	–	–	–	–	~~·05~~	·05	–	–	·11	·02	16
17	·02	~~·20~~	–	–	–	–	+	–	–	–	·10	·02	17
18	·02	·04	·25	–	–	–	~~·02~~	·02	–	–	·09	·02	18
19	·55	·34	1·27	–	–	·14	~~·31~~	·31	·02	–	·04	·03	19
20	·35	·09	·02	–	–	·57	~~·15~~	·15	–	–	–	·02	20
21	–	·70	–	–	–	–	+	–	·02	–	·04	·03	21
22	·03	–	–	–	–	–	+	–	·24	–	·01	·18	22
23	–	–	–	–	–	–	+	–	·02	·15	·03	·04	23
24	·07	–	–	·02	–	·01	+	–	–	·32	·07	·16	24
25	·06	·11	–	·04	–	–	~~·40~~	·40	–	–	–	·04	25
26	·10	·13	·17	·14	–	–	+	–	·90	–	·06	·48	26
27	Snow ·06	–	–	·40	–	–	~~1·50~~	1·50	–	–	–	·03	27
28	·02	–	·36	–	–	–	~~·20~~	·20	–	–	·44	·42	28
29	–	X	–	–	–	–	~~·19~~	·19	–	·13	–	·05	29
30	–	X	–	·21	–	·16	~~·58~~	·58	–	·02	·57	·62	30
31	–	X	–	X	–	X	+	–	X	·02	X	·23	31
TOTAL	5·31	2·87	5·92	2·21	·44	·90	~~4·31~~		4·51	·86	2·05	5·88	YEAR'S TOTAL
Days with ·01 in. or more.	26	11	16	12	6	5			12	8	17	27	
Days with ·04 in. or more	20	10	15	10	4	3			7	5	14	19	

Copied from MS. Record Sheets.

FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

County No.
River Dist.
Station No.

Kept at Saint Cross, Winchester

in the County of Hants

by A. T. Gotch, Esq.,

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

COPY BY B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—		·41	·12	—	·26		—	·55	·04	·35	1
2	·15	—		·08	—	—	·39		·04	·09	—	·13	2
3	·05	·08		·02	·05	—	·57		—	·55	—	·02	3
4	—	·04	·25	·01	—	—	·31		—	·29	—	·01	4
5	—	—		·12	·01	—	·86		—	·68	—	·06	5
6	—	—		·01	·18	—	·32		—	·02	—	·02	6
7	·03	—		·28	—	—	·31		—	·02	—	—	7
8	·03	·04	—	·05	·05	—	·19		—	—	—	—	8
9	·37	·11	·01	·05	—	·10	—		—	—	—	—	9
10	·48	·16	·05	—	—	·25	·19		—	—	·02	—	10
11	·23	·04	·06	·54	·08	·09	·38		—	—	—	—	11
12	·04	·05	·02	·16	—	·96	·02		—	—	·08	—	12
13	·11	·01	·34	·06	—	—	—		—	—	·02	—	13
14	·02	·04	·33	·40	—	—	—		·23	·16	·45	·02	14
15	·04	·03	·02	·12	·05	—			·16	·34	·05	—	15
16	·01	·02	·01	·01	—	—			·08	·02	—	—	16
17	·01	—	—	—	·26	—			·49	—	·02	·01	17
18	·08	—	—	·02	·03	·06		·42	·02	—	—	·01	18
19	·11	—	—	·23	—	·16		—	—	—	·02	—	19
20	·06		—	·25	—	·48		—	—	—	—	·12	20
21	—		—	·02	—	—		—	·07	—	—	·06	21
22	·04		—	·22	—	—		·03	·03	—	—	·40	22
23	·01		—	·01	—	—		—	—	—	—	·36	23
24	·02		·16	·03	—	—		—	—	—	·03	·06	24
25	—	·20	·08	—	·08	—		—	—	—	·02	—	25
26	·10		·18	·01	·01	·03		—	—	—	·02	·09	26
27	·50		·01	·14	—	·16		—	—	—	·41	·20	27
28	·38		—	·02	·06	·01		—	—	—	—	·05	28
29	·42		·03	·01	·05	—		—	—	—	·20	·15	29
30	·07	X	—	—	·02	·12		—	·26	·03	·28	·25	30
31	·12	X	·42	X	—	X		—	X	1·18	X	·08	31
TOTAL	3·48	·82	1·97	3·28	1·05	2·42			1·38	3·93	1·66	2·45	YEAR'S TOTAL
Days with ·01 in. or more.	25	12	15	26	14	11			9	12	14	20	
Days with ·04 in. or more	18	9	9	15	10	9			7	8	7	14	

FORM A.
BRITISH RAINFALL.

2 APR 1915

WINCHESTER
NORTHGATE PLACE
HANTS
1914

REGI

Kept at Winches ter

in the County of Hamp

by H. R. Joh

in.

ft. 3 in.

el 180 ft.

IMPORTANT NOT ult entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.05	—	—	—	—	0.37	—	—	0.16	0.03	1
2	—	—	—	—	—	—	0.03	0.05	—	—	0.25	0.24	2
3	0.01	—	0.22	0.05	0.37	—	0.07	0.04	—	—	0.28	0.03	3
4	0.03	—	0.02	0.25	0.10	—	0.01	0.31	—	—	0.28	0.28	4
5	0.04	—	0.10	0.50	0.39	0.02	0.18	0.82	—	—	0.35	—	5
6	—	0.10	0.02	0.16	0.03	0.02	0.01	0.05	—	—	0.05	0.41	6
7	—	0.83	0.13	0.25	0.03	0.01	0.16	0.03	—	—	—	0.17	7
8	0.05	0.25	0.56	0.02	0.01	0.05	—	0.27	—	—	—	0.06	8
9	0.08	0.01	0.50	0.21	0.03	0.04	—	0.01	0.17	—	—	1.28	9
10	0.01	0.32	—	0.09	0.19	—	—	—	0.32	—	—	—	10
11	—	0.39	0.53	—	—	0.01	0.45	—	0.04	-	0.11	0.46	11
12	—	0.11	0.15	—	—	—	0.01	—	0.33	0.15	—	0.07	12
13	—	0.44	0.36	—	—	—	—	—	0.23	0.02	0.07	0.77	13
14	—	0.35	0.22	—	—	0.02	0.14	0.04	—	0.18	0.22	0.38	14
15	—	—	0.14	—	—	—	—	X.49	—	0.01	0.11	—	15
16	0.01	—	—	—	—	—	0.03	—	0.16	—	—	—	16
17	—	0.71	0.09	—	—	—	—	—	0.06	—	—	0.42	17
18	—	—	0.14	—	—	—	0.05	—	—	—	—	0.68	18
19	—	0.09	0.35	—	—	—	1.15	—	—	—	0.13	0.27	19
20	—	0.46	0.14	—	—	0.04	—	—	—	—	—	0.15	20
21	—	0.76	0.04	—	—	0.06	—	0.04	—	0.17	—	0.05	21
22	—	0.09	0.02	—	0.07	0.04	0.08	0.02	—	0.17	—	—	22
23	—	0.14	0.21	—	—	0.01	—	—	—	0.08	—	—	23
24	—	—	0.05	—	0.03	0.01	—	—	—	0.12	0.28	—	24
25	0.06	—	0.13	—	—	—	—	0.25	—	0.34	0.03	0.22	25
26	—	—	0.01	—	—	—	0.02	0.08	—	0.05	0.18	0.74	26
27	0.08	—	—	—	—	—	—	—	—	—	0.18	0.31	27
28	0.01	0.08	0.03	—	0.17	—	—	—	—	0.04	0.39	0.60	28
29	0.22		0.18	—	0.02	—	—	—	—	0.26	0.27	0.01	29
30	0.01	X	0.10	—	—	—	—	—	—	0.09	0.67	0.76	30
31	0.04	X	—	X	0.01	X	0.08	—	X	0.26	X	0.05	31
Total	0.67	5.22	4.54	1.53	1.45	0.33	2.47	2.87	1.31	1.84	4.01	9.34	YEAR'S TOTAL 35.58
Rain Days.	13	16	26	8	13	12	15	15	7	14	18	24	184

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 2 APR 1915

Kept at Winchester

in the County of Hampshire

by H. R. Johnson

Lat. ____ Long. ____

Time of Observation 9 a.m.

Nearest Railway Station Winchester

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.05	—	—	—	—	0.37	—	—	0.16	0.03	1
2	—	—	—	—	—	—	0.03	0.05	—	—	0.25	0.24	2
3	0.01	—	0.22	0.05	0.37	—	0.07	0.04	—	—	0.28	0.03	3
4	0.03	—	0.02	0.25	0.10	—	0.01	0.31	—	—	0.28	0.28	4
5	0.04	—	0.10	0.50	0.39	0.02	0.18	0.82	—	—	0.35	—	5
6	—	0.10	0.02	0.16	0.03	0.02	0.01	0.05	—	—	0.05	0.41	6
7	—	0.83	0.13	0.25	0.03	0.01	0.16	0.03	—	—	—	0.17	7
8	0.05	0.25	0.56	0.02	0.01	0.05	—	0.27	—	—	—	0.66	8
9	0.08	0.01	0.50	0.21	0.03	0.04	—	0.01	0.17	—	—	1.28	9
10	0.01	0.32	—	0.09	0.19	—	—	—	0.32	—	—	—	10
11	—	0.39	0.53	—	—	0.01	0.45	—	0.04	—	0.11	0.46	11
12	—	0.11	0.15	—	—	—	0.01	—	0.33	0.15	—	0.07	12
13	—	0.44	0.36	—	—	—	—	—	0.23	0.02	0.07	0.77	13
14	—	0.35	0.22	—	—	0.02	0.14	0.04	—	0.18	0.32	0.38	14
15	—	—	0.19	—	—	—	—	X.49	—	0.01	0.11	—	15
16	0.01	—	—	—	—	—	0.03	—	0.16	—	—	—	16
17	—	0.71	0.09	—	—	—	—	—	0.06	—	—	0.42	17
18	—	—	0.14	—	—	—	0.05	—	—	—	—	0.68	18
19	—	0.09	0.35	—	—	—	1.15	—	—	—	0.13	0.27	19
20	—	0.46	0.14	—	—	0.04	—	—	—	—	—	0.15	20
21	—	0.76	0.04	—	—	0.06	—	0.04	—	0.17	—	0.05	21
22	—	0.09	0.02	—	0.07	0.04	0.08	0.02	—	0.17	—	—	22
23	—	0.14	0.21	—	—	0.01	—	—	—	0.08	—	—	23
24	—	—	0.05	—	0.03	0.01	—	—	—	0.02	0.28	—	24
25	0.06	—	0.13	—	—	—	—	0.25	—	0.34	0.03	0.22	25
26	—	—	0.01	—	—	—	0.02	0.08	—	0.05	0.18	0.74	26
27	0.08	—	—	—	—	—	—	—	—	—	0.18	0.31	27
28	0.01	0.08	0.03	—	0.17	—	—	—	—	0.04	0.30	0.60	28
29	0.22		0.18	—	0.02	—	—	—	—	0.26	0.27	0.01	29
30	0.01	X	0.10	—	—	—	—	—	—	0.09	0.67	0.76	30
31	0.04	X	—	X	0.01	X	0.08	—	X	0.26	X	0.05	31
Total	0.67	5.22	4.54	1.53	1.45	0.33	2.47	2.87	1.31	1.84	4.01	9.34	YEAR'S TOTAL 35.58
Rain Days.	13	16	26	8	13	12	15	15	7	14	18	24	181

W. 8,000. X. 14.

Northgate Place,
Winchester.

12 APR 1915

Dear Mr. Salter April 10, 1915

The rainfall registered by me
for the 15th August last was 0.49
and not 1.49.

Regretting the trouble I have given
and thanking you for forwarding

not the mistake

Yours truly

H. L. Johnson

Syfade

REG

WOOTTON HILL
HANTS
1915 - 1919

FORM A.
BRITISH RAINFALL.

Kept at Wootton

in the County of

by J. H. S

...illon

3" in.

2 ft. 6. in.

198. ft.

IMPORTANT NOTE ... lt entered to the previous day. If an Obser... not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
.20.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.34	.37	—	—	.02	—	—	—	—	.35	—	.13	1
2	.31	.30	—	.03	—	.03	—	—	.66	.47	—	.31	2
3	.38	—	—	.03	.20	—	—	.12.	—	.16	—	.62	3
4	.02	—	—	.02	—	—	—	—	—	—	—	.35	4
5	.04	.64	—	.02	—	—	—	.23.	—	—	—	.75	5
6	.78	.17	—	.50	—	—	.60	—	—	—	—	.30	6
7	.02	.57	—	.05	—	—	.14	.05	—	—	—	.42	7
8	.18	.75	—	.03	—	—	.01	.08	—	—	.04	.08	8
9	—	.05	~~.19~~ .15	.33	—	.05	—	—	—	—	.34	1.04	9
10	.30	—	~~.15~~	—	—	—	—	—	—	.02	—	.20	10
11	.04	—	.10	.02	—	—	—	—	—	—	1.14	.05	11
12	.12	.57	—	.18	.61	—	—	—	—	—	.69	—	12
13	.01	.38	—	—	1.36	—	.26	.27	.12.	—	.06	—	13
14	.04	.03	—	—	—	—	.14	—	.10	—	—	—	14
15	.05	.08	—	—	.15	—	—	.05	—	—	—	.33	15
16	—	1.00	—	—	.36	—	1.48	—	—	—	—	.44	16
17	—	.47	—	—	.61	—	—	—	—	—	—	—	17
18	—	.41	—	—	—	—	—	—	—	.04	—	.01	18
19	—	.08	—	—	.25	—	.07	—	—	—	—	—	19
20	.27	—	—	.13	—	—	—	—	—	—	—	—	20
21	.10	.44	.48	.04	—	—	.13	—	—	.70	—	.20	21
22	.39	.20	—	—	—	—	.85	—	.01	—	—	.24	22
23	—	.02	.17	—	—	.03	.02	—	.12	.73	—	.75	23
24	—	—	.02	.03	—	—	1.53	—	1.24	.62	—	.48	24
25	—	.10	—	—	—	—	—	—	.02	—	—	.25	25
26	—	—	—	—	—	.17	.30	—	—	.43	—	.92	26
27	.02	.02	—	—	—	.01	—	—	.68	—	—	—	27
28	—	.07.	—	—	—	.25	.12	—	—	.08	—	.01	28
29	—		—	—	—	.04	—	.04	—	.03	.52	.16	29
30	.20	X	—	—	—	.04.	—	—	—	.51	.93.	.18	30
31	—	X	—	X	—	X	.01.	.41.	X	.79.	X	.26	31
Total	3.81	6.66	1.11	1.41	3.56	.62	5.66	1.25	2.95	4.93	3.72	8.68	YEAR'S TOTAL 44.36
Rain Days.	19	21	6	13	8	8	14	8	8	13	7	24	14.9

W. 8,000. X. 15.

Snfolk

REG[redacted]

FORM A. BRITISH RAINFALL.

Kept at Wootton Hall, New Milton

in the County of Hants

by J. H. Hannam

Time of Observation 9

Nearest Railway Station New Milton

Diameter of Funnel of Rain Gauge 3 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level 198. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. .20.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.54	.37	—	—	.02	—	—	—	—	.35	—	.13	1
2	.31	.30	—	.03	—	.03	—	—	.66	.47	—	.31	2
3	.38	—	—	.03	.20	—	—	.12.	—	.16	—	.62	3
4	.02	—	—	.02	—	—	—	—	—	—	—	.33	4
5	.04	.64	—	.02	—	—	—	.23.	—	—	—	.75	5
6	.78	.17	—	.50	—	—	.60	—	—	—	—	.30	6
7	.02	.57	—	.05	—	—	.14	.05	—	—	—	.42	7
8	.18	.75	—	.03	—	—	.01	.08.	—	—	.04	.08	8
9	—	.05	.19	.33	—	.05	—	—	—	—	.34	1.04	9
10	.30	—	.15 .17	—	—	—	—	—	—	.02	—	.20	10
11	.04	—	.10	.02	—	—	—	—	—	—	1.14	.05	11
12	.12	.57	—	.18	.61	—	—	—	—	—	.69	—	12
13	.01	.38	—	—	1.36	—	.26	.27	.12.	—	.06	—	13
14	.04	.03	—	—	—	—	.14	—	.10	—	—	—	14
15	.05	.08	—	—	.15	—	—	.05.	—	—	—	.33	15
16	—	1.00	—	—	.36	—	1.48.	—	—	—	—	.44	16
17	—	.47	—	—	.61	—	—	—	—	—	—	—	17
18	—	.41	—	—	—	—	—	—	—	.04.	—	.01	18
19	—	.08	—	—	.25.	—	.07	—	—	—	—	—	19
20	.27	—	—	.13	—	—	—	—	—	—	—	—	20
21	.10	.44	.48	.04	—	—	.13	—	—	.70	—	.20	21
22	.39	.20	—	—	—	—	.85	—	.01	—	—	.24	22
23	—	.02	.17	—	—	.03	.02	—	.12	.73	—	.75	23
24	—	—	.02	.03	—	—	1.53	—	1.24	.62	—	.48	24
25	—	.10	—	—	—	—	—	—	.02	—	—	.25	25
26	—	—	—	—	—	.17	.30	—	—	.43	—	.92	26
27	.02	.02	—	—	—	.01	—	—	.68	—	—	—	27
28	—	.07.	—	—	—	.25	.12	—	—	.08	—	.01	28
29	—		—	—	—	.04	—	.04	—	.03	.52	.16	29
30	.20	X	—	—	—	.04.	—	—	—	.51	.93.	.18	30
31	—	X	—	X	—	X	.01.	.41.	X	.79.	X	.24	31
Total	3.81	6.66	1.11	1.41	3.56	.62	5.66	1.25	2.95	4.93	3.72	8.68	YEAR'S TOTAL 44.36
Rain Days.	19	21	6	13	8	8	14	8	8	13	7	24	14.9

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916.

FORM A. BRITISH RAINFALL. 5 JAN 1917

694

Kept at Woolton Hill

in the County of Hampshire

by J. H. Harman

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Newbury

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level 197 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·20	·16	·06		·72		·01		·36	·07	·05		1
2	·40	·50			·10		·02			·50	·30		2
3	·10	·50				·30			·34	·73	·23		3
4	·38	·18				·05					·53		4
5	·09	·08			·24	·11				·05	·62		5
6	·02	·08			·05	·35	·63			·16			6
7		·01	·04		·02							·15	7
8		·03	·10		·50	·03						·49	8
9	·05				·02	·20						·30	9
10		·77		·05	·06	·30	·13					·03	10
11				·11		·04						·11	11
12		·11		·04	·06		·15	·09		·08			12
13		·22	·09	·01									13
14		·60	·05		·07				·01	·08			14
15	·05	·25	·04					·95		·02			15
16	·06	·04		·14			·02	·85		·02	·30		16
17	·17	·20	·03	·12					·35	1·00	·17		17
18	·02	·05	·35	·04					·19		·33	·31	18
19	·12		·17	·04					·02		·02	·10	19
20	·18	·10	·66								·09	1·27	20
21		·22	·28	·12			·03					·25	21
22								·05		·34	·01	·77	22
23	·03	·13	·02			·06				·01	·25		23
24					·30			·85		·38	·05	·36	24
25		·55	·06					·16		·05	·73		25
26	·03	·23	1·10			·18				·66	·01		26
27		·05		·19		·06		·06	·54	·15			27
28		·50	·07						·39	·47		·40	28
29			·02			·63		1·45	·25	·23		·39	29
30			·02			·01		·05		·53		·01	30
31										·37		·03	31
Total	1·90	5·56	3·16	·86	2·14	2·32	·99	4·51	2·45	5·90	3·09	4·97	YEAR'S TOTAL 37·85
Rain Days.	15	23	17	10	11	13	7	9	9	20	15	15	164

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Woolton Hill Rw Station

in the County of Hants

by J. S. Harman

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Rw Station

Diameter of Funnel of Rain Gauge 5½ in.

Height of top of Gauge above Ground 2 ft. ..... in.

" " " " Sea Level 198 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	·22	—	·14	—	1·05	·01	—	·06	—	1
2	—	—	·15	·75	—	—	—	·02	—	—	—	—	2
3	·01	—	·04	·04	—	—	·37	·10	—	·15	·21	—	3
4	—	·06	·32	—	—	—	·01	·04	—	·19	—	·03	4
5	·12	—	·08	—	—	·10	—	·23	·11	·19	·13	—	5
6	—	—	·20	·15	—	—	—	·01	—	·16	·10	02	6
7	·54	—	·02	—	—	—	·49	·02	—	·34	·02	·05	7
8	·36	—	·18	·05	—	—	·49	·24	·01	·35	·20	·30	8
9	—	—	·04	·01	·01	—	·02	—	·04	·06	·16	—	9
10	·18	—	·35	·24	—	—	—	·15	—	—	—	—	10
11	·07	—	·43	·16	—	—	—	·01	01	·26	—	—	11
12	·02	—	·05	—	·06	·09	—	·14	—	·30	—	—	12
13	·01	—	·30	—	·37	—	—	·10	—	—	—	—	13
14		—	—	·06	—	—	—	—	—	—	—	—	14
15		—	—	—	—	—	·10	·36	—	·07	—	·09	15
16		·15	—	·16	—	—	—	—	·03	1·68	—	·42	16
17	·11	·02	—	·15	·09	·01	·48	·15	·44	·15	—	—	17
18	Snow	·38	—	—	—	·24	·10	—	·47	—	—	—	18
19	and	·01	·10	—	—	·06	—	·01	·40	—	—	—	19
20	Rain	·02	·27	—	·29	·01	—	·04	—	—	·04	—	20
21		—	·20	—	—	—	—	—	—	·21	—	—	21
22		—	·08	—	·01	—	—	·03	—	—	—	—	22
23		·35	—	—	·06	—	—	·25	—	—	—	—	23
24	—	·11	—	—	—	—	·21	—	—	·25	·04	·05	24
25	—	·30	·01	—	—	·12	·01	—	·01	·06	—	—	25
26	—	—	·06	—	·14	—	—	·44	·10	—	·04	—	26
27	—	—	—	—	·40	·22	—	1·21	—	—	—	—	27
28	—	—	·07	—	·10	1·13	—	·24	—	—	—	—	28
29	—	—	—	—	·36	·15	·13	·03	—	·54	—	·15	29
30	—	X	·43	—	—	—	·92	·28	—	—	—	—	30
31	—	X	·02	X	—	X	·04	·07	X	·27	X	·05	31
Total	1·42	1·40	3·40	1·99	1·89	2·27	3·37	5·24	1·63	5·32	1·00	1·16	YEAR'S TOTAL 29·99
Rain Days.	9.	9.	21.	11	11.	11	13	24.	11	17	10	9	156

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 19

FORM A. BRITISH RAINFALL. 1.19

Kept at Wootton Hall, New Milton

in the County of Hants

by J. A. Harman

Long 1° 39' W Lat 50° 47'

Time of Observation 9

Nearest Railway Station New Milton

Diameter of Funnel of Rain Gauge ____ in.

Height of top of Gauge above Ground 2 ft. ____ in.

" " " " Sea Level 198 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.64

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.02		.02	.01			.78			.38	.04	1
2		.22		.17				.30			.53	.13	2
3		.12		.43	.29			.25			.10	.16	3
4			.01	.03				.07	.15		.73	.07	4
5		.15	.17	.01	.12			.32		.21		.04	5
6	0.20	.05		.24		.01		.15	.09	.09		.19	6
7		.17		.09	.41			.06	.37	.09	.24	.02	7
8		.08			.04				.15	.21			8
9				.33	.02	.10	.38		.48	.21		.45	9
10	.04			.10		.01	.34		.27	.38	.02	.44	10
11	.01						.24		.05	.15	.08	.11	11
12		.12.			.40		.01		.02				12
13	.31	.03					.50		.27	.02		.10	13
14	.24		.02			.10	.09		.57	.49		.09	14
15	1.38			.38		.02	.20					.14	15
16	.46		.01	.07		.38			.18			.01	16
17	.15			.18			.31	.04	.10			.25	17
18	.62					.70			.67	.02		.09	18
19	.08		.17				.50	.01		.13		.04	19
20	.03	.16		.43		.02	.05		.31			.02	20
21	.15	.02							.50	.14		.17	21
22	.10				.07		.52		.31			.22	22
23	.16				.05		.30	.02			.05	.02	23
24		.39		.02					.20		.38		24
25	.02			.25			.10	.51			.02		25
26	.01	.01					.41		.02	.08	.16	.35	26
27		.09	.23				.04	.10	.21		.24	.03	27
28				.02						.04	.08	.01	28
29			.06	.05					1.32	.82		.03	29
30	.04		.65							.03	.16	.12	30
31			.11							.19			31
Total	4.00	1.63	1.43	2.80	1.41	1.34	4.39	2.61	6.16	2.44	3.17	3.34	YEAR'S TOTAL 34.72
Rain Days.	17.	14	9	17	9	8	15	12.	20	16	14	26	177

W. 8,000, IX. 17.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Wootton Hill, New Milton

in the County of Hampshire

by J. A. Harman

Lat. 50° 47' N. Long. 1° 39' W

Time of Observation 9 o'clock

Nearest Railway Station New Milton

Diameter of Funnel of Rain Gauge 6 inches.

Height of top of Gauge above Ground 2 ft. = in.

" " " " Sea Level 197 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.64		.09		.19		.36				.09	1.06	1
2	.39		.01		.17		.53		.81		.08		2
3	.35		.66		.05	.16	.03		.12			.46	3
4	.44	.17	.50		.13						.10	.18	4
5	.03	.51	.45						.45		.12	.22	5
6	.37		.09		.34							.18	6
7	.48		.48	.10								.03	7
8	.24		.36		.07								8
9	.33		.02	.16	.03						.17		9
10	.33		.37	.05	.05							.41	10
11	.21		.03	.23					.14			.02	11
12	.05						.20				.06	.0	12
13	.07	.08	.03	.41								.07	13
14	.65	.24		.11								.15	14
15	.27	.09										.79	15
16	.09	1.00		.03	.04						.17		16
17	.04	.22						.10			.06		17
18	.02	.02	.54					.15	.07		.31	.05	18
19	.90	.36	1.21				.85	.38			.08	.03	19
20	.50	.05	.10			.61					.06	.04	20
21	.03	.73	.01				.30					.02	21
22		.04							.27			.03	22
23										.19		.09	23
24		.04								.54	.12	.04	24
25	.13	.07				.10		.36				.12	25
26	.04	.20	.03	.05							.04	.09	26
27	.07		.03	.31				1.79				.45	27
28			.50					.15			.52	.07	28
29								.25				(.43)	29
30			.02					.45			1.36	.08	30
31	.02		.01									.62	31
TOTAL	6.39	3.78	6.54	1.45	1.07	.87	2.29	3.63	1.86	.71	3.34	6.13	YEAR'S TOTAL 37.06
Days with .01 in. or more	25	14	21	9	9	3	6	5	6	2	15	21	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

WINTERSHILL
HANTS
1911 - 12

FORM A2.
BRITISH RAINFALL.
3 JAN 1912

Kept at Wmb... ...uidon

in the County of ...

by J.S.L...

...5 in.

Ground 1 ft. in.

Sea Level 210 ft.

A.N1.

Name Bishops Waltham

Distance 2 Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·06				·09	1
2	·04			·28	·41						·24		2
3					·24			·08			·26	·16	3
4				Snow 14						·11	·26	32	4
5	·03			·02				·05		·19	·02		5
6	·18		·14								·01	1·04	6
7	·24									·14	·39	·77	7
8	·04		·31								·27		8
9	·10				·10							·26	9
10		·16										·76	10
11			·36								1·01		11
12	·44		·86		·13						·09	·11	12
13									·18			·61	13
14		·08										·50	14
15		·02				·01					·01	·02	15
16						·27					·58	·29	16
17						·37					·61	·47	17
18		·15				·04				·08	·38	·63	18
19		·04		·04					·20	·16	·01	·26	19
20			·13			·34			·05	·01		·75	20
21		·18						·04		·47		·12	21
22	·16									·38		·47	22
23		·22	·33	·01		·10			·16	·25	·04	·35	23
24		·15				·24		·11	·03	1·39		·30	24
25				·12	·89	·13		·02				·19	25
26		·44		·31	·25	·31	·03		·09	·31		·36	26
27			·18	·24		·04	·05			·21		·20	27
28		·24		·39				·24					28
29				·48		·14	·07	·14	·14	·37			29
30				·04		·10				·33		·03	30
31													31
Total	1·23	1·68	2·31	2·07	2·02	2·09	·15	·74	·85	4·40	4·18	9·06	TOTAL for year 30·78
No. of Rain Days.	8	10	7	11	6	12	3	8	7	14	15	24	125

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
5 JAN 1912

Kept at Winterhill

in the County of Southampton 5

by J. S. Cross.

RAIN GAUGE: Pattern Cylinder; Diameter of top 5 in.; Height of top above Ground 1 ft. in.; „ „ „ Sea Level 210 ft.

Time of Observation 9. A. M.

Nearest Railway Station: Name Bishops Waltham; Distance 2 Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·06				·09	1
2	·04			·28	·41						·24		2
3					·24			·08			·26	·16	3
4				Snow ·14						·11	·26	32	4
5	·03			·02				·05		·19	·02		5
6	·18		·14								·01	1·04	6
7	·24									·14	·39	·77	7
8	·04		·31								·27		8
9	·10				·10							·26	9
10		·16										·76	10
11			·36								1·01		11
12	·44		·86		·13						·09	·11	12
13									·18			·61	13
14		·08										·50	14
15		·02				·01					·01	·02	15
16						·27					·58	·29	16
17						·37					·61	·47	17
18		·15				·04				·08	·38	·63	18
19		·04		·04					·20	·16	·01	·26	19
20			·13			·34			·05	·01		·75	20
21		·18						·04		·47		·12	21
22	·16									·38		·47	22
23		·22	·33	·01		·10			·16	·25	·04	·35	23
24		·15				·24		·11	·03	1·39		·30	24
25				·12	·89	·13		·02				·19	25
26		·44		·31	·25	·31	·03		·09	·31		·36	26
27			·18	·24		·04	·05			·21		·20	27
28		·24		·39				·24					28
29				·48		·14	·07	·14	·14	·37			29
30				·04		·10				·33		·03	30
31													31
Total	1·23	1·68	2·31	2·07	2·02	2·09	·15	·74	·85	4·40	4·18	9·06	TOTAL for year 30·78
No. of Rain Days.	8	10	7	11	6	12	3	8	7	14	15	24	125

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

Form A2. British Rainfall. 7 JAN 1913

Kept at Winterhill Hall

in the County of Hampshire 5

by J. S. Wood.

Rain Gauge: Pattern ____ Diameter of top 5" in. Height of top above Ground 1 ft. 0 in. " " " Sea Level ____ ft.

Time of Observation 9 A M

Nearest Railway Station: Name Br. Waltham Distance 2 miles Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.10		.04	.30	.13		.03	.71		.33	1
2		.01	.12			.22	.53	.08					2
3		.03	.10			.27		.60	.02		.03	.03	3
4	.17	.07	.83			.21					.22	.10	4
5	.34		.24		.01			.47			.03	.03	5
6	.52	.00			.13			.29	.02				6
7		.38	.07		.23	1.06		.19					7
8	.41		.39			.28		.04				.23	8
9	.02	.28	.11	.04		.16	.03	.29				.33	9
10		.09						.02				.36	10
11	.02	.12						.03			.07	.33	11
12	.12	.24	.14		.35	.62	.06	.16					12
13								.28		.03			13
14	.08	.04	.03		.07	.01		.09					14
15	.03		.16		.04	.57		.25		.10		.32	15
16	.08	.12	.22			.12		.20					16
17	.57		.19			.09		.36				.19	17
18	.08	.01	.22					.19		.05			18
19		.08	.23				.26	.23					19
20	.04		.37			.02	.01	.16		.44	.15	.04	20
21	.02	.16	.10		.27			.11		.23			21
22	.07	.49	.03					.16				.07	22
23	.37	.17	.28			.02		.44		.13	.22	.18	23
24	.62	.05			.01			.37		.08		.20	24
25	.18	.05				.56		.83				.57	25
26		.02					.44	.18			.26	.29	26
27		.16				.15	.24			.89	.46	.53	27
28						.09	.46	.43	.09	.79		.32	28
29		.12				.10	.49	.03	1.42	.36	.82		29
30					.10		.10	.23	1.06	.19			30
31			.27				.34	.10		.11		.05	31
Total	3.74	2.79	4.14	.04	1.25	4.85	3.09	6.81	2.64	4.11	2.26	4.50	TOTAL for year 40.22
No. of Rain Days.	18	21	20	1	10	18	12	28	6	13	9	19	175

W. 8,000, X. '11.

Com for Aust & W.D

1914

W.D

Jan 1st ... 24.

	Jan	Feb	mar	April	may	June	July	Aug	Sept	Oct	Nov	Dec
1		4	6		15	2		4			25	73
2								20			6	3
3			3		2		10	2			19	22
4			2	8	30						7	3
5				25	6			18			37	26
6	16		7	18			30				20	2
7		18		33	3			15			9	54
8		45		21	2	7	15					30
9	4	30	67	5				19				.
10	1		97	6	5					7		200
11	7	49	~~83~~	7	17					40		
12		46	63		2		56				6	44
13		12	21							54	30	92
14		41	11							19	12	66
15		25	17			29		31		61	29	32
16		4	24				44	61		2	52	
17			1				19			42		
18		53	14									38
19		6	21									49
20		9	67				129				12	15
21		28	27			6						17
22		55	1							18		
23		5	20		6	53	10	4		11		
24		7	19			30				13		
25			5		9						10	
26	5		18					38		82	4	55
27								18		26	24	5 36
28											6	32
29			12		7					46	46	66
30	26		71	4						31	16	
31	1		5							21		50
	.04	.06		.15	.02		.04			.25	.73	.24

total												
37.77	.60	4.35	5.39	1.27	1.00	1.27	5.13	2.20	1.62	2.41	5.40	10.25
	.64	4.37	5.38	1.42	.98	1.25	2.17	2.24		3.16	3.88	9.76

Corn for Anita & W.D.

1915

W.D.

Jan. 1st .52

	Jan	Feb	Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec
1	24	2	5				1		44		112	78
2	34	19							36	37		64
3	8	28	23	3	5			19		10		24
4	65		17	6	15					1		71
5	2			1								47
6	3	34						28				51
7	84	15		45			34	7				39
8	18	48		15			11					37
9	6	78					5				3	4
10		4		8							36	91
11	27	4								2		26
12	7		9								82	
13	7	38		33				5		2	40	
14		17			210				14			
15	8						14		9			85
16	10				10		10	10				38
17		94			21		127	21				61
18		36			75			43				
19		7			9							
20		15			16		5					
21	27				8							
22										55		9
23	64	79	18	14			104					24
24			19				1		21	23		64
25			5	1			16		256	48		31
26						3						38
27		10				19	9					102
28		4								46		
29						28	1		63	14		
30						55					55	73
31	29											
	.02	.00				.01		.44		1.50	.78	.12
41 .78	4.23	5.32	.95	1.26	3.69	1.05	3.57	1.33	4.43	2.87	3.28	9.99
.86	4.01	5.35	.90			1.06	3.07	1.77	3.99	3.992.94		9.53

1916

W.D

	Jan	Feb	Mar	Apl	May	June	July	Aug	Sept	Oct	Nov	Dec
1	37		34									
2	19	5	15		23	3						
3	40	19	2		26							
4		66	2									
5	32	15				36						
6	2	8			17	12						
7		8				24	47					
8		2	53		6	12						
9			7		37							
10					4							
11		53	2			19	19					
12		5	2	10		3						
13		10		9	7		12					
14		24	8	3								
15		58			5							
16		15	29									
17	11	5	11	15								
18	14	22		17								
19	1	11	9	9								
20	10		16	1								
21	19		76	7								
22	2	10	28									
23						9						
24	4					12						
25					17							
26			16									
27		57				16						
28	4		96			19						
29		56	10									
30			2			36						
31		34			19							
	~~1.90~~	~~4.49~~	~~3.98~~	71	1.61	2.01						
	1.58	4.83	3.64									

Com. for W.D / + By exam. only.

1917

W.D

	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec
1			17				1	10	2		15	
2			8	snow		4		114			5	
3				165								
4			12				24	18		22	16	
5			5	16			1	13	9			
6	11		16			9		42		23	5	
7										27	11	
8	36						159					7
9	37						27	13		40	16	40
10	26		36		13						(·20)	
11			53	57				15		10		
12				8	10				4	30		
13	2		21		2			16		23		
14	2			1				6		5		
15				3				19				
16	18	18			12		2			20		
17				7	16				5	(1·50)		(·50)
18				13			46	15	39	9		
19	49						3		32			
20	5		13						24			
21	24		43		65				1			
22			11			9						
23					3			10		23		
24	20				4			8		1		
25						9	22			26		21
26								[redacted]		9	8	
27					4	13		30	10		11	
28					39	14		95				
29						182		20				
30			54		28	5	45	1		48		26
31		·17	12			·01	7.16	30		·15		
	2·30		2·78	2·70	1·96	1·95	3·01	4·65	1·26	(4·66)	(1·05 85)	(1·38 88)
total 28·00	(1·35 (1·30)					1·96	3·10	4·57	1·24	(4·81)	(80)	(1·38 88)

1918

W.D

	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec
1				28	18					23		
2		8		22				100		37		
3			16	5	14			22	20			
4		7		17				10		77		
5					43			23	5		115	
6	19			9				22				
7				7					10	25		
8		32		11					15	31		
9		4		8				10		20		
10				42		12	38			22		
11				11			5				39	
12		9					8		70	15	15	
13					36		3	15				
14			2				17	5			6	
15						11	2		23		9	
16	1.99										18	
17				31		75	80		65	7	17	
18				29							12	
19	49	1	13				4		60		3	
20		14					19					
21	57	2		25					20	5		
22							53		37			
23	4				8							
24	11	36			7		20		18			
25							1	20	16			
26				20							23	
27								10	4	100		
28			2				76		21		13	
29			4	17						8		
30			6						108			
31			3.1	.18						4		
	27.26	3.39	1.13	.74	2.82	1.26	98	3.26	2.37	4.92	1.06	2.68	2.65
		3.39	1.13	1.02	2.72	1.08			2.37	4.92	1.29	2.45	

27.26

Jan 1st 18

Rain-Drakes-1919-In hundredths of an inch

Corr for Cert to W.D.

W.D

	Jan	Feb	Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec
1					·12		·02	·				1·00
2	·34		·03				·51			·04	·03	·39
3	·24			·19	·05		·11		·72		·02	·09
4	·26		·93		·02		·17		·04			·72
5	·25		·21			·03		·05	·01		·06	·10
6		·24	·52						·41		·07	·14
7	·12		·10		·24						·3	·25
8	·06		·33								·02	
9			·22							/		
10	·35			·25							·21	
11			·16									·23
12	·58			·12	·07		·20					
13				·21						·02	·04	
14	·04			·11								·04
15		·13					·03			·02		·04
16	·32	·17	·04									·75
17	·05				·02						·15	
18		·05									·03	·02
19											·22	
20		Lost				·15	·56	·02	·08			·03
21	·09					·43	·	·28			·06	
22			·85				·01					
23							·15		·44			·09
24										·10	·04	·02
25										·49	·16	·13
26						·02		·27		119		·15
27		·26		·17				·04	·08		·28	·35
28				×·20				·77			[illegible]	·04
29								·12			·38	·40
30				·01				·32		·09		·12
31								·49				·49
	2·70	~~2·05~~	3·39	~~·26~~	~~·52~~	~~·63~~	1·76	~~2·56~~	1·78	·76	~~1·60~~	~~3·99~~
				1·38	·40	·65	1·74	2·27			2·80	4·17

·13 ·02 1·00 ·18

some × Nov

Rain-Drops - Daily 9 a.m. - In hundredths of an Inch

1920

Corr for auth by W.D.

Oct. 1.2.3. approx. snow-ratio

W.D

Jan 1 .14

	Jan	Feb	March	April	May	June	July	August	Sept	Oct	Nov	Dec
1	.18			.13						.80	.30	.45
2	.13			.23	.10		.45			1.33 53	.37	.29
3	.05		.04	.06	.02			.20	.08			.08
4	.01			.05			.33		.01	.26		
5		.08			.01		.08	.26		.17		
6			.12	.19	.01		.57	.08		.58		
7			.06		.29		.56 .57			.03		
8	.01			.12	.04		.20					
9					.02		.22		.01			
10	.53			.03		.05						Snow
11	.32	.16				.15	.27					
12	.03		.19	.16	.11	.07	.55					
13	.13			.07		.81						
14	.16	.02	.25	.03								
15	.08		.27	.21						.05	.58	
16	.02	.03		.15	.05	.01			.40	.75		
17				.23					.23	.04		
18				.41	.15				.55			
19	.05				3	.18		.61	.12			.10
20	.04			.17					.02			
21		.11		.09		.82						
22							.92		.05			.14
23				.09								.23
24	.05						.23	.11				.33
25			.13		13							.07
26					6		.30					
27	.01		.19				.09					.12
28	.24	.02		.04	3	.07	.09				.21	.17
29	.20			.04	4		.20					.04
30	.45		.12	.03		.02			3		.15	.26
31	.06						.08	.01	.80	.30	.43	.28 .14
~~26.10~~	~~2.5~~	.42	1.37	~~2.53~~	.89 1.09	2.18	5.71	1.27	~~1.47~~	~~3.21~~	~~1.61~~	~~2.54~~
25.06	2.79 2.52											
			1.50	2.40					2.27	2.71	1.74	2.25